

2610 Commerce Rd Rapid City SD 57702 1-605-342-7644 Fax 1-605-342-4036 www.warneusa.com

2025 Equipment and Parts Catalog

Spraying Equipment UTV and ATV Application Equipment Fire Fighting Units Custom Built Sprayers Pumps – Tanks – Hose – Lots and Lots of Parts Liquid Fertilizer Application Equipment

Contents
Backpack Sprayers & Accessories 37
Booms & Accessories 36
Chemical Injectors 60
Chemical Mixing Unit 58
Clamps 7
Dosatron Chemical Injectors 60
Drainzit 59
Electric Sprayer Monitors &
Components 34-35
Engines 59
Fertilizer Banding Kit 58
Fire Fighting Units & Accessories 52-53
Fittings 2-9
Flatbed Ladder 36
Fluid Film 62
Foam Markers & Accessories 36
Fogger 51
Forage Applicator 58

Gauges 13 **Gopher Getter 58 GPS Guidance System 33** Grass Seeder 62 Handguns 12-13 Hose Reels & Accessories 16-17 Jet Rinse 62 Liquid Feed Applicator Kit 58 **Measuring Containers 62** Miracle Rust Away 62 Mist Sprayers 51 Nozzles & Tips 12, 26-28, 32 Nurse Tank Trailer 43 Personal Protection Equipment 61 Planter Kits 58 Prairie Dog Baiter 58 Pumps & Accessories 18-25 **Raven Parts 34**

Root Feeders 62 Rust Away 62 Seed Treater 58 Seeders 60, 62 Soil Core Sampler 62 Sprayers 42-57 Spreaders & Accessories 60 Strainers 10-11 Surge Buster 41 Switch Boxes 34 Swivels 13 Tanks & Accessories 38-41 TeeJet Accessories 26-31 Tips & Nozzles 12, 26-28, 32 Totes 40 Valves 14-15 Weed Wiper 62 Wind Meter 62









POLICIES, TERMS, AND CONDITIONS

Warne Companies wants to express our appreciation for your business. We are committed to a combination of high-quality product lines, knowledgeable sales staff, and prompt service at competitive prices. We will continue to do our very best to provide the same high standards of product and service you have come to expect from us.

PRICES

Prices shown are FOB Rapid City SD unless otherwise specified and are current to the best of our knowledge. However, prices may change at any time without notice or obligation as some of our suppliers implement price changes throughout the year. The prices charged will be the current pricing at the time of shipment. If you have any questions, please contact us. Starred (*) items are net prices.

TERMS

All orders are sold on a cash, credit card or COD basis unless an open account has been established prior to order for those firms with established financial standings. All products are invoiced NET DUE UPON RECEIPT. Freight charges will be "freight collect". Interest on past due account balances will be 1.5% per month. All payments on accounts will be posted to interest first and principal last.

ORDERS

All orders must contain a billing name and address, shipping name and address (UPS, FedEx, and common carrier require physical address, no PO Box numbers); name of person placing order and telephone number; and a purchase order number if applicable.

SALES TAX

Sales tax is a continual problem. Therefore, we ask you to notify us with your tax number each year. If we do not have your tax number on file, or you fail to give us your tax number while ordering, sales tax will be charged.

CHECK MERCHANDISE IMMEDIATELY UPON RECEIPT

If a shipment is received damaged or there is a shortage, note on the carrier's receipt. Report any problems to Warne Companies immediately.

MERCHANDISE RETURN FOR CREDIT

Merchandise may be returned for credit only upon authorization by Warne Companies. Upon authorization, a return merchandise authorization (RMA) number will be issued, and merchandise must be returned freight prepaid within thirty (30) days of purchase. Returns made thirty (30) days after purchase date will be assessed a 20% restock charge. All returns must indicate invoice number and date of purchase. Credit will be issued for the net invoice cost less all allowances, freight charges, a handling charge and additional charges for any items not received in saleable condition. Special orders cannot be returned. The final credit issued, in any event, will be subject to Warne Companies inspection to determine the condition.

QUOTES


We encourage our customers to call for specific quotes on materials. This insures you of the latest prices and we will honor all quotes for thirty (30) days.

WARNE COMPANIES RESERVES THE RIGHT TO MAKE CHANGES IN PRICE AND/OR DESCRIPTIONS SHOULD AN ERROR BE FOUND ~ PRICES EFFECTIVE JANUARY 1, 2025

Warne Companies 2610 Commerce Rd, Rapid City SD 57702 605-342-7644 www.warneusa.com



2025 FEATURED PRODUCTS



See page 12

See page 40

Features and pricing on page 32

BLUMHARDT NYLON PARTS & FITTINGS

Acronym	Acronym									
FGHT	Female Garden Hose Thread		MGHT	Male Garden Hose Thread						
FPT	Female Pipe Thread		MPT	Male Pipe Thread						
FSPT	Female Straight Pipe Thread (Blumhardt)		MSPT	Male Straight Pipe Blumhardt Thread						
FTL	Female Twist Lock		Mtg Sp	Mounting Space						
HB	Hose Barb		MTL	Male Twist Lock						

Diagram	Part #	Description	Price
	45947	Manifold block	3.78
AZO	45949	Manifold block	.71
ALS D	55729	1" tube mounting block	3.42
ALS 0	55730	1" tube mounting block cap	2.28
	44457	1" nut x 2-1/4" coupler	9.80
	44491	1" nut x 3-1/2" coupler	9.80
	50165	Blumhardt II twist lock nozzle assembly with self-aligning cap	18.85
M. O. Star		(not for boomless nozzles)	
	56405	Nozzle assembly with self-aligning cap with 50 mesh screen	24.50
		without tip	
	46133	1" MSPT plug	2.95
	46134	1" FSPT cap	3.39
	51626	Universal twist lock cap	3.26
40 40 40 40	51643	Blank FTL cap	2.85
	51644	FTL x self-aligning cap	2.85
	67577	FTL x TeeJet spray cap	2.85
	45965	1" MSPT x 1/2" MPT reducer	3.40
	45968	1" MSPT x 3/4" MPT reducer	3.50
	45970	1" MSPT nipple	3.50
	45971	1-1/4" MPT x 1 MSPT reducer	3.86
•	45985	1" MSPT x 1" MPT adapter	3.61
	45990	1" MSPT x 1/4" MPT adapter	3.40
	46080	1" MSPT four-way cross	7.41
	46090	1" MSPT x 1-1/4" MPT x 1" MSPT tee	4.21
	46099	1" MSPT x 3/4" MPT x 1" MSPT tee 1" x 1" x 1" MSPT tee	4.03
	46100 44553	1 X I X I MSPT tee 1" MSPT x 1" nut x 1" MSPT tee	3.71 7.01
	44554	1" nut x 3/4" MPT x 1" MSPT tee	7.01
Y Y Y	44557	1" nut x 1" MSPT x 1" MSPT tee	6.90
	47872	1-1/4" MPT x 1" MSPT (3) four-way cross	9.24
	55293	1" nut x 1" MSPT x 1" nut tee	10.42
	44565	1" nut x 1" MSPT elbow	6.90
	44567	1" nut x 1/2" MPT elbow	7.01
_	44568	1" nut x 3/4" MPT elbow	6.89
	46102	1" MSPT elbow	3.64
	46104	1" MSPT x 3/4" MPT elbow	3.78
	58276	1" MSPT x 1" MPT elbow	3.68
V Via Via	46105	1" MSPT x 1/2" MPT elbow	3.71
	46111	1" MSPT x 1-1/4" MPT elbow	4.03
	46112	1" MSPT x 1-1/2" MPT elbow	4.03
	51638	Twist lock nozzle elbow	3.68
	44478	1" nut x mtg sp x 1/2" HB adapter	6.87
	44479	1" nut x mtg sp x 11/16" HB adapter	6.90
	44480	1" nut x mtg sp x 1" HB adapter	7.03
	47900	1" nut x mtg sp x 1/4" HB adapter	6.71

Diagram	Part #	Description	Price
	44475	1" nut x mtg sp x 3/4" MPT adapter	7.01
	44476	1" nut x mtg sp x 1" MSPT adapter	6.87
8880	44484	1" nut x mtg sp x 1" MPT adapter	7.13
	45922	1" MSPT x 1" mtg sp x 1/2" HB adapter	3.67
a a a a a	45923	1" MSPT x 1" mtg sp x 11/16" HB adapter	3.71
	45924	1" MSPT x 1" mtg sp x 1" HB adapter	3.89
	45939	1" MSPT x 1" mtg sp x 1/4" HB adapter	3.64
d d	45928	1" MSPT x mtg sp x 1/2" MPT adapter	3.78
	45929	1" MSPT x mtg sp 3/4" MPT adapter	3.86
	45930	1" MSPT x mtg sp x 1" MPT adapter	3.86
	45931	1" MSPT x mtg sp x 1" MSPT adapter	3.89
	44493	1" nut x 3/8" HB adapter	6.30
	44495	1" nut x 1" HB adapter	6.41
	44496	1" nut x 1/2" HB adapter	6.29
	44497	1" nut x 11/16" HB adapter	6.51
	44499	1" nut x 1/4" HB adapter	5.99
	60303	1" nut x 3/4" HB adapter	6.51
	46009	1" MSPT x 3/8" HB adapter	3.07
	46010	1" MSPT x 1/2" HB adapter	3.28
	46011	1" MSPT x 11/16" HB adapter	3.39
	46012	1" MSPT x 1" HB adapter	3.54
	44494	1" nut x 3/4" MPT adapter	6.71
	44500	1" nut x 7/16" MSPT adapter	5.99
	44506	1" nut x 1/2" MPT adapter	6.45
	44507	1" nut x 1" MPT adapter	6.75
	44509	1" nut x 1" MSPT adapter	6.82
	44503	1" nut x 1/8" FPT adapter	6.54
	44512	1" nut x 1/4" FPT adapter	6.47
	45055	1" nut x 3/4" FPT adapter	6.64
	45901	Metering orifice - red	1.43
	45902	Metering orifice - white	1.43
	45907	Metering orifice - blue	1.31
	45919	Metering orifice - green	1.31
	45920	Metering orifice - yellow	1.31
	45925	Metering orifice - purple	1.31
	45938	Metering orifice - black	1.31
	45955	Metering orifice - pink	1.31
	45980	Metering orifice - brown	1.31
	46002	Metering orifice - orange	1.31
	46014	Metering orifice - olive	1.31
	46336	.060" restrictor - yellow	.50
	46114	3/8" slip cap for tube holder - red	.88
****	45943	1" Manifold head FSPT with six 1/4" HB outlets	3.68
× *	46118	1/4" HB plug	.48
	46122	Orifice sleeve	.60
	46129	Swivel nut	2.48
6) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	44571	Orifice sleeve with nut	4.31
	44580	Screen body with check and 50 mesh screen	8.75
	46128	Screen body insert	.64
	46120	Tank webbing tie down nut	2.53
	46121	Tank webbing tie down bracket	5.36
JYNG	46716	Tank webbing, 1-3/4" polyester	3.00 / ft
	03728	Tank webbing, 4" polyester	5.05 / ft
	05748-95	4" anchor and bolt, metal	15.53
-	05785-95	2" anchor and bolt	10.16
	222799	Retro fit spring and chain, one side	115.05 /side
	45495	Extension bracket	12.96
	40490		12.90

				POL	Y FIT	TING	S				
Abbreviations				Adapter – M			(\geq			
FGHT – Female	e Garder	n Hose 1	Thread	Order No	MPT	HB	Price	Coupling –	FPT	4	
FPT – Female F	Pipe Thre	ead		TA10812PP	1/2	3/4	\$0.69			~	
HB – Hose Barl	b			TA10816PP	1/2	1	2.42	Order No	FPT	Γ	Price
MGHT – Male	Garden	Hose Tł	nread	TA10124PP	3/4	1/4	.83	CC88PP	1/2		\$4.32
MPT – Male Pi	pe Threa	ad		TA10126PP	3/4	3/8	.83	CC1212PP	3/4	ļ	4.32
				TA10128PP	3/4	1/2	.83	CC1616PP	1		9.24
		- Ar	\sim	TA101210PP	3/4	5/8	.83	CC2020PP	1-1	-	11.58
Adapter – FPT	x HB	Ŵ		TA101212PP	3/4	3/4	.83	CC2424PP	1-1	/2	8.77
		~		TA101216PP	3/4	1	1.24	CC3232PP	2		9.64
Order No	FPT	HB	Price	TA101612PP TA101616PP	1	3/4 1	1.56 1.92	CC4848PP	3		30.35
TAF1024PP	1/8	1/4	\$2.84	TA101616PP	1	1-1/4	2.30				0
TAF1044PP	1/4	1/4	2.85	TA10102012PP	1-1/4	3/4	2.97	Cross – 4 W	/av FPT	((
TAF1046PP	1/4	3/8	2.93	TA10201211	1-1/4	1	2.57		, ay ii i		U.
TAF1084PP	1/2	1/4	2.91	TA102020PP	1-1/4	1-1/4	2.86	Order No	FP1	-	Price
TAF1088PP	1/2	1/2	2.20	TA102024PP	1-1/4	1-1/2	3.16	CR8PP	1/2		\$23.04
TAF10812PP	1/2	3/4	2.93	TA102420PP	1-1/2	1-1/4	2.98	CR12PP	3/4		23.04
TAF10128PP	3/4	1/2	3.40	TA102424PP	1-1/2	1-1/2	3.56	CR16PP	1		23.04
TAF101212PP	3/4	3/4	2.93	TA102432PP	1-1/2	2	12.15	CR20PP	1-1	/4	34.31
TAF101210PP	3/4	5/8	2.68	TA103224PP	2	1-1/2	10.14	CR24PP	1-1		34.31
TAF101616PP	1	1	5.45	TA103232PP	2	2	4.07	CR32PP	2	,	35.00
		~		TA104848PP	3	3	14.18				11
Adapter – FPT	[г (Д	<i>C</i> _a	Adapter – N	Adapter – Nipple MGHT x MPT						
Order No	Thread		Price	Order No	Тһ	read	Price	Order No	MPT	FPT	Price
GFA128PP	1/2		\$3.35	GPN8PP	1/2		\$0.92	SE44PP	1/4	1/4	\$2.97
GFA1212PP	3/4		2.68	GPN12PP	3/4		.92	SE66PP	3/8	3/8	3.19
		(11)	>	GENIZIT	5/-	.JZ	SE88PP	1/2	1/2	2.97	
Adapter – MG	HT x HB	ų		Adapter – Ta	SE1212PP SE1616PP SE2020PP	3/4 1 1-1/4	3/4 1 1-1/4	5.13 6.20 8.37			
Order No	Size		Price		- I I		NAL WALL	SE2424PP	1-1/2	1-1/2	12.50
GA104PP	1/4		\$0.89	Order No MPT		1PT FPT	Price	SE3232PP	2	2	15.00
GA106PP	3/8		.87	T20CMPP 2	1/2 3/	4 1-1/4	\$20.97	SE4848PP	3	3	53.98
GA1012PP	3/4		.90								
Adapter – MP	T x FGT	G	Con Con	Bushing – Ex Order No	t ender British	MPT	Price	Elbow – 45			9
Order No	Size		Price	40014	1-1/4	1-1/2	\$3.71	Order No	MPT	FPT	Price
FGP12PP	3/4		\$2.85	Order No	FPT	MPT	Price	SEQ1212PP	3/4	3/4	\$4.63
	5/4	1	ده.عب	40003	1-1/2	1-1/4	\$3.86	SEQ1616PP	1	1	12.06
		(IIR)	\sim	40013	2	1-1/4	5.21	SEQ2020PP	1-1/4	1-1/4	16.45
Adapter – MP	T x HB			40004	2	1-1/2	5.21	SEQ2424PP	1-1/2	1-1/2	16.85
		La	N(O)	40008	1-1/4	1/1-4	5.21	SEQ3232PP	2	2	18.95
Order No	MPT	HB	Price	40010	2	2	5.21	SEQ4848PP	3	3	76.20
TA1024PP	1/8	1/4	\$0.57	40017	1-1/4	1-1/2	5.21			(7)	\sim
TA1026PP	1/8	3/8	.57					Elbow – FP	т	K	
TA1044PP	1/4	1/4	.57								Y .
TA1046PP	1/4	3/8	.57	Cap – FPT			1	Order No	EDT		Drico
TA1048PP	1/4	1/2	.58	L		\sim		Order No EL88PP	FPT 1/2		Price \$5.72
TA1064PP	3/8	1/4	.58	Order No		FPT	Price	EL88PP EL1212PP	3/4		\$5.72 5.42
TA1066PP	3/8	3/8	.62	HD4PP		1/4	\$0.63	EL1212PP EL1616PP	3/4		5.42 8.90
TA1068PP	3/8	1/2	.64	НС6РР		3/8	.85	EL1010PP EL2020PP	1-1/4		8.85
TA1084PP	1/2	1/4	.64	НС8РР		1/2	.85	EL2020PP EL2424PP	1-1/4		13.22
TA1086PP	1/2	3/8	.69	HC12PP		3/4	.85	EL2424PP EL3232PP	2		13.50
TA1088PP	1/2	1/2	.64	Order No		FGHT	Price	EL3232PP EL4848PP	3		62.86
TA10810PP	1/2	5/8	.67	GHC12PP		3/4	2.37			L	52.00

POLY FITTINGS continued

Price

\$0.58

.64 .67

.75 .94

1.23

3.03 3.38

9.91

20.35

.75

Price

\$0.60

.63

.67

.86

1.27

2.61

4.26 5.81

16.89

I

Ľ

.64

.64

.92

.81

5.97

6.18

6.59

7.32

25.10

0 Price \$2.81 2.75

S

Price \$1.73 1.78 2.44

Price

\$0.76

				POLY FI	TTI	NGS	Cont	inued				
Elbow – FPT x	НВ			Hex Head Pl	lug – N	ЛРТ		δ	Mender – HB	x HB		
Order No	MPT	FPT	Price	Order No		MPT		Price	Order No	HB	HB	Р
TEF2088PP	1/2	1/2	\$2.43	TP4002PP		1/8	(1	\$0.55	TC7044PP	1/4	1/4	\$(
TEF20128PP	3/4	1/2	3.50	TP4004PP		1/4		.55	TC7066PP	3/8	3/8	
TEF201212PP	3/4	3/4	2.65	TP4006PP		3/8		.58	TC7088PP	1/2	1/2	
TEF201212PP	3/4	5/8	3.19	TP4008PP		1/2		.65	TC71010PP	5/8	5/8	
	5/4	5/8	5.15	TP4012PP		3/4		.71	TC71212PP	3/4	3/4	
				TP4016PP		1		.96	TC71616PP	1	1	
Elbow – HB x	НВ		LTTN	TP4020PP TP4024PP		1-1/4 1-1/2		2.56 2.76	TC72020PP TC72424PP	1-1/4 1-1/2	1-1/4 1-1/2	
Ouder Ne			Duine	TP4032PP		2		3.64	TC73232PP	2	2	(
Order No		HB	Price	TP4048PP		3	2	26.50	TC74848PP	3	3	20
TEB2044PP		1/4	\$0.96						TRC8086PP	1/2	3/8	
TEB2066PP		3/8	1.00									
TEB2088PP		1/2	1.05	Hose Shank	for		a	N			OM	(the
TEB201010PP		5/8	1.22	Style "B" Sw	-	luts	$\left(\left(\left(\mathcal{Q}\right)\right)\right)$	m	Nipple – MPT	x MPT	- Qilli	Th
TEB201212PP		3/4	1.45	Style D Sw	viver in	uts	A	L)			V	Ŵ
TEB201616PP		1	2.15	Order No		Size		Drico	Order No	MPT	MPT	P
TEB202020PP		1-1/4	8.27	GHA4PP		1/4		Price \$0.56	TN5044PP	1/4	1/4	\$
TEB202424PP		1-1/2	8.27				7		TN5066PP	3/8	3/8	, ,
TEB203232PP		2	15.40	GHA6PP GHA8PP		3/8		.58 .62	TN5088PP	1/2	1/2	
		-				1/2			TN51212PP	3/4	3/4	
		æ	\sim	GHA12PP		3/4		.67	TN51616PP	1	1	
Elbow – MPT	x HB		Y						TN52020PP	1-1/4	1-1/4	
			7						TN52424PP	1-1/4	1-1/2	-
Order No	MPT	HB	Price	Washer		-	_		TN53232PP	2	2	
TE2024PP	1/8	1/4	\$0.98	Flat Garden	Threa	d	-		TN504848PP	3	3	10
TE2044PP	1/4	1/4	1.04	Order No			Р	Price	111304646FF	5	3	1
TE2046PP	1/4	3/8	1.05	PVC Black			\$(0.29				6
TE2048PP	1/4	1/2	1.06	Leather				2.20	Nipple – Redu	icing MF	т х МРТ	• Y
TE2064PP	3/8	1/4	1.05									4
TE2066PP	3/8	3/8	1.11						Order No	MPT	MPT	Р
TE2068PP	3/8	1/2	1.09				Œ		TRN6064PP	3/8	1/4	\$(
TE2084PP	1/2	1/4	1.18	Swivel Nut v	with F	GHT			TRN6084PP	1/2	1/4	
TE2086PP	1/2	3/8	1.13				WITT.	1111	TRN6086PP	1/2	3/8	
TE2088PP	1/2	1/2	1.13	Order No		Size		Price	TRN60126PP	3/4	3/8	
TE20810PP	1/2	5/8	1.44	GHN12PP		3/4		\$0.73	TRN60128PP	3/4	1/2	
TE20812PP	1/2	3/4	1.48		I				TRN601612PP	1	3/4	ļ
TE20816PP	1/2	1	2.32						TRN602016PP	1-1/4	1	(
TE20124PP	3/4	1/4	1.30				1		TRN602420PP	1-1/2	1-1/4	(
TE20126PP	3/4	3/8	1.50	Manifold			RE		TRN603224PP	1-1/2	2	
TE20128PP	3/4	1/2	1.51			<u> </u>			TRN604832PP	3	2	2
TE201210PP	3/4	5/8	1.58	Order No	Size	Size		Price		·	-	~
TE201212PP	3/4	3/4	1.58	M1284	3/4	1/2	\$3	38.96				P
TE201216PP	3/4	1	1.77						Nozzle Body C	Cross	OTHE C	
TE20168PP	1	1/2	2.18				A				,	-46
TE201612PP	1	3/4	1.97					2	Order No	HB		P
TE201616PP	1	1	1.97	Hose Shank	for 80	27	MIN (2	T01CRPP	3/8		\$2
TE202012PP	1-1/4	3/4	5.74						T03CRPP	1/2	2	2
TE202016PP	1-1/4	1	4.63	Order No		Thread		Price				(Tra
TE202020PP	1-1/4	1-1/4	4.18	T3614PP		1/4	,	\$0.58	Nev-l- D l -	-II. c		Q
TE202024PP	1-1/4	1/1/2	4.04	T3638PP		3/8		.56	Nozzle Body E	wodi	Ć	
TE202424PP	1-1/2	1-1/2	5.64	T3612PP		1/2		.65	Order No			-
TE203224PP	2	1-1/2	12.80				•		Order No	HB		P
TE203232PP	2	2	4.96						TO1ELPP	3/8		\$2
TE204848PP	3	3	39.50						TOJELPP	1/2		
	5	5	55.50						T04ELPP	3/4	+	

POLY FITTINGS Continued

ſ

- -

Nozzle Bo	-			Nozzle Strai Hose Barb	ght		Ì			Tee HB x HB x HE	5	2(Č
Order No T01TEPP	HB 3/8		Price \$1.84	Queles Ne	T I2 1 1 1		Dutan					0	ill'	
TOTTEPP	3/8		\$1.84 1.94	Order No	Thread		Price				115.4			
T04TEPP	3/4		2.58	T01STPP	3/8		\$1.24			Order No	HB 1	HB 2	HB 3	Price
1041LFF	5/4		2.30	TO3STPP	1/2		1.29		Ľ	ТТ9444РР	1/4	1/4	1/4	\$1.19
									_	ТТ9666РР	3/8	3/8	3/8	1.08
							A		•	ТТ9888РР	1/2	1/2	1/2	1.18
Reducer E	Bushing	s 🤘	(OD)	Тее		(a			-	TT9101010PP	5/8	5/8	5/8	1.35
MPT x FP	г	4	I)	Female Pipe	Thread		99-KO		-	TT9121212PP	3/4	3/4	3/4	1.44
Order No	MPT	FPT	Price	Order No	FPT	- 	Price		-	TT9161616PP	1	1	1	1.91
RB62PP	3/8	1/8	\$2.59	TT4PP	1/4		\$4.61			TT9202020PP	1-1/4	1-1/4	1-1/4	4.97
RB64PP	3/8	1/4	1.50	ТТ8РР	1/2		4.48			TT9242424PP	1-1/2	1-1/2	1-1/2	6.51
RB84PP	1/2	1/4	1.72		-		-				,	,		
RB86PP	1/2	3/8	1.54	TT12PP	3/4		6.47		L	TT9323232PP	2	2	2	15.60
RB122PP	3/4	1/8	2.54	TT16PP	1		12.43		-	ТТ9688РР	3/8	1/2	1/2	1.08
RB124PP	3/4	1/4	1.88	TT20PP	1-1/4		17.26		-	ТТ9866РР	1/2	3/8	3/8	1.18
RB126PP	3/4	3/8	1.88	TT24PP	1-1/2		20.56		-	TT91288PP	3/4	1/2	1/2	4.58
RB128PP	3/4	1/2	1.88	TT32PP	2		25.63		-	TT9484848PP	3	3	3	30.43
RB168PP	1	1/2	2.26	TT48PP	3		61.14		-		5	0	J	00110
RB1612PP	1	3/4	1.94		3		01.14							
RB2012PP	1-1/4	3/4	4.59											
RB2016PP	1-1/4	1	4.59			п.	П	٦	Γ			~	2	
RB2412PP	1-1/2	3/4	4.67			h	Ô					\sim	Z-m	11
RB2416PP	1-1/2	1	4.86	Tee – Gauge	9	Ŭ	<i>~</i> ∼H			Y Hose Barb		~	T	4
RB2420PP RB3212PP	1-1/2 2	1-1/4 3/4	5.69 10.43		1	(-	
RB3212PP	2	5/4 1	6.90	Order No	FPT	Port	Price			Order No			ΗB	Price
RB3220PP	2	1-1/4	6.30	TT84PP	1/2	1/4	\$5.73		_	ТҮҮ222РР		-	L/8	\$5.30
RB3224PP	2	1-1/2	5.69	TT124PP	3/4	1/4	6.50		-	TYY444PP		-	L/4	3.52
RB4832PP	3	2	14.16	TT164PP	1	1/4	22.40		-	ТҮҮ666РР		3	3/8	3.59
													-	

Compressic	on P D	-	Jet Agitato	rs 📔 🗐		Pipe Sea	ant 👔	Technical TRU-BI
Gauge Fitti			Order No	Thread	Price	Order No	Description	Price
			045 3371	1/2" FPT	\$10.50	036 4X543	Tape, 520"	\$2.27
Order No	Description	Price	045 371019	3/4" MPT	10.85	150R STB2	Tru Blu, 2 oz	12.50
1181	1/8 MPT x 1/8 Line	\$8.25	045 371028	3/4" MPT 5:1	64.35	150R STB	Tru Blu, 8 oz	27.50
JGME24BP	1/8 MPT 90 x 1/4 Line	5.63						
1182	1/8 Union FTG	8.25				Drum Fa	ucets 📼	
JGMC24BP	1/8 MPT x 1/4 Line	4.27		and a			ucets and	aner (
084-333006	1/4 FPT x 1/4 Line	8.92	Mini Agitat	ors		Order No	Description	Price
084-333007	1/4 MPT x 1/4 Line	5.05				F6775	3/4"	\$5.75
084-333008	1/4 Line union	6.18	Order No	Description	Price	F6783	1"	8.40
					6FC 00			
JGME44BP	1/4 MPT 90 x 1/4 Line	4.11	WCMINI01	Nylon body	\$56.00	F6784	2″	29.40

FLANGE FITTINGS AND CLAMPS

Hose Barbs

CP48150-PP	1" Flange x 3/4" hose barb	\$3.07
CP45504-PP	1" Flange x 1" hose barb	3.07
CP45505-PP	1" Flange x 1-1/4" hose barb	3.07
CP45506-PP	1" Flange x 1-1/2" hose barb	3.46
CP46067-PP	2" Flange x 1-1/2" hose barb	8.13
CP48160-PP	2" Flange x 1-1/4" hose barb	8.13
CP48161-PP	2" Flange x 2" hose barb	8.13
M220BRB	220 Flange x 2" hose barb	7.01
M300BRB	3" x 3" hose barb	21.42

 \mathbb{O}

90° Hose Barbs

L	JU HUSC Darbs		
	CP48151-PP	1" Flange x 3/4" 90° hose barb	\$3.17
	CP48152-PP	1" Flange x 1" 90° hose barb	3.77
	CP48162-NYB	2" Flange x 1-1/4" 90° hose barb	13.76
	CP48163-NYB	2" Flange x 1-1/2" 90° hose barb	13.76
	CP48164-NYB	2" Flange x 2" 90° hose barb	13.76
	MF3216BRBE	2" x 1" hose barb	21.22
	MF32FPBRBE	2" FP x 2" hose barb	21.24
	M220BRBSWP90	220 Flange x 2" 90° hose barb	22.00

Male NPT		
CP48172-PP	1" Flange x 3/4" male NPT	\$3.55
CP48155-PP	1" Flange x 1" male NPT	3.55
M100125M	1" Flange x 1-1/4" male NPT	6.30
CP48156-PP	1" Flange x 1-1/2" male NPT	3.83
CP48165-PP	2" Flange x 1-1/4" male NPT	7.20
CP48166-PP	2" Flange x 1-1/2" male NPT	7.20
CP48167-NYB	2" Flange x 2" male NPT	7.20
M220MPT	220 Flange x 2" MPT	6.81
M300MPT	3" x 3" MPT	18.93

Female NPT

CP45508-1/4-PP	1" Flange x 1/4" female NPT	\$3.96
CP45512-PP	1" Flange x 1-1/4" female NPT	3.96
CP45539-3/8-PP	1" Flange x 3/8" female NPT	3.96
CP48154-PP	1" Flange x 1" female NPT	3.55
CP46066-NYB	2" Flange x 1-1/2" female NPT	9.82
CP46127-1/4-PP	2" Flange x 1/4" female NPT	9.82
CP46127-3/8-PP	2" Flange x 3/8" female NPT	9.82
MF32PL-12	2" Flange x 3/4" FPT	30.68
MF32PL-16	2" Flange x 1" FPT	30.68

Blanks

Dialiks	0	
CP45507-PP	1" Flange x blank	\$3.55
CP46069-NYB	2" Flange x blank	8.13

Stainless Steel Ball Valves

1/4", locking handle, use for petcock on centrifugal pumps

49001	1/8" stainless steel nipple	\$4.85
49020	1/4" stainless steel nipple	5.70
63500	1/4"x 1/8" reducer	6.65
L		

2" Stainless Steel Fittings 🛛 💌 🔍		
SSTN53232CL	2" x 2" close nipple	\$20.70
SSTN54848CL	3" x 3" close nipple	53.05
SSSE3232	2" street elbow	95.22
62108	2" female elbow	68.30

Flange Clamps

FC100	1" Series stainless steel clamp	\$11.25
FC200	2' Series stainless steel clamp	12.95
FC220	220 stainless steel flange clamp	14.30

Universal Flange Clamps & Gaskets

Clam shell design, replaces Banjo and TeeJet clamps

FC100G	1" Flange clamp and gasket	\$12.75
FC200G	2" Flange clamp and gasket	14.50
FC220G	2" FP flange clamp and gasket	18.75

Gasket with wrap around feature for better sealing; fits Banjo

FG100	1" Flange gasket	\$2.31
FG200	2" Flange gasket	2.46
FG220	2" FP flange gasket	2.51

All Stainless Steel Clamps

Stainless steel bolt and housing. Use with fertilizers and chemicals. Band Clamp:



Price

Hose Size

Item	Range
350-004	3/16" to 5/16"
350-005	3/16" to 5/16"

0		
3/16" to 5/16"	1/4" & 3/8"	\$1.67
3/16" to 5/16"	3/8"	1.67
5/16" to 7/8"	1/2"	2.04
5/8" to 3/4"	3/4"	2.15
1-1/16" to 1-1/2"	1″	2.15
11/16" to 2"	1-1/4"	2.36
1-5/16" to 2-1/4"	1-1/2"	2.36
1-9/16" to 2-1/2"	2″	2.46
2-9/16" to 3"		2.67
ase:		
1-9/16" to 3-1/2"	2-1/2"	\$3.57
1" to 4"	3″	3.90
2" to 5"		4.20
4" to 8"		4.60
8" to 10"		6.00
	3/16" to 5/16" 5/16" to 7/8" 5/8" to 3/4" 1-1/16" to 1-1/2" 11/16" to 2" 1-5/16" to 2-1/4" 1-9/16" to 2-1/2" 2-9/16" to 3" case: 1-9/16" to 3-1/2" 1" to 4" 2" to 5" 4" to 8"	3/16" to 5/16" 3/8" 5/16" to 7/8" 1/2" 5/8" to 3/4" 3/4" 1-1/16" to 1-1/2" 1" 11/16" to 2" 1-1/4" 1-5/16" to 2-1/4" 1-1/2" 1-9/16" to 2-1/4" 1-1/2" 2-9/16" to 3" asse: 1-9/16" to 3-1/2" 2-1/2" 1" to 4" 3" 2" to 5" 4" to 8"

T-Bolt Hose Clamps

Band an	d arch are stainles	s steel		
TC206	1-1/2" T-Bolt	2.008 to 2.16	\$7.10	A COLOR
TC231	2" T-Bolt	2.48 to 2.67	8.20	
TC343	3" T-Bolt	3.58 to 3.81	9.35	

SmartSeal HD Clamps

5/8" band width. Stainless steel construction. 150 in/lbs ultimate torque. Spring compression of liner creates 360°

pressare en nee		
PC238	1-1/2"	\$10.17
PC275	2″	10.59
PC400	3″	11.48



IRON FITTINGS

Iron Close Nipples				
Order No	NPT Size	Price		
57001	1/8	\$2.32		
57020	1/4	2.91		
57040	3/8	3.14		
57060	1/2 Close	2.18		
57061	1/2 x 1-1/2	2.38		
57070	1/2 / 6	4.77		
57080	3/4	2.97		
57100	1	4.34		
57120	1-1/4	6.26		
57140	1-1/2	6.79		
57160	2	8.83		

Iron Crosses

11011 C1033C3		
Order No	NPT Size	Price
65390	1/8	\$27.97
65391	1/4	13.34
65392	3/8	13.34
65393	1/2	15.47
65394	3/4	21.40
65395	1	14.96
65396	1-1/4	20.64
65397	1-1/2	21.31
65398	2	35.58

Iron Couplings

non couplings		
Order No	NPT Size	Price
65410	1/8	\$5.69
65411	1/4	5.20
65412	3/8	5.17
65413	1/2	5.79
65414	3/4	5.64
65415	1	7.26
65416	1-1/4	8.49
65417	1-1/2	11.15
65418	2	15.47

Iron Reducing Bushings

Iron Reducing Bushings				
Order No	NPT Size	Price		
65504	1/2 x 1/4	\$8.91		
65505	1/2 x 3/8	8.21		
65507	3/4 x 1/4	5.01		
65508	3/4 x 3/8	8.65		
65509	3/4 x 1/2	7.38		
65510	1 x 1/4	6.10		
65511	1 x 3/8	5.76		
65512	1 x 1/2	4.27		
65513	1 x 3/4	4.27		
65516	1-1/4 x 1/2	6.17		
65517	1-1/4 x 3/4	6.07		
65518	1-1/4 x 1	6.12		
65521	1-1/2 x 1/2	6.83		
65522	1-1/2 x 3/4	6.86		
65523	1-1/2 x 1	7.15		
65524	1-1/2 x 1-1/4	7.40		
65529	2 x 1	9.90		
65530	2 x 1-1/4	9.43		
65531	2 x 1-1/2	9.90		
65535	2-1/2 x 2	15.83		

45 Iron Ell	1	
Order No	NPT Size	Price
65180	1/8	\$6.71
65181	1/4	7.86
65182	3/8	6.57
65183	1/2	5.07
65184	3/4	6.43
65185	1	8.19
65186	1-1/4	13.77
65187	1-1/2	17.61
65188	2	25.58
90 Iron Ell	hows FPT	
Order No	NPT Size	Price
65100	1/8	\$4.37
65101	1/8	3.61
	3/8	
65102	-	3.50
65103	1/2	2.77
65104	3/4	3.99
65105	1	7.35
65106	1-1/4	8.59
65107	1-1/2	15.05
65108	2	19.49
	reet Elbows	1
Order No	NPT Size	Price
65200	1/8	\$8.54
65201	1/4	6.02
65202	3/8	7.07
65203	1/2	5.68
65204	3/4	15.06
65205	1	13.54
65206	1-1/4	17.77
65207	1-1/2	28.82
65208	2	51.04
90 Iron St	reet Elbows	
Order No	NPT Size	Price
65-160	1/8	\$5.37
65-161	1/0	7.91
65-162	3/8	6.27
65-163	1/2	6.68
65-163		
	3/4	6.81
65-165	1	10.06
m h 11-1-		
65-166	1-1/4	
65-167	1-1/2	18.37
65-167 65-168	1-1/2 2	18.37
65-167 65-168 Side Outle	1-1/2 2 et Iron Tee	18.37 25.39
65-167 65-168 Side Outle Order No	1-1/2 2 et Iron Tee NPT Size	18.37 25.39 Price
65-167 65-168 Side Outle Order No 65383	1-1/2 2 et Iron Tee NPT Size 1/2	18.37 25.39 Price \$22.51
65-167 65-168 Side Outle Order No	1-1/2 2 et Iron Tee NPT Size	18.37 25.39 Price \$22.51
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir	1-1/2 2 et Iron Tee NPT Size 1/2 3/4 on Tee	18.37 25.39 Price \$22.51 30.09
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No	1-1/2 2 et Iron Tee NPT Size 1/2 3/4 on Tee NPT Size	18.37 25.39 Price \$22.51 30.09 Price
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250	1-1/2 2 et Iron Tee NPT Size 1/2 3/4 on Tee NPT Size 1/8	18.37 25.39 Price \$22.51 30.09 Price \$5.48
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251	1-1/2 2 et Iron Tee 1/2 3/4 on Tee NPT Size 1/8 1/4	18.37 25.39 Price \$22.51 30.09 Price \$5.48
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250	1-1/2 2 et Iron Tee 1/2 3/4 on Tee 1/8 1/4 3/8	18.37 25.39 Price \$22.51 30.09 Price \$5.48 5.44 5.19
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251 65252 65253	1-1/2 2 et Iron Tee 1/2 3/4 on Tee 1/8 1/4 3/8 1/2	18.37 25.39 Price \$22.51 30.09 Price \$5.48 5.44 5.19
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251 65252	1-1/2 2 et Iron Tee 1/2 3/4 on Tee 1/8 1/4 3/8	18.37 25.39 Price \$22.51 30.09 Price \$5.48 5.44 5.19 5.68
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251 65252 65253	1-1/2 2 et Iron Tee 1/2 3/4 on Tee 1/8 1/4 3/8 1/2	18.37 25.39 Price \$22.51 30.09 Price \$5.48 5.44 5.19 5.68 8.42
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251 65252 65253 65254	1-1/2 2 et Iron Tee NPT Size 1/2 3/4 on Tee NPT Size 1/8 1/4 3/8 1/2 3/4	18.37 25.39 Price \$22.51 30.09 Price \$5.48 5.44 5.19 5.68 8.42 10.85
65-167 65-168 Side Outle Order No 65383 65384 Straight Ir Order No 65250 65251 65252 65253 65254 65255	1-1/2 2 et Iron Tee NPT Size 1/2 3/4 on Tee NPT Size 1/8 1/4 3/8 1/2 3/4 1	\$22.51 30.09

MPT Iron Plu	č	- T	1
Order No	NPT Size	Price	-
67771	1/4	\$1.50	
67772	3/8	2.77	
67773	1/2	4.81	- port
67774	3/4	7.60	
67775	1	10.82	
67776	1-1/4	19.68	
67777	1-1/2	27.46	
67778	2	50.20	

BRASS FITTINGS

45° Street Elbow

Use on Jacki	abbit Pro		1
Order No	Size	Price	(×
28231	1/4 MPT x 1/4 FPT	\$5.59	

Garden Hose Nipples

Order No	Size	Price	
30058	1/2 x 3/4 GHT	\$6.77	atte-
30063	3/4 x 3/4 GHT	8.14	
30064	1 x 3/4 GHT	19.62	111-12
30065	1 x 1 GHT	52.41	

Hose Barbs

Order No	Size	Price
30041	5/8 HB x MGHT	\$6.87
30042	3/4 HB x MGHT	6.65
32013	3/8 HB x 3/8 MPT	2.31
32014	3/8 HB x 1/2 MPT	5.42
32016	1/2 HB x 3/8 MPT	3.89
32017	1/2 HB x 1/2 MPT	5.07
32018	1/2 HB x 3/4 MPT	8.28
32023	3/4 HB x 3/4 MPT	8.96

Hose Barb 90

Use on Jackrabbit Pro

Order No	Size	Price
32042	3/8 HB x 3/8 MPT	\$6.59

Brass Needle Valve

2.400			
Order No	Size	Price	
46056	1/4	\$16.82	

Forged 90° Street Elbow

Order No	Size	Price	1 mar 1 m
28166	1/4	\$5.18	
28167	3/8	7.80	
28168	1/2	11.15	

Compression Fittings

Order No	Size	Price	_
18007	1/2 Compression Sleeve	\$1.01	
18159	1/2 FPTX x 1/2 COM	19.89	F
18194	3/8 MPT x 1/2 COM	7.18	
18195	1/2 MPT x 1/2 COM	11.76	





BRASS FITTINGS Continued

Swivel -	- FGH
----------	-------

Order No	Size	Price
30031	3/8 HB x 3/4 FGH	\$7.63
30505	1/2 HB x 3/4 FGH	11.76
30506	5/8 HB x 3/4 FGH	13.15
30507	3/4 HB x 3/4 FGH	11.68
30508	1 HB x 1 FGH	17.90

Swivel – FGH x Male NPT

Order No	Size	Price	
30182	3/4 x 3/4	\$24.06	
30183	3/4 x 1/2	12.53	
30184	3/4 x 3/8	8.75	



Plated Steel King Nipples

Order No	ID	Price
CNT-075-SP	3/4	\$5.73
CNT-100-SP	1	7.09
CNT-125-SP	1-1/4	8.99
CNT-150-SP	1-1/2	10.31
CNT-200-SP	2	12.02



Reducer Bushing

Order No	ID	Price
28107	1/2 MPT x 3/8 FPT	\$4.10
28111	3/4 MPT x 1/2 FPT	7.80

Vent Valve

Order No	ID	Price
46622	1/4 MPT x Air	14.35



POLYPROPYLENE CAM LEVER COUPLINGS							
3/4" 1" 1-1/4" 1-1/2"	2″ 3″ 2″ 90°						
075A \$6.98 100A \$6.98 125A \$6.98 150A \$7.92 20	IOA \$9.37 300A \$18.07						
075B \$15.96 100B \$18.37 125B \$18.37 150B \$23.75 20	0B \$26.21 300B \$35.22						
	0C \$26.21 300C \$35.22 200C90 \$35.13						
	0D \$26.21 300D \$35.22 200D90 \$35.13						
075E \$7.53 100E \$8.39 125E \$8.39 150E \$8.41 20							
	0F \$11.05 300F \$23.18 200F90 \$17.67						
	OPL \$10.97 300PL \$18.39						
	0CAP \$26.21 300CAP \$35.22						
	560 Gasket \$2.20 24760 Gasket \$2.50 ims \$2.10 Shims \$2.40						
A A A A A A A A A A A A A A A A A A A	A construction of the second s						
075A-NGHT Male x Female Adapter GHT \$8.08 075B-NGHT Female Coupler x Male GHT \$16.08	11" Ring-to-Ring Lanyard#2183\$5.7511" Ring-to-Ring Chain Lanyard#SSC-08\$9.15						
PLATED CARBON STEEL HIGH PRESSURE HOSE FITTINGS	HOSE BARBS						
E014 3/8 HB x 1/2 MPT \$ 7.10	3/8" and 1/2" hose barbs with 🛛 🏹 🏹						
E022 1/2 HB x 1/2 MPT 7.55	1/2" fly nuts in straight and						
E028 5/8 HB x 1/2 MPT 17.00	90° configurations. May be 🛹 🛹						
E034 3/4 HB x 3/4 MPT 12.90 Chainless Shael Dendit	used as inlets for UDOR spray						
Stainless Steel Bandit	guns and as outlets for most						
30032 1/2 HB x GHT Swivel 26.80 Clamps	UDOR control units.						
30032 1/2 HD × GHT Swivel 20.00 J202 3/8" \$3.65 30033 5/8 HB × GHT Swivel 27.60 J202 3/8" \$3.65							
30034 3/4 HB x GHT Swivel 27.60 J204 1/2" 6.20	162.604.2 3/8" Straight \$14.40						
	162.604.2 3/8" Straight \$14.40						
30034 3/4 HB x GHT Swivel 27.60 J204 1/2" 6.20 1205 5/8" 6.20 1205 5/8" 6.20 1205 5/8" 6.20 1205 <td>162.604.4 1/2" Straight 14.40</td>	162.604.4 1/2" Straight 14.40						
30034 3/4 HB x GHT Swivel 27.60 J204 1/2" 6.20 1205 5/8" 6.20 1205 5/8" 6.20 1205 5/8" 6.20 1205 <td></td>							


	STRAINERS												
Line & Suction Strainers								Pump Su	ction Foot				
•	Female port	s, 40	mesh s	creens, and	d EPDM gaske	ets are a	ll standard						trainers
•	Clear bowl n	ot re	comme	ended for u	se with alcoh	ol							
	Poly Bowl		Mesh	Price	Size		Clear	Bowl		Mesh	Price	2" or 3"	- Million
RV	F88PE20CP		20	\$19.50	1/2"		RVF88PE	20CC		20	\$29.00	cast iron	100
RV	F88PE40CP		40	19.81	1/2"		RVF88PE4	40CC		40	29.00	foot valve	
RV	F88PE80CP		80	19.81	1/2"		RVF88PE	80CC		80	29.00	51/ 200	670 00
RV	F1212PE20C	P	20	19.50	3/4"		RVF1212	PE20C	C	20	34.50	FV-200	\$70.00
RV	F1212PE40C	P	40	19.81	3/4"		RVF1212	PE40C	C	40	34.50	FV-300	125.00
RV	F1212PE80C	P	80	19.81	3/4"		RVF1212	PE80C	C	80	34.50	<u>3" High V</u>	olume
RV	F1616PE20C	P+	20	22.50	1"		RVF1616	PE20C	C+	20	37.30	Strainer	
RV	F1616PE40C	P+	40	22.50	1"		RVF1616	PE40C	C+	40	37.30		
RV	F1616PE80C	P+	80	22.50	1″		RVF1616	PE80C	C+	80	37.30	3" inlet a	and outlet
RV	F1616PE20C	P	20	40.90	1" large b	lwo	RVF1616	PE20C	C	20	59.40	with 40 m	esh strainer
RV	F1616PE40C	P	40	40.90	1" large b	lwo	RVF1616	PE40C	C	40	59.40	2004.20	¢ 402.00
RV	F1616PE80C	P	80	40.90	1" large b	lwo	RVF1616	PE80C	C	80	59.40	300A-20	\$493.00
RV	F2020PE20C	P	20	41.50	1-1/4" la	rge	RVF2020	PE20C	C	20	59.68	Replaceme	nt Screens
RV	F2020PE40C	P	40	41.50	1-1/4" la	rge	RVF2020	PE40C	C	40	59.68	4\$513-40	\$121.43
RV	F2020PE80C	P	80	41.50	1-1/4" la	rge	RVF2020	PE80C	C	80	59.68	4\$513-20	121.43
RV	F2424PE20C	P	20	41.47	1-1/2" la	-	RVF2424	PE20C	C	20	59.96	Inlet Str	ainer for
RV	F2424PE40C	P	40	41.47	1-1/2" la	rge	RVF2424	PE40C	C	40	59.96		uad Port
RV	F2424PE80C	P	80	41.47	1-1/2" la	rge	RVF2424	PE80C	C	80	59.96		
r	1/2", 3/	'A" & 1	"	1″	Bowl		1-1/4"			1-1	/2"	קµ <u> </u>	<u>h 40 Mesh</u>
	RVF88TPN	1/2"		RVF1616TP	-	RVF2020		18.50	RVF24	124TP	\$18.54	Scr	een
J			8.07										
		1" EPDM	8.49 \$1.35				GE EPDM	64.25		1005	EPDM \$ 1.35		uad port 90° LO \$4.00
0		Viton		RVF1616GE RVF1616GV	EPDM \$1.35 Viton 8.68	RVF1616 RVF1616					Viton 8.68	01740-02	10 \$4.00
æ			\$10.73	RVF161620C	20M \$11.82	RVF2020					20M \$17.45		strainer for
1990 - A.		40M	10.73	RVF161640C	40M 11.82	RVF2020				42440C	40M 20.94	111	lojet 4300-
		80M Poly	12.81 \$ 7.47	RVF161680C RVF1616BP	80M 16.61 Poly \$12.27	RVF2020 RVF1616				42480C 516BP	80M 23.13 Poly \$12.27		m and 4400-
T		Clear	\$ 7.47 16.74	RVF1616BP RVF1616BC	Clear 30.77	RVF1616				516BC	Clear 30.77	501.058	om pumps. available.
								1					avaliable.

The "Pump Saver"

- 1-1/2" inlet & outlet
- 16 mesh screen
- Brass mounting inserts
- Built-in check valve for filter cleaning
 Works well with diaphragm numps

•	Works	well	with	diaphragm	pumps	

106625	1" straight	\$2.08
106633	1-1/4" straight	2.15
106638	1-1/2" straight	2.67



1/2" Female Strainer for Jackrabbits



Standard 40 mesh screen, EPDM gaskets									
RVLF88PE40CP	1/2" female, poly bowl	\$15.36							
RVLM88PE40CP	1/2" male, poly bowl	\$15.36							
RVLF88PE40CC	1/2" female, clear bowl	\$18.39							
RVLM88PE40CC	1/2" male, clear bowl	\$18.39							

Parts		
RVLF88TP	Cap, female	\$6.34
RVM88TP	Cap, male	4.92
RVM44GE	Gasket, EDPM	1.77
RVM44GV	Gasket, Viton	2.15
RVM4440C	Screen, 40 mesh	7.92
RVM44BP	Bowl, poly	6.35
RVM44BC	Bowl, clear	9.58
RVM44GV RVM4440C RVM44BP	Gasket, Viton Screen, 40 mesh Bowl, poly	2.15 7.92 6.35

00 8000 23.13 304 4.9 gpm and P Poly \$12.27 504 4.5 gpm put C Clear 30.77 No parts availa Line Strainer for Flange Coupling with 50 Mesh Screen

AA126ML-F50-50	50 series flange	\$50.74
CP16903-3-SSPP	30 mesh screen	20.40
CP16903-4-SSPP	50 mesh screen	20.40
CP16903-5-SSPP	80 mesh screen	20.40
AA126M-F75-50	75 series flange	103.00
CP15941-2-SSPP	30 mesh screen	28.72
CP16941-3-SSPP	50 mesh screen	28.72
CP15941-4-SSPP	80 mesh screen	28.72

Y-Type Polypropylene Strainer

LS20050	2" FPT-50 mesh	\$119.00
MLS20050	2" Flange-50 mesh	\$145.00

Replacement screens

LS22055	20 mesh	\$66.80
LS25055	40 mesh	66.80
LS28055	80 mesh	66.80
LS21255	12 mesh	66.80



Strainers Continued

2" Manifold Flange Y Strainer

• Heavy duty glass reinforced polypropylene • Clean out plug • EPDM gaskets; Viton available

Description

Part #	Price Each	Description	
MLS20012	\$145.79	2" standard port manifold Y strainer; 12 mesh ss screen	
MLS20020	145.79	2" standard port manifold Y strainer; 20 mesh ss screen	
MLS20030	137.50	2" standard port manifold Y strainer; 30 mesh ss screen	
MLS20050	145.79	2" standard port manifold Y strainer; 50 mesh ss screen	
MLS20080	145.79	2" standard port manifold Y strainer; 80 mesh ss screen	
MLS22012	160.36	2" full port manifold Y strainer; 12 mesh ss screen	
MLS22020	160.36	2" full port manifold Y strainer; 20 mesh ss screen	
MLS22030	160.36	2" full port manifold Y strainer; 30 mesh ss screen	
MLS22050	160.36	2" full port manifold Y strainer; 50 mesh ss screen	
MLS22080	160.36	2" full port manifold Y strainer; 80 mesh ss screen	



Aude in U.S.A. Naprovyčena
-6 5
3

Replacement Parts For: 2" Manifold Flange Y Strainer

2" Y strainer body

1" clean out plug

2" o-ring; EPDM

2" o-ring; viton

2" FP Y strainer body

2" end cap (contains #1 #2 #3 #4)

12 mesh for 2" Y strainers; 316ss

20 mesh for 2" Y strainers; 316ss

30 mesh for 2" Y strainers; 316ss

50 mesh for 2" Y strainers; 316ss

80 mesh for 2" strainers; 316ss

86.41 2" FP manifold Y strainer kit includes 1-5

2" manifold Y strainer kit includes 1-5

EPDM o-ring for 1-1/2" & 2" clean out plug

Viton o-ring for 1-1/2" & 2" clean out plug

Price Each

\$44.96

52.82

33.04

4.99

1.50

2.55

5.55

13.86

66.80

66.80

66.80

66.80

66.80

78.55

Item

1

1

3

4

4

5

5

6

6

6

6

6

KIT

KIT

Part #

MLS200B

MLS220B

LS150C

LSP100

LSP100G

LSP100GV

LS150G

LS150GV

LS212SS

LS220SS

LS230SS

LS250SS

LS280SS


MLS200BC

MLS220BC

Manifold	Flange T	Strainer

• Heavy duty glass reinforced polypropylene • Clean out plug • EPDM gaskets; Viton available

Part #	Price Each	Description
MLST10030	\$68.18	1" female NPT; manifold T strainer; 30 mesh ss screen
MLST10050	68.18	1" female NPT; manifold T strainer; 50 mesh ss screen
MLST10080	68.18	1" female NPT; manifold T strainer; 80 mesh ss screen
MLST100100	68.18	1" female NPT; manifold T strainer; 100 mesh ss screen
MLST15030	118.07	2" female NPT; manifold T strainer; 30 mesh ss screen
MLST15050	118.07	2" female NPT; manifold T strainer; 50 mesh ss screen
MLST15080	118.07	2" female NPT; manifold T strainer; 80 mesh ss screen
MLST150100	118.07	2" female NPT; manifold T strainer; 100 mesh ss screen



Replacement Parts For: 2" Manifold Flange T Strainer

Item	Part #	\$ Each	Description	Item	Part #	\$ Each	Description
1	MLST100H	\$24.40	1" T strainer body	5	LST150G	\$5.55	1-1/2" o-ring; EPDM
1	MLST150H	47.40	1-1/2" T strainer body	5	LST150GV	13.86	1-1/2" o-ring; Viton
2	LST100B	22.72	1" T bowl (contains #1 #2 #3 #4)	6	LST130SS	29.37	30 mesh for 1" strainer; 316ss
2	LST150B	40.97	1-1/2" T bowl (#1 #2 #3 #4)	6	LST1530SS	49.01	30 mesh for 1-1/2" T strainer; 316ss
3	LSP050	4.16	1/2" clean out plug	6	LST150SS	29.37	50 mesh for 1" T strainer; 316ss
3	LSP100	4.99	1" clean out plug	6	LST1550SS	49.01	50 mesh for 1-1/2" T strainer; 316ss
4	LSP050G	1.38	EPDM o-ring for 1/2" clean out plug	6	LST180SS	29.37	80 mesh for 1" T strainer; 316ss
4	LSP050GV	2.28	Viton o-ring for 1/2" clean out plug	6	LST1580SS	49.01	80 mesh for 1-1/2" T strainer; 316ss
4	LSP100G	1.50	EPDM o-ring for 1" clean out plug	6	LST1100SS	31.54	100 mesh for 1" T strainer; 316ss
4	LSP100GV	2.55	Viton o-ring for 1" clean out plug	6	LST15100SS	49.01	100 mesh for 1-1/2" T strainer; 316ss
5	LST100G	5.55	1" o-ring; EPDM	KIT	MLST100HB	43.79	1" manifold T strainer kit includes 1-5
5	LST100GV	10.54	1" o-ring; viton	KIT	MLST150HB	83.98	1-1/2" manifold T strainer kit includes 1-5

Spraying Systems "Bl

Heavy duty trigger operated handgun



Model	PSI	Barrel	Price	
43H Brass	800	22	\$211.50	
43HA Brass	800	13	192.00	
43L Brass	200	22	211.50	
43LA Brass	200	13	192.00	
43H-AL	800	22	175.80	
43HA-AL	43HA-AL 800 13			
43L-AL	200	22	175.80	
43LA-AL	200	13	168.40	
CP 4743-NY	Gasket		2.00	
D-orifice ~ D-	2.00			
DX-HSS long distance tips ~ D8, 10			30.90	
PK-AB43 Kit			48.90	
PK-AB43AL Kit			48.90	

Econo-Gun



- Polypropylene body Stainless steel spring • Viton rubber parts
 Viton pin bushing • On/off gun
 - 150 nsi max 40 gnm

• 100 psi max • 40 gpin			
506532	Gun, 1/2" HB connection	\$48.00	
506530	Gun, 3/4" HB connection	48.00	
506531	Gun, 1" HB connection	48.00	

Turbo Industrial Handgun

\$169.00

• 8" barrel




- 1/2" inlet with swivel
- Adjustable spray pattern

Adjustable Pattern Long Range Handgun

Spray patterns range from straight stream to cone mist by moving forward hand grip, up to 850 PSI with 1/2" MPT.

1/2 1011 11	1	1
13.901.151	21" long, 30 gpm	\$298.00
7.901.03	17" long handgun	205.00
10/11	Repair kit	30.40
Optional	Size 1.5 to 3.0	17.40
tips	Size 3.5 to 7.0	28.90



Handgun without tip - \$98.70* Repair kit, 7402 - \$22.40* Nozzles - \$7.90* ea (1.5, 2, 3, 4 gpm)

HANDGUNS

<u>"Black Jewel" Spray Gun</u> <u>by</u> Warne Companies



Premium quality, commercial handgun. Adjusts from mist to long range with a selection of nozzle sizes available. Use for lawn maintenance, tree and ornamentals, pest control, noxious weeds and fighting fire. Repair parts available. Major components from JD9 will interchange with the Black Jewel.

1			
)	Part #	Description	Price
)	WCBJ	Spray gun	\$132.00
)	SG-PC-025-R1-Kit	Repair kit	17.84
)	BJ-PC-Nozzle Kit	Nozzle holder kit	16.50
	SG-PCN-008	#8 nozzle	11.50
	SG-PCN-015	1.5 nozzle	11.50
	SG-PCN-025	2.5 nozzle, standard	11.50
	SC-PCN-030	3.0 nozzle	11.50
	SC-PCN-040	4.0 nozzle	11.50
- 1			

Spraying Systems Gun \$122.70

Designed specifically for lawn care application of chemicals. Made of Deinn nylon. Only four moving parts. 3/4" inlet pipe thread with 1/2" hose barb insert with standard black nozzle, 3 gpm at 15-25 psi.

25990-3/4" Hose shank swivel \$16.42 Optional nozzle \$17.40

Model Number	Nozzle Tip Number	Nozzle Tip Color	Capacity (GPM) at Various Pressures						
25660-1.5	25670-1.5-NY	Gray	1.4	1.9	2.3	2.6	2.9	3.4	4.0
25660-3.0	25670-3.0-NY	Black	2.0	2.7	3.2	3.6	4.1	4.9	5.6
25660-4.0	25670-4.0-NY	Red	2.3	3.1	3.7	4.3	4.7	5.6	6.4

GNC 2000 Lawn Care Applicator Handgun



Durable nylon body. Available with three different nozzle volumes and hanger. Handgun with 3 tips - \$95.32 Nozzles - \$16.40 each (choice of 2, 3 or 4 gpm)

Repair Kit - \$25.77 Trigger - \$16.42

Hand Boom Assy WC-HBA \$168.00 each



Designed to save time and conserve product. Accurately apply fluid with a consistent spray pattern. Great for efficiently applying pesticides, fertilizers, soaps, sealants, and deicing brines. Available with trigger valve or thumb operated on/off.

<u>Green Garde</u> Spray Gun



Rugged and built to last! Easily adjust from mist to long distant stream. Great performer with pressure up to 1,000 psi. Use for lawn maintenance, trees and ornamentals, pest control and noxious weed control.

noxious weed control.					
Part #	Description	Price			
38500	JD9-C spray gun	\$228.00			
38507	JD9-PT (trigger control pattern)	234.00			
3863*	All flooding nozzles	38.50			
38602	Tip, L	20.50			
38603	Tip, XL	20.50			
38604	Tip, M	20.50			
38605	Tip, S	20.50			
38606	Tip, XS	20.50			
38510	Repair kit, 101C	16.95			
38511	Repair kit, 101TV	31.10			
38516	Сар	13.00			
38517	O-ring	2.00			
38518	Whirler	33.85			
38525	Teflon valve seat	20.50			
38527	Valve spring	12.00			
38528	Valve, stainless steel	59.50			
38531	Trigger assembly	38.50			
38533	Stopper clip	1.20			
38534	Barrel adjust nut	59.00			
38535	Screw	.96			
38536	Gland	20.00			
38538	Nut, stainless steel	.96			
38539	Nut, locking	5.25			
38540	Adapter, GHT	34.50			
38543	Washer, GH leather	5.10			

Handgun Mounts

Heavy duty. Can also be used for shovels, rakes, etc



1001 HookLok Perfect for holding many handguns. Grip range 1" to 1-1/4". Package of two - \$26.90*

1004 HandleLok Adjustable lock securing a wider variety of sizes. \$49.25*



1005 Flex Mount Lock mount with strap. Grip range 1" to 1.75". \$63.66 each*



0127 Replacement Blades (2-pk) 8.70 16368 Big Nipper 16.30

Liquid Filled, Rear Mount Stainless Steel Gauges

2241GXB60	0 – 60 psi	\$26.80
2241GXB100	0 – 100 psi	26.80
2241GXB200	0 – 200 psi	26.80
2241GXB400	0 – 400 psi	26.80




8F8M

6F6M

Liquid Filled Stainless Steel Gauges

.80	\$26.80	0 – 60 psi	2141GXB060
.80	26.80	0 – 100 psi	2141GXB100
.80	26.80	0 – 200 psi	2141GXB200
.80	26.80	0 – 300 psi	2141GXB300
.80	26.80	0 – 400 psi	2141GXB400
.80	26.80	0 – 600 psi	2141GXB600
.80	26.80	0 – 1000 psi	2141GXB1000



1/2" MPT x FPT, Brass

3/8" MPT x FPT, Brass

P	ressure Gauge Protector		
2300	Gauge isolator kit for	\$119.45	
	1/4" and 1/8" line		4.11.15
1181	1/8" Tube fitting	5.20	
1182	1/8" Tube union	7.60	Le bi
045 2404047	Gauge dampener	8.95	

1000

1000

36.00

36.00

UDOR Gauges GG 1000 Bottom stem 0 – 1000 psi \$ 39.90 GG 1000BM Back mount 0 – 1000 psi 39.90 GG 350 Bottom stem 0 – 350 psi 39.90 GG 350BM Back mount 0 – 350 psi 39.90



		١	/ALVE	S			
BRASS BALL VALVES - 6	00 PSI STAIN	ILESS STEEL VAL	VES (316)	1999A EL	ECTRIC SOLENOID VALVE		
943202 1/2" \$24.40		Full port, 1000 psi,		-	inlet, 3/4" outlet, up to 175 psi val	ve	
943203 3/4" 39.40)	949171 1/4"	\$36.08				
943204 1" 64.21		949172 3/8"	36.16	1999A	Spade	\$190.00	
943205 1-1/4" 101.50		949173 1/2"	51.38	1999A-WP	Weather pack	190.00	
943206 1-1/2" 161.96		949174 3/4"	79.00	1988	Single mounting bracket	36.00	П
943207 2" 195.54	1	949175 1"	99.14	1990	Triple mounting bracket	56.00	
		949176 1-1/4"	143.66	2515	Coil assembly (spade)	98.45	G L
		949177 1-1/2" 949178 2"	178.30 229.41	2517 2520	Repair kit Coil assembly (weather pack)	72.30	
		949176 2	229.41	WPADAP	Weather pack adapter for solenoids	99.90	
	GH PRESSURE I					5.20	
700 PS	SI 3/8" MBSPT x 1/	2" MBSPT		2502B EL	ECTRIC SOLENOID VALVE		
Premium Valve (Can be use	d for pressure adju	istment)	- Plan	25021B-W	P Single solenoid (weather pack	<) \$144.00	1
0608.45 Right hand ba		5.50	and a	CL.2641.W			
0608.46 Left hand bal		6.50		KT.2352	Repair kit	37.75	11 Ct 100 23
				BK.2148	Single mounting bracket	30.64	E CO
SPRAYING SYSTEMS E				BK.2149	Bank of 2 mounting brackets	38.30	
1" inlet and 1" outlet		ALVLS		BK.2151	Bank of 3 mounting brackets	44.60	
			2. 52				
Single Valve	e Replac	ement electric pigta		21000 4			
344BEC-24C 344BEC-2F-C flange	JJJJ.00	6EC.15	\$28.14	CL.2831	ND 2500 ELECTRIC SOLENO 2100C replacement coil (spad		\$108.10
2 Valve Manifold	• Replac	ement motor for val	ves at left.	CL.2845	2100C replacement coil (weat	7	109.28
	50515	-22CP05	\$337.95	CL.2642	2500 replacement coil (spade)		112.80
452BEC-2F-C flange	856.00 • Repair			CL.2641	2500 replacement coil (weath		130.10
3 Valve Manifold	AB344		\$79.00	KT.2352	2100 and 2500 repair kit	/	37.75
443BEC-44TA \$1	• 2" Inle	t and 2" outlet single	electric	WPADAP	Weather pack adapter for sole	enoids	9.20
453BEC-2F-C flange 1	27/ 00	3185 Banjo	\$696.00		Other parts available – inquire	2	
PLUNGER VALVES FOR Side inlet, bottom outlet, 75 Maximum pressure 175 psi. 541EC-2 Single \$368.00 e 543EC-2 Triple \$1,131.00	-series flange inlet Mounting bracket each	s.	ļ.	Requires 6 outlet, 100 units where	SOLENOID VALVE WITH TIR 6% less normal amperage requir psi operating pressure, 10 gpm, vi e less amperage is required. Weat B.1WP.C Valve \$205	ements. 3/4" ton seal on o-rir her pack standa	ngs. Use on
SPRAYING SYSTEMS S	OLENOID VAL	/ES		CL.2641	WP.C E-chip coil 131	.10	10
Spraying Systems 144 Series			- Carlos				
electric on-off control of boo				BANJO 1	2" MOTORIZED BALL VAL	<u>/E</u>	
stainless steel with chemica diaphragms. Operating pres male quick connect termin Valves normally closed, open	ssure range is 0-65 nals for electric p	5 psi. Coil has 1/4" power connecting.	q	open to clo	s • 12-volt DC • Response time: 1/ se • Standard 3 wire configuratior 00 psi @ 70°F LEV050		
	ne valve unit, 3/4"		\$201.50		BRASS HIGH PRESSURE		
	ree valve unit, 3/		615.00	1	/2" Inlet, 1/2" outlet. Excellent re		9
	nree way (foam ma	arker), 50 psi	225.80		for root feeders.		
	epair kit		41.50	305A-4-1	Valve	\$192.0	
PK-AB144-1-3-Kit 3-	way repair kit		41.60	305A-4-Kits		37.0	
MANUAL SOLENOID V	ALVE		-	- 305A-410-1 305A	Lever Squeeze lever / bracket ass	33.7 embly 39.7	
AA6B MANUAL VALVE			O		E REGULATOR		>
	alve, 1/2" FPT	\$66.30			gulator electric bypass valve		11004
· · · · · · · · · · · · · · · · · · ·	nent handle	7.50				180.30	-
CP36308-SS Replacem	ient pin	1.80				207.00	
8-WAY SELECTOR VALVE				Sprayin	g Systems AA244C3/4" \$	\$191.00	
	ector valve	\$168.40					
PK-AB17-Kit Repair kit		61.80	enne	3-11/02	OLENOID VALVE		
· · ·				J-WATS	OLLIVOID VALVL		

3-WAY SOLENOID VALVE

1/4" NPT inlet and two each 1/4" NPT outlets. Ideal value for foam marker.

2204A \$122.50



SU100FP-NOZ

1" 45° NOZZLE FP

\$32.30

VALVES

TOPAZ FLOAT VALVE

Float operated valve for use in automatic filling of water storage tanks and troughs. Valve detaches with 1/4-turn for ease of cleaning.

ONE PIECE ALL BRASS VALVE

Chrome brass ball, stem, and body with Teflon seat and viton seals. Rated to 300 psi. Maximum temperature 212°F. Available with two female ports or one female and one male port. All ports are NPT.

469221	1/4" FXF	\$21.50
469031	1/4" MXF	20.95
469231	3/8" FXF	21.50
469041	3/8" MXF	20.95
469241	1/2" FXF	24.80
469051	1/2" MXF	23.30



\$29.13

\$40.63

VALVE MOUNTING PLATE

V2571 90° mounting bracket Fits valves 1-1/4" to 2"

V25270 Straight mounting bracket \$28.43 Fits valves 1-1/4" to 2"

VALVE CARRY HANDLE

V25272 Valve handle 316 SS fits most bolted valves 1-1/4" full port and larger

PRESSURE RELIEF VALVES

1/4" ports for gauge pressures to 150 psi23120-3/43/4" outlet\$43.2023120-1/21/2" outlet\$43.20



Up to 300 psi 8460 3/4" nylon with 1/4" gauge fitting \$79.25

8460 1/2" nylon with 1/4" gauge fitting \$79.25

HAMILTON BALL TYPE RELIEF VALVES

Pressure relief valve models for pressures to 400 psi. Choice of 1/2" or 3/4" pipe thread connections (male NPT inlet, female NPT outlet).

3300-00021/2" x 1/2" brass relive valve, 200 psi\$98.603300-00013/4" x 3/4" brass relief valve, 400 psi\$109.20

3-WAY BALL VALVE - FULL PORT

1/2 turn, true 3-way valve.

Arrow indicates direction of flow.

SU050BL	1/2"	\$35.73	SU125BL	1-1/4″	\$57.75
SU075BL	3/4"	40.45	SU150BL	1-1/2″	67.75
SU100BL	1″	40.73	SU200BL	2″	84.42

CHECK VALVE (PVC)	CV12	1/2"	\$10.37
Use this valve in any industrial	CV34	3/4"	10.75
or agricultural application to	CV100	1″	15.65
stop backflow and syphoning,	CV112	1-1/2"	21.75
including on potable water lines.	CV114	1-1/4"	19.70
	CV200	2″	27.00

1/2" and 3/4" DIAPHRAGM CHECK VALVES

Use on boomless nozzle assemblies

12328-1/2" NYB	\$112.98
12328-3/4" NYB	\$112.98



THROTTLING VALVE

Polypropylene construction for excellent chemical resistance. 1/2" and 3/4" NPT connections. Pressures to 150 psi. 10 psi pressure drop at 6 gpm flow rate for 1/2", 18 gpm for 3/4" size.



23520-1/2 PP ~ \$37.40 235250-3/4 PP ~ \$38.40

3/4" NYLON THROTTLING VALVE

12690-3/4 NYB \$116.50

NPT connections. Pressures to 125 psi. Nylon. Maximum flow rate at 100 psi, 56 gpm for 1/2'' and 82 gpm for 3/4'' size.

SINGLE UNION POLY BALL VALVES

SU050E	1/2"	\$22.42
SUO75E	3/4"	22.42
SU100E	1″	27.10
SU125E	1-1/4"	46.60
SU150E	1-1/2"	47.83
SU200E	2″	60.58



BOLTED BALL VALVES

V050FPY	1/2"	\$43.87
V075FPY	3/4"	43.87
V100Y	1″	43.87
V100FPY	1", full port	48.37
V125Y	1-1/4"	48.37
V150FPY	1-1/2"	60.22
V200Y	2″	60.22

6-BOLT BALL VALVE WITH STAINLESS STEEL BOLTS


For fertilizer. Sta	ndard port valves.		
V200FPY	2", full port	\$84.80	
V300Y	3″	136.35	
V300FPY	3", full port	189.35	

BOLTED POLY NOZZLE VALVES

VA200FP 2"

TWO WAY FGHT VALVE

All ports feature 3/4" garden hose thread. Valves are suitable for unidirectional flow only and are not recommended for commercial use.



COMPACT POLYPROPYLENE BOLTED BALL VALVES

Male pipe thread x male camloc VF204FPY 2" \$80.50



\$118.33







HC									
	Ī	PVC	C CLE	AR SIG	нт	GAUGE			
Pa	rt #		Si	ze		PSI		\$/Ft	
SGI	1038		3/	'8″		30		\$0.98	
SGI	1050		1/	'2"		30		1.37	
SGI	1058		5/	'8"		30	1.66		
SGI	1075			′4″		30		1.77	
SGI	1100		1	"		30		2.86	
GAUGE TUBING									
	TBG23	88	<u>GA</u>	1/8″ x 2			54.00		
	PVC LA	YF	LAT	DISCH	٩RC	GE HOSE,	BLUE		
130265	-		1/2"		75			\$1.11	
130270	05	2″	,		70)		1.30	
Polve	thvlene	ים י	rill &	<u>TUBIN</u> Plante	_	ubing, Bl	ack or	Grav	
	Descri					y Ft		oll \$	
46428	3/16" x	1/2	1″ ОГ) coil	100	D'roll \$1	25 Ś		
46434	1/4″ ID	x 3	/8″ C	D coil	100)' roll \$1.	.25 Ş	175.50	
	_, · · · -		,			· · · · · · · · ·	+		
	T	RAI	NSLU		SPF				
EV		/DF	ROUS	S AMM	ON	IIA AND S	PRAY	ER	
Do ut #	C:	<i>.</i>	/=+			Doubt	C i= a	ć /F+	
Part # EVA025			/Ft).58	Less		Part# EVA058	Size 5/8″		
EVA023).80	10% on ful	.	EVA038		1.38	
EVA050).98	rolls	'	EVA075	1″	1.92	
2171050	-/-					21/1200	-	1.52	
R	UBBER	GE	NER	AL PUF	RPC	SE SPRA	Y HOSI	E	
	Part #		I.	Size ID		PSI	1	/Ft	
R	SH025		1/4"			200).87	
	SH038		3/8″		200		.97		
R	SH050		1/2"			200	1.35		
R	SH058			5/8″		200	1	.86	
R	SH075			3/4"		200	2	.05	
R	SH100			1″		200	3	.20	
R	SH125			1-1/4"		200	5	.37	
R	WS150			1-1/2"		200	6	.90	
R	WS200			2″		150	9	.08	
		"	'RFD	SLYDE	R"	HOSE			
	FOR R					L HOSE R	EELS		
3/8″ ID						slick'em t		se. For	
						andard ho			
						ngth incluc			
	MPT size					5			
	' length					' length - S	51,560.	00	
200		40		-	~				

 300' length - \$281.25
 600' length - \$1,560.00

 300' length - \$806.25
 Custom cut - \$2.95/ft

SUCTION HOSE WITH GREEN PVC HELIX

Extra flexible. Recommend suction hose for diaphragm and other positive displacement pumps. 100' rolls.

Part #	Size ID	\$/100' Roll	\$/Ft Cut Length
K075	3/4"	\$ 179.00	\$ 1.99
K100	1″	216.00	2.40
K125	1-1/4"	241.00	2.68
K150	1-1/2"	320.00	3.56
K200	2″	448.00	4.98

GREEN PVC WATER SUCTION & TRANSFER HOSE

Part #	Size	PSI	\$/Ft*						
PVC100, green	1"	90	\$ 2.02						
PVC125, green	1-1/4"	70	2.20						
PVC150, green	1-1/2"	70	2.73						
PVC200, green	2″	60	4.90						

FERTILIZER EPDM

Suction and Transfer Bumble Bee Hose, 100' Rolls

Part #	Size	PSI	\$/Ft/Roll	\$/Less than 25'*
EPDM100	1″	80	\$ 3.44	\$ 3.82
EPDM125	1-1/4"	70	3.91	4.34
EPDM150	1-1/2″	60	4.12	4.58
EPDM200	2″	60	5.93	6.59
EPDM300	3″	50	11.30	12.56

ENFORCER REINFORCED FERTILIZER SOLUTION HOSE, 100' ROLL

Part #	Size	PSI	\$/Ft	\$/Less than 25'*
12012964	2″	100	\$ 8.04	\$ 8.93
12012966	3″	85	13.82	15.35

AIR SEEDER HOSE (Braided and Clear)

Part #	Size	\$/Cut Length	\$/100' Roll*	10%
12015003	1″	\$ 1.95	\$ 176.50	on full
12017507	2-1/2″	7.25	653.00	rolls

GREEN GARDE HEAVY DUTY TREE SPRAYER HOSE

• Heavy-duty spray hose • 5-ply banded construction

* Less

- Superb abrasion resistance Long lasting flexibility
- Resistant to fungicides, insecticides, and fertilizer

Part #	Size	PSI	Roll Size	Color	\$/Ft Cut	\$/Ft Uncut
BNG-43	1/2"	800	300′	Neon	\$ 4.69	\$ 4.36

KURI TEC HIGH PRESSURE HOSE

Part #	Size	PSI	Roll Size	Color	\$/Ft Cut	\$/Ft Uncut
K4131	3/8"	600	300'/400'	Blue/yellow	\$ 1.25	\$ 1.15
K4131	1/2"	600	300'/400'	Blue/yellow	1.85	1.75

Part #	Size	PSI	Roll Size	Color	\$/Ft Cut	\$/Ft Uncut			
A1687-08	1/2″	800	300'/400'	Green	\$ 3.96	\$ 3.66			
A1687-10	5/8″	800	300′	Green	4.72	4.42			
A1687-12	3/4"	800	300′	Green	6.00	5.80			
	Llich process fittings and handing available								

High pressure fittings and banding available

KURI TEC EVA YARN REINFORCED HOSE FOOD GRADE, HEAVY WALL

Part #	Size	PSI	Roll Size	\$/Ft			
K4350-08	1/2″	250	300'	\$1.51			
K4350-12	3/4"	150	300'	2.26			
K4350-16	1″	150	200'	3.92			

HOSE BEND RESTRICTORS

HBR-0081 5/8"- \$9.25 HBR-1052 1/2" thick wall - \$7.25 HBR-1054 1/2" - \$7.25



HBR-1050 3/8" thick wall \$7.25 HBR-1055 3/8" - \$7.25

HEAVY DUTY SLINKY HOSE FOR ATV SPRAYERS



HSC 2846-06X15CN \$63.00 Pesticide resistant hose with brass 3/8" MPT fittings. 15' 3/8" ID

HOSE REELS AND ACCESSORIES

COXREEL HOSE REELS

Manual Reels - Pressures to 3000 PSI, Commercial Use

Part #	Reel Capacity, Swivel	Price
112-4-75 KVXX	75' of 1/2" hose, Brass Swivel	\$260.00
HP1125-4-200 KVXX	200' of 1/2" hose, Super Swivel	371.00
HP1125-4-325 KVXX	300' of 1/2" hose, Super Swivel	389.00
HP1125-5-100KVXX	100' of 3/4" hose, Super Swivel	565.00
HP1125-5-200KVXX	200' of 3/4" hose, Super Swivel	575.00
HP1125-5-250 KVXX	250' of 3/4" hose, Super Swivel	579.00
HP1175-6-150 KVXX	150' of 1" hose, Super Swivel	784.00

12-Volt Electric Reels - Commercial Use

Part #	Reel Capacity, Swivel	Price
HP1125-4-200E KVXX	200' of 1/2" hose, Super Swivel	863.00
HP1125-4-325E KVXX	300' of 1/2" hose, Super Swivel	883.00
HP1125-4-450E KVXX	400' of 1/2" hose, Super Swivel	922.00
HP1125-5-100E KVXX	100' of 3/4" hose, Super Swivel	\$940.00
HP1125-5-200E KVXX	200' of 3/4" hose, Super Swivel	976.00
HP1125-5-250E KVXX	250' of 3/4" hose, Super Swivel	998.00
HP1175-6-100E KVXX	100' of 1" hose, Super Swivel	1,325.00
HP1175-6-125E KVXX	125' of 1" hose, Super Swivel	1,345.00
HP1175-6-150E KVXX	150' of 1" hose, Super Swivel	1,345.00

Part #	Description	Price
7408-12-1/2"	Axle plumbing for 1125-4-200	\$ 76.00
7408-18-1/2"	Axle plumbing for 1125-4-325	79.00
7414-12	Drum for 1125-4-200	51.50
7414-18	Drum for 1125-4-325	57.80
7414-24	Drum for 1125-4-450	62.10
7414-28	Drum for 1125-5-250	73.68
7416	Disc end plate 17.5"	65.30
7425	Pinon drive gear	59.40
7450	Disc end plate 17.5" with gear	137.60
7480	Stack kit for staking reels (bottom reel drum width)	151.00
15353	4-way roller assembly x hose reel widths	228.00
	Above installed (must have reel model)	241.00
9075-12.5	KXXX 4-way roller to fit 112-4-75	178.50
20843	Hose reel pin lock	24.70
24106	Solenoid for 12-volt reels	47.50
90030	Push button switch	19.40
	Replacement motor for Coxreel	392.00
	25' power lead with 30-amp breaker	95.00
20649	1/2" reel bearing	18.20
15515	3/4" reel bearing	23.00

REELCRAFT HOSE REELS

Part #	Description	Price
CH37118L	100' of 1" hose, manual	\$775.00
EH37118L	100' of 1" hose, 12-volt	1,290.00

HANNAY HOSE REELS



Model	Reel Capacity	Price
PW-2 w/roller guide	75' of 1/2" hose	\$341.00
1520-17-18, manual	200' of 1/2" hose	408.00
1520-17-18, electric	200' of 1/2" hose	985.00
1526-17-18, manual	300' of 1/2" hose	408.00
1526-17-18, electric	300' of 1/2" hose	985.00
1530-17-18, electric	400' of 1/2" hose	985.00
1830-17-18, electric	250' of 5/8" hose	1,085.00
1836-17-18, electric	300' of 5/8" hose	1,095.00

Above equipped with Super Swivel, switch, and solenoid

Part #	Description	Price
9910.1119	Replacement drive sprocket	\$ 32.90
9915.0042	Replacement electric motor	392.00
9923.0006	Motor mounting plate	30.60
9939.1062	Roller assembly for Hannay Reels Must have reel model	308.00
	As above, installed	348.00
9965.0030	Hose reel pin lock	41.30

MINI HOSE REELS

Pesticide compatible hose reel with 50' of 3/8" or 1/2" hose capacity CU8050, reel only - \$187.00



Low pressure, 12-volt centrifugal pumps With 50' of 3/8" hose - \$265.00 With 50' of 1/2" hose - \$292.00

High pressure, steel banded ends, roller or diaphragm pumps With 50' of 3/8" hose - \$304.00 With 50' of 1/2" hose - \$337.00

112-4-75 Cox Reel	High Pressure	Low Pressure
With 100' of 1/2" hose	\$495.00	\$419.00
With 100' of 3/8" hose	\$465.00	\$364.00

REPLACEMENT HOSE REEL SWIVELS



Super Swivel - Greaseable, 3000 psi working pressure, compatible with fertilizer and pesticide

Reel Size	Part #	Price	Repair Kit #	Price
1/2"	9927.8551	\$ 86.00	SS8-Kit	\$21.90
3/4"	9928.8551	115.00	SS12-Kit	23.52
1″	9909.8551	141.00	SS16-Kit	25.90

Reelcraft Swivel

Reel Size	Part #	Price	This swivel is
1/2" Brass	S602096-1	\$35.20	not repairable

HYPRO PUMPS

Roller Pumps					
Model Number	Max GPM	Max PSI	Max RPM	Descriptio	Price
6500C	22.0	300	1200	Cast iron 6-roller pump, nylon rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft	\$226.00
6500CR	22.0	300	1200	Reverse rotation for engine mount	239.00
6500XL	22.0	300	1200	Silver cast 6-roller pump, super rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft	716.90
6500XLR	22.0	300	1200	Reverse rotation for engine mount	725.00
7560C	22.0	300	1200	Cast iron 8-roller pump, nylon rollers, viton seals, 3/4" NPT ports and 15/16" solid shaft	272.90
7560CR	22.0	300	1200	Reverse rotation for engine mount	305.00
7560XL	22.0	300	1200	Silver cast 8-roller pump, super rollers	867.00
7560XLR	22.0	300	1200	Reverse rotation for engine mount	897.00
3430-0380				Repair kit for 6500 pump – rollers, o-ring, viton seal	55.01
3430-0381				Repair kit for 7560 pump – rollers, o-ring, viton seal	78.74
3420-0023				Base kit for mounting to 6500 engines	45.92
3420-0003				Base kit for mounting to 7560 engines	71.90
BAC-10-RP6-QC				PTO coupler multi speed 540/1000 by 5/8	68.60
BAC-10-RP8-QC				PTO coupler multi speed 540/1000 by 15/16	68.60
RP-TBK				Torque bar and chain	38.10

Series 4001 and 4101 Roller Pumps

261162 4001	una -	TOT	Conci		
Model	Max		Max		
Number	GPM	PSI	RPM	Description Vertication	Price
4001C	9.1	150	1800	Cast iron 4-roller pump, polypropylene rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	\$255.36
4001XL	9.1	150	1800	Silver cast 4-roller pump, super rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	641.76
4101C	7.2	150	2600	Cast iron 4-roller pump, polypropylene rollers, viton seals, 3/4" NPT ports, 5/8" solid shaft	241.00
4101XL	7.2	150	2600	Silver cast 4-roller pump, super rollers, viton seals, 3/4" NPT ports and 5/8" solid shaft	649.00
4101XL-EH	7.5	50	1900	12V DC motor driven Ni-resist 4-roller pump, polypropylene rollers, viton seals, 3/4" ports, 1/2" hollow shaft	930.00
1320-0015				Shaft coupler 3/4" x 5/8"	51.52
1320-0016				Shaft coupler 5/8" x 5/8"	51.52
3430-0390				Repair kit for 4000 series poly rollers, o-ring, viton seal	46.70
2840-0084				Pump support/coupler shield	62.00
				Chain coupler, must specify both shaft sizes	145.00

Series 9200 Pedestal Pumps

Model	Max	Max	Max		
Number	GPM	PSI	RPM	Description 🛛 🖤	Price
9202C	105	180	6000	Pedestal mount cast iron, 5/8" solid shaft, viton shaft seal, 1-1/4" inlet, 1" outlet NPT ports	\$590.00
9203C	136	180	6000	Pedestal mount cast iron, 5/8" solid shaft, viton shaft seal, 1-1/2" inlet, 1-1/4" outlet NPT ports	598.00
1720-0083				O-ring	4.77
3430-0332				Viton seal kit for 9200, 9300, 9500	71.57
3430-0589				Life guard silicon carbide seal for 9200, 9300, 9500	277.76

Series 9300 Hydraulic Motor Driven Pumps

Model	Max	Max		
Number	GPM	PSI	Description	Price
9303C-HM1C	114	130	(10 gpm) Hydraulic motor/cast iron pump for open center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	\$1,102.00
9303C-HM2C	82	95	(5 gpm) Hydraulic motor/cast iron pump for closed center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,102.00
9303C-HM3C	106	85	(20 gpm) Hydraulic motor/cast iron pump for large open center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,172.00
9303C-HM4C	95	93	(7 gpm) Hydraulic motor/cast iron pump for closed/open center systems, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,102.00
9303C-HM5C	147	145	(15 gpm) Hydraulic motor for Closed/open center system, NPT ports: 1-1/2" inlet, 1-1/4" outlet	1,102.00
9306C-HM1	207	130	(13 gpm) Hydraulic motor/cast iron pump for closed center systems, NPT port: 2" inlet, 1-1/2" outlet	1,278.50
9306C-HM5C	212	140	(17 gpm) Hydraulic motor/cast iron pump for closed/open center systems, NPT port: 2" inlet, 1-1/2" outlet	1,260.00
3430-0748			Hydraulic motor seal kit	64.70

Flange fitting housings available for retro fitting on pumps at no additional charge. Please request. We also stock pump parts – please inquire

HYPRO / AR PUMPS

Series 9400 Belt Drive Centrifugal

Model Number	Max GPM	Max PSI	-	Description	Price
9402C-1000	76	96	1000	Cast iron pump with positive timing belt drive and 1-3/8" PTO shaft NPT ports: 1-1/4" inlet, 1" outlet	\$1,490.00
9402C-540Q	76	95	600	Cast iron pump with positive timing belt drive and 1-3/8" NPT ports: 1-1/4" inlet, 1" outlet	1,490.00

him

Medium Pressure Diaphragm

Model	Max	Max	Max	The second se			
Number	GPM	PSI	RPM	Description	Price		
AR30-SP (9910-D30)	9.5	580	550	2-Diaphragm pump – 1" HB inlet, 1/2" HB outlet	\$599.00		
AR30-GR3/4-GCI (9910-D30GRGI)	9.5	580	550	2-Diaphragm pump – GS40GI control unit and gear reduction fits 5-6 hp gas engine	1,090.00		
AR403-SP (9910-D403)	10.6	580	550	3-Diaphragm pump – 1" HB inlet, 1/2" HB outlet	787.00		
AR403-GR3/4GCI (9910-D403GRGI)	10.6	580	550	3-Diaphragm pump – GR40 control unit and gear reduction that fits 5-6 hp gas	1,122.00		
				engines			
AR50-SP (9910-D50)	14.0	580	550	2-Diaphragm pump – 1-1/4" HB inlet, 1/2" HB outlet	1,048.00		
AR503-SP (9910-503)	15.0	580	550	3-Diaphragm pump – 1/14" HB inlet, 3/4" NPT outlet; Select shaft kit or gear box	1,015.00		
AR503-GR1-GCI (9910-D503GRGI)	15.0	580	550	3-Diaphragm pump, assembled with gear box 9910-KIT1642 and control 9910-	1,470.00		
				RM40 for mounting on 8 hp gas engines			
AR70BP-SP	19.6	290	550	2-Diaphragm pump – 1-1/4" HB inlet, 1" outlet	795.00		
AR70BP-GR3/4	19.6	290	550	2-Diaphragm pump – 1-1/4" HB inlet, 1" outlet with gear box AR1671 for gas	1,336.00		
				engine with 3/4" shaft; requires remote mount control unit (not included)			

For high volume, high pressure pumps . . . call for a quote

Diaphragm Kits

e	1
.40	/
.60	
.65	
.00	1
.73	/
.50	(
.10	(
.00	
	40 7.60 2.65 5.00 5.73 3.50 10 0.00

GS/GI Control Units and Repair Kits

Model Number	Description	Price					
AR1925 (9910 Kit 1757)	Repair kit for 9910 GS GI	\$90.35					
AR1990 (9910 Kit 1990)	D-252 control unit	141.00					
AR2488 (9910 Kit 2488)	Repair kit for GR-40 control unit	48.00					
AR43969 (9910 Kit 1897)	Repair kit for RM-40 control unit	75.75					
AR893S (9910 Kit 893)	Remote mount kit for GR-40 control unit	104.00					
GI40 (9910-G540GI)	D-30, D-50 control unit	283.00					
GR40 (9910-GR40)	D-303 and D-403 control unit	212.25					
RM40S (9910-RM40)	D-503 control unit	232.00					

Valve Kits

Model Number	Description	Price
AR1917 (9910 Kit 1917)	D-30 valve kit	\$159.00
AR1920 (9910 Kit 1920)	D-50 valve kit	164.00
AR1987 (9910 Kit 1987)	D-503 valve kit	217.00
AR2364	AR-70 BP valve kit	166.00
AR2388 (9910 Kit 2388)	D-303 and D-403 valve kit	163.50

Gear Reduction Units

Model Number	Description	Price
AR1636 (9910 Kit 1640)	D-30, D-303, D-403 gear reduction box	\$593.00
AR1639 (9910 Kit 1642)	D-50, D-503, D-813 gear reduction box	653.00

Miscellaneous Hypro Pump Parts

Part Number	Description	Price
110121	Relief valve seat (std)	\$9.27
390060	O-ring for suction manifold	2.15
450145	Discharge flange housing	46.32
620950	Gear box gasket	4.03
620101	D-30 RH head	159.00
620102	D-30 LH head	164.00
620150	D-30 suction manifold	124.00
629209	D-30 lower air chamber	264.00
629211	Upper air chamber	115.00
650101	D-50 RH head	190.72
650102	D-50 LH head	190.72
650150	D-50 suction manifold	145.00
651670	D-30 and D-50 dampener clamp	24.13
659204	D-50 complete lower air chamber	373.00
Kit1916	D-30 complete o-ring kit	64.17

Miscellaneous Hypro Pump Parts

Part Number	Description	Price
AR1919 (9910-Kit 1919)	D-50 complete o-ring kit	\$55.10
1040310	D-403 and D-503 oil sight glass	110.20
1040326	D-403 and D-503 oil tank cap	40.30
550030	D-30 oil sight glass	21.02
550040	D-30 and D-50 sight glass cap o-ring	2.32
550050	D-30 and D-50 sight glass cap	13.25
650030	D-50 oil sight glass	46.95
650230	D-50 upper air chamber	143.80
650920	D-403 and D-503 oil cap o-ring	3.42
801940	D-252 head	62.30
0152-9075C	Hypro 1551SP pump casing	1,661.00
0153-9200C	Hypro 1551 pump casing	509.00
0404-9200P	Hypro 1551 impeller	376.00
0707-9200C	Hypro 1551 flange bracket	415.30
1410-0091	Hypro 1551 slinger ring	5.51
1720-0180	Hypro 1551 case o-ring	5.35

UDOR KAPPA / DELTA Series Diaphragm Pumps UDOR KAPPA-series internally manifolded pumps are of anodized aluminum construction

Model	Max GPM	Max PSI	Description	HB Port In	HB Port Out	By- pass	Wgt	Price
KAPPA-25-WOC			Two-diaphragm pump with pulsation dampener, control unit,	1″	0	0	16	\$685
КАРРА-25	7	350	adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge, mounting rails.	1″	(2)	3/4" 1/2"	18	898
KAPPA-25/GR	7	350	KAPPA-25 with gearbox for 3-5.5 hp gasoline engines, 3/4" shafts.	1″	(2)	3/4"	18	1,034
			6062.C1 Diaphragm kit 8700.65CK Diaphragm kit with bolt, washer, valves, and o-r	ings				90.41 291.88
Model	Max GPM	Max PSI	Description	HB Port In	HB Port Out	By- pass	Wgt	Price
DELTA- 40-WOC			Two-diaphragm pump with universal drive face, pulsation dampener,	1″	0	0	27	\$836
DELTA-40	10.5	560	control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets and pressure gauge.	1″	1/2"	3/4"	29	1042
DELTA-40/GR	10.5	560	KAPPA-40 with gear reduction for 5 hp engines.	1″	1/2"	3/4"	39	1,516
			8700.85 Diaphragm kit 8700.85CK Diaphragm kit with bolt, washer, valves, and o-r	ings				97.50 292.00
Model	Max	Max	Description	HB	HB Port	By-	Wgt	Price
	GPM	PSI		Port In	Out	pass		
KAPPA- 43-WOC			Three-diaphragm pump with control unit, adjustable pressure reg-	1″ 1″	0	0	27	\$836
КАРРА-43	10.5	560	ulator, manual dump lever, dual ball valve outlets, pressure gauge.		2-1/2"	3/4"	29	1,043
KAPPA-43/GR	10.5	560	DELTA-43 with gear box for 4-6.5 hp gasoline engines, 3/4" shafts.	1″	2-1/2"	3/4"	39	1,516
			8700.45Diaphragm kit8700.45CKDiaphragm kit with bolt, washer, valves, and o-r	ings				103.70 380.20
Model	Max	Max	Description	HB	HB Port	By-	Wgt	Price
	GPM	PSI		Port In	Out	pass		
KAPPA-55-WOC			Three-diaphragm pump with universal drive face, pulsation	1-1/4"	0	0	35	\$1,169
KAPPA-55	15	560	dampener, control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge.	1-1/4"	1/2"	3/4"	37	1,376
KAPPA-55/GR-5	15	350	KAPPA-55 with a gear reduction for 5-6.5 hp gasoline engines	1-1/4"	2-1/2"	3/4"	43	1,856
KAPPA-55/GR-8	15	560	KAPPA-55 with a gear reduction for 8-9 hp gasoline engines	1-1/4"	2-1/2"	3/4"	49	1,970
			8700.26Diaphragm kit8700.26CKDiaphragm kit with bolt, washer, valves, and o-rings					108.00 409.55
Model	Max	Max	Description	HB	HB Port	By-	Wgt	Price
	GPM	PSI		Port In	Out	pass		
DELTA-75-WOC			Three-diaphragm pump with universal drive face, pulsation	1-1/4"	0	0	44	\$1,497
DELTA-75	19.5	560	dampener, control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge.	1-1/4"	1/2"	3/4"	46	1,772
DELTA-75/GR	19.5	560	DELTA-75 with a gear reduction for 11-13 hp gasoline engines	1-1/4"	2-1/2"	3/4"	58	2,307
			6062.E4 Diaphragm kit					159.85
Model	Max	Max	8700.75CK Diaphragm kit with bolt, washer, valves, and o-r Description	HB	HB Port	By-	Wgt	404.68 Price
Woder	GPM	PSI	Description	Port In	Out	pass	vvgt	Flice
DELTA-100-WOC	26	560	Four-diaphragm pump with universal drive face, pulsation dampener, control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge.	1-1/4"	2-1/2"	3/4"	49	\$1,856
<u>.</u>						3/4"	58	2,843
DELTA-100/GR	26	560	DELTA-100 with a gear reduction for 16-18 hp gasoline engines	1-1/4"	2-1/2"	5/7		-
DELTA-100/GR	26	560	DELTA-100 with a gear reduction for 16-18 hp gasoline engines8700.80Diaphragm kit8700.80CKDiaphragm kit with bolt, washer, valves, and o-right		2-1/2"	5/4		197.60 539.00
DELTA-100/GR Model	Max	Max	8700.80 Diaphragm kit	ngs HB	HB Port	Ву-	Wgt	
Model	Max GPM	Max PSI	8700.80 Diaphragm kit 8700.80CK Diaphragm kit with bolt, washer, valves, and o-r Description	ngs HB Port In	HB Port Out	By- pass	Wgt	539.00 Price
	Max	Max	8700.80 Diaphragm kit 8700.80CK Diaphragm kit with bolt, washer, valves, and o-r	ngs HB	HB Port	Ву-		539.00
Model	Max GPM	Max PSI	8700.80 Diaphragm kit 8700.80CK Diaphragm kit with bolt, washer, valves, and o-r Description Four-diaphragm pump, pulsation dampener, control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge. Universal drive face on the back and 1-3/8" 6-spline	ngs HB Port In	HB Port Out (1)3/4" Male	By- pass	Wgt	539.00 Price
Model DELTA-140/TS2C	Max GPM 36	Max PSI 725	8700.80 Diaphragm kit 8700.80CK Diaphragm kit with bolt, washer, valves, and o-r Description Four-diaphragm pump, pulsation dampener, control unit, adjustable pressure regulator, manual dump valve, dual ball valve outlets, pressure gauge. Universal drive face on the back and 1-3/8" 6-spline male PTO shaft on the front. DELTA-140 with gear reduction for use on 24 hp gasoline engines	ngs HB Port In 1-1/2" 1-1/2"	HB Port Out (1)3/4" Male NPT (1)3/4"	By- pass 1"	Wgt 105	539.00 Price \$3,052

	155.00
--	--------

Model	Max GPM	Max PSI	Description		HB Port In	HB Port Out	Bypass	Wgt	Price
ЮТА-20	5	275	Two-diaphragm pump, pulsation dampener, adjustable pressure regulator, manual dump Also a replacement for any IOTA-17.		3/4"	3/8"	5/8"	14	\$696.00
IOTA-20/GR	5	275	3/4" shafts		3/4"	3/8"	5/8"	17	918.00
			8700.01Diaphragm kit8700.01CKDiaphragm kit with bolt, washer, valves, and o-rings				73.20 218.40		
			UDOR ZETA SERIES DI	APHRAGM PUM	PS				
Model	Max GPM	Max PSI	Description		HB Port In	HB Port Out	Bypass	Wgt	Price
ZETA-85	22	300	Three-diaphragm pump, control unit, adjustable pressure regulator, manual dump lever, dual ball valve outlets and pressure gauge.		1-1/2"	2-1/2"	3/4"	36	\$1,439
ZETA-85/GR-5	22	300	Fitted with gear box for 4-6.5 hp gasoline en	gines with 3/4" shafts.	1-1/2"	(2) 1/2"	3/4"	48	1,889
			6062.97 Diaphragm kit						149.88
			8700.60CK Diaphragm kit w	vith bolt, washer, valves, a	and o-ring	S			484.90
Model	Max	Max	Description		HB	HB Port	Bypass	Wgt	Price
	GPM	PSI			Port In	Out		Ŭ	
ZETA-120	31	200	Three-diaphragm pump with pulsation damp and body with glass filled nylon manifold. Do		1-1/2"	3/4"	N/A	45	\$1,630
ZETA-120/GR-5	31	200	pressure regulator.		1-1/2"	3/4"	N/A	55	2,165
			6062.H2 Diaphragm kit						193.60
			8700.04CK Diaphragm kit w	vith bolt, washer, valves,	and o-ring	s			510.00
			Pump or remote mounted control unit include	des an adjustable regulato	or with ma	anual dump	level		260.00
6005.31/LPN		N							

			UDOR PUMP MOUNTED CONTROL UNITS	
			(Specifically designed for use on UDOR diaphragm pumps)	
Model	Max	Max	Description	Price
	GPM	PSI		
6010.93	20	560	Pump or remote mounted control with right angle entry from main body to adjustable pressure regulator for smoother operation and longer life. Includes manual dump lever, two 1/2" ball valve discharge ports and pressure gauge. Standard on KAPPA-33, KAPPA-43 and KAPPA-53. Replacement for GS40GI, Hypro D-30, D-50.	\$247.90
			Repair kit 6062.A9	70.13
6010.95	20	350	Same as 6010.93 except regulator is fitted with a lighter spring and gauge for lower pressure applications. Standard on KAPPA-25, ZETA-40, ZETA-85/GR-5	247.90
14 V			Repair kit 6062.A9	70.13
6010.24	20	560	Pump or remote mounted control with adjustable pressure regulator with manual dump lever. Includes two 1/2" ball valve discharge ports and pressure gauge. Standard on Delta/Kappa 40, Kappa 55.	247.90
1-			Repair kit 6062.55 (expanded kit)	79.98
6047.06	26	560	Pump or remote mounted control with right angle entry from main body to adjustable pressure regulator for smoother operation and longer life. Includes manual dump lever, two 1/2" ball valve discharge ports and pressure gauge. Standard on DELTA-75 & KAPPA-100.	322.86
			Repair kit 8701.02 (steel poppet and seat)	82.00
0604.27			RV elbow, nut, o-ring	24.90
0604.30			Control unit discharge nut, assembly	16.90

UDOR KAPPA / DELTA SERIES DIAPHRAGM PUMP KITS

Kappa 40	8700.02	Diaphragm kit	\$98.80	Kappa 100	8700.24	Diaphragm kit	\$150.20
	8700.02CK	Diaphragm kit with bolt,	292.00		8700.24CK	Diaphragm kit with bolt, washer,	541.00
		washer, valves, and o-rings				valves, and o-rings	
Kappa 75	8700.10	Diaphragm kit	\$137.00	Kappa 121	8700.22	Diaphragm kit	\$208.00
	8700.10CK	Diaphragm kit with bolt,	410.00		8700.22CK	Diaphragm kit with bolt, washer,	636.00
		washer, valves, and o-rings				valves, and o-rings	

UDOR FITTINGS, ADAPTERS, AND ACCESSORIES					
Item Number	Description	Price			
207P-12	Brass coupler with 3/4" female metric thread by 3/4" male metric port of 6010.24, 6010.93, 6010.95 & 6047.06 pump mounted control units to provide a 3/4" female NPT discharge port. Can also be used as a 3/4" female NPT inlet port for KAPPA-15/18 & IOTA-17 pumps.	\$19.10			
207P-12/90	Same as above with 90° nozzle elbow	29.68			
207P-14	Brass coupler with 1-1/4" female metric thread by 1-1/4" female NPT. Installs on 1-1/4" male metric inlet port of KAPPA 30/33/43/53/55/75 pumps to provide 1-1/4" female NPT inlet.	68.21			
207P-16	Brass coupler with 1-1/2" female metric thread by 1-1/2" female NPT. Installs on pump with 1-1/2" male thread.	80.00			
15.5823	UDOR Lube – specially formulated and molly enhanced for diaphragm pumps. UDOR warranties are only honored with the use of this lube. Quart bottles	14.95			
15.5823/S	UDOR Lube – specially formulated for cold weather use in diaphragm pumps when temperatures are consistently below 30°. Quart bottles	33.68			

Heavy Gauge Steel Base Plates

For pump and engines

9700.00	14" x 26"	\$142.50
9700.10	14" x 29"	150.60
9700.15	14" x 36"	172.60

12-VOLT PUMPS

12-volt and 115-volt diaphragm pumps are compact, dependable, lightweight, quiet, and versatile. These are positive displacement pumps, available with internal bypass or demand switch motors. 12-volt pumps have viton valves and continuous duty motors. 115-volt pumps have EPDM valves. All have santoprene diaphragms. 115-volt pumps have power cord. Warranty issues on 12-volt pumps are handled as a repair, not exchange.



Order No	GPM @ PSI	Style	Application	Price
8020-513-236	1.4 @ 60	Switch	115-volt motor	\$263.00
SLV10-AA40	1.0 @ 40	Switch	Spot sprayer	102.00
8000-543-236	1.4 @ 60	Switch	Spot sprayer	173.75
8007-543-836	1.8 @ 60	Switch	Fuse/switch	186.49
8006-543-250	1.4 @ 45	Bypass	Foam marker	169.14
2088-394-144	3.0 @ 45	Switch	115-volt motor	316.16
2088-343-135	3.0 @ 45	Switch	Sprayer	207.34
2087-593-135	3.0 @ 45	Switch	Fuse/switch	216.61
2088-514-144	4.0 @ 45	Switch	Sprayer	297.00
4211-035	6.25 @ 45	Switch	Sprayer	427.00
34-007			Heat sink	34.00

Swivel Fittings

Swiver Fittings						
Order No	Description	Price				
234-2916	Swivel, 3/8" straight	\$2.31				
234-2926	Swivel, 1/2" straight	2.31				
234-2936	Swivel, 5/8" straight	2.96				
234-2946	Swivel, 3/4" straight	2.31				
234-3916	Swivel, 3/8" elbow	2.31				
234-3926	Swivel, 1/2" elbow	2.31				
234-3936	Swivel, 5/8" elbow	3.32				
234-3946	Swivel, 3/4" elbow	2.31				
244-3366	Swivel, 1/2" NPT elbow	4.50				

12-Volt and 115-Volt Diaphragm Repair Kits

Series	Diaphragm Kit	Valve Kit	Check Valve Kit	Housing Kit	Housing and Switch	Switch Kit		
2088	94-238-03	94-232-05	94-237-05	94-231-30	94-231-05	94-230-36 Viton		
	\$52.10	\$75.80	\$28.00	\$22.30	\$83.10	\$39.60		
4000	94-238-03	94-232-05	94-237-05	94-231-30	94-230-55	94-230-36 Viton		
	\$52.10	\$75.80	\$28.00	\$22.30	\$47.15	\$39.60		
4000	94-389-00 Manifold							
	\$43.70							
8000	94-395-05 Viton	94-390-05 Viton	94-374-05	94-379-00		94-375-05 Viton		
	\$79.70	\$57.90	\$17.50	\$29.60		\$48.70		
SLV10	No parts available							

Viton valves available for use with petroleum-based products, lower quality surfactants, metholated seed oil, and dyes containing alcohol.

12-Volt Pump Wiring and Operational Instructions

• Wire pump directly to battery terminals using round eyelet connectors, not alligator clips. Use 10 to 12-gauge wire from battery to pigtail of pump • Install a 25-amp fuse or circuit breaker between battery and pump • For proper pump operation, use a battery tender or charger to keep battery fully charged at all times • Install a large enough nozzle on handgun to ensure the pump does not cycle on/off during operation • Install a strainer assembly on suction side of pump, to prevent foreign particles from damaging valves • Do not use well water that contains minute sand particles for filling sprayer (as it will damage valves) • If pump heats up during normal operation, check all electrical connections and make sure battery is fully charged to supply 14 amps • The use of surfactants with alcohol, MSO's, certain brands of colorants, or diesel fuel will lessen the life of the valve assembly



DURA-PUMP[™] CHEMICAL PUMPS AND METERS

Dura-Pump[™] Easy Caddy Systems and Pumps



	• Flow to 18 gpm • 1" ports • Self-priming with internal bypass	
DP-6018E-110	110-volt pump only, EPDM	\$724.00
DP-6018E-12	12-volt pump only, EPDM	698.00
DPB-6018E-12	12-volt pump with 2" coupler for bottom unload and 12' discharge hose	732.00
DPB-6018E-110	110-volt pump with 2" coupler for bottom unload and 12' discharge hose	773.00
DPE-6018E-12	Easy Caddy, 12-volt, mounts on tote with suction and discharge kit, EPDM	760.00
DPE-6018E-110	Easy Caddy, 110-volt, mounts on tote with suction discharge kit, EPDM w/o meter	834.00
DPEM-6318E-12	Easy Caddy with meter, mounts on tote with suction and discharge kit, EPDM	1,070.00

Dura[™] Auto Batch Systems


Offering an automated dispensing • Simply select volume desired and press start, auto shut off
 • Flow to 18 gpm • Includes 5' suction, 12-volt discharge hose and 1" ports
 DP-ABS-6318E-12
 DP-ABS-6318V-12
 Easy caddy, auto batch, 12-volt, EPDM
 \$1,585.00
 DP-ABS-6318V-12
 Easy caddy, auto batch, 12-volt, Viton
 1,691.00
 DP-ABS-6318V-110
 Easy caddy, auto batch, 115-volt, Viton
 1,679.00

Dura-Meter

- 100% moisture sealed
- Tough and impact resistant
- AAA batteries
- Flow rate 2-22 gpm 1" ports

DP-3000E	1" Dura Meter, EPDM
\$327.00	

DP-HFM3E 3" High Flow Flanged Meter \$1,290.00





....

- Bronze centrifugal transfer pump close coupled to a 12-volt electric motor
- Maximum current draw is 5.5 amps
- 3/4" NPT inlet and 3/4" NPT outlet
- Max 19.0 gpm and 7 psi

VMPS	DIAPHRAGM PUMPS	FLOJET
------	-----------------	--------



	-	
451F-1685-20	4.5 gpm, 12-volt, 14-amp max, pressure switch,	\$209.00
	60 psi	
	Reversed for Jackrabbit ATV	215.00
4420-753	4.5 gpm, sensor controlled, 12-amp max,	314.00
	pressure switch, 45 psi, Santo/Viton	
4420-753R	Reversed for Jackrabbit ATV	321.00

Plug-in Quad Ports

20381-002	1/2" Straight HB	\$3.50				
20381-006	3/4" Straight HB	3.50				
20381-008	1/2" Elbow with 1/2" MPT	3.50				
20381-009	1/2" Elbow HB	3.50				

Repair Kits		
02090-103	Pressure switch	\$52.25
20403-040	Diaphragm kit	22.95
20407-020	Check valve kit, viton	46.10
20407-030	Check valve kit, EPDM	35.85

Upper Housing Kit with Pressure Switch					
20404-017	For 4300-504	\$94.26			
20404-028	For 4420-753	92.20			

SHURFLO 5000 SERIES 12-VOLT PUMP

5.3 gpm • Viton valves • 1/2" male port • Automatic demand version to 60 psi
Bypass version to 90 psi • Requires up to 18 amp



5059-3611 bypass, 90 psi - \$278.00 5059-1311 with pressure switch, 60 psi - \$278.00

Model No	Switch Only	Upper Housing	Valve Assembly	Drive Assembly	Check Valve
5059-3611	N/A	94-910-14 \$56.15	94-910-05 \$65.10	94-910-04 \$101.85	N/A
5059-1311	94-910-02 \$29.21	94-910-15 \$37.65	94-910-05 \$65.10	94-910-04 \$101.85	94-910-03 \$21.65

PUMPS



DELAVAN POWER FLO 12-VOLT PUMP

5-chamber positive displacement pump, self-priming, capable of being run dry, demand or bypass mode, 12-volt permanent magnet, totally enclosed.



50			,0
	5850-201C	5.0 gpm demand pump with viton valves, santoprene diaphragm, 45 psi, 1/2" FNPT port	\$210.00
	5850-201E	5.0 gpm demand pump with viton valves, santoprene diaphragm, 60 psi, 1/2" FNPT port	210.00
	5850-111E	5.0 gpm bypass pump, viton valve, santoprene diaphragm, 70 psi, 1/2" FNPT port	252.00
	7870-101E-SB	7.0 gpm demand pump, viton valves, santoprene diaphragm 60 psi, 1/2" FNPT port	399.00

7800-PSW-100	Pressure switch	7800	\$28.00	UHA-5800-PS	Upper housing pressure switch	5800	\$77.00
LHA-5850	Lower housing	5800	60.00	UHA-5800-B	Upper housing bypass	5800	55.00
LHA-7870	Lower housing	7800	66.00	UHA-7800-B	Upper housing bypass	7800	66.00
VHA-5800	Valve assembly	5800	47.30	UHA-7800-PS	Upper housing pressure switch	7800	66.00
VHA-7870	Valve assembly	7800	52.25		·		

HYPRO CENTRIFUGAL SPRAYER PUMPS FOR FERTILIZER, AG CHEMICAL, ETC

Model	Description	PSI	Size	Price
1538	Pump only	70	1-1/2"x1-1/4"	\$ 695
1538	Pump with GX160 Honda engine	70	1-1/2"x1-1/4"	1,277
1538SP	Pump only, self-priming	65	2" x 2"	1,203
1538SP	Self-priming with GX160 Honda engine	65	2" x 2"	1,758
1551	Pump only	140	2" x 1-1/2"	1,287
1551	Pump with GX270 Honda engine	140	2" x 1-1/2"	2,341
1551	Pump with GX270 Honda electric start engine	140	2" x 1-1/2"	2,535
1551SP	Self-priming	140	2" x 2"	2,195
1551SP	Self-priming with GX270 Honda engine	140	2" x 2"	2,770
1551SP	Self-priming with GX20 Honda electric start engine	140	2" x 2"	3,349
10010	Sen prining with 6x20 hondu cicetile start engine	1 10	/	12



We stock parts for Hypro centrifugal pumps

	Viton seal kit for 1538 Viton seal kit for 1551	
0402-9200P	Impeller for 1538	148.95
0404-9200P	Impeller for 1551	353.10

ACE CENTRIFUGAL PUMP AND ENGINE UNITS

Model	Description	Price
GE-85-LE	Pump only, 24 gpm, 3/4" shaft, 65 psi	\$381.00
GE-85	Pump w/GX120 Honda engine	957.00
GE-85-SP-LE	Pump only, 24 gpm, 65 psi, 3/4" shaft	419.00
GE-85-SP	Pump with GX160 Honda engine	1,005.00
GE-660-LE	Pump only, 110 gpm, 113 psi, 1-1/2" x 1-1/4"	752.00
GE-660	Pump w/GX200 QA2 Honda engine, 110 gpm 113 psi	
GE-660	Pump w/GX200 QE2 Honda electric start engine	1,657.00
GE-800-LE	Pump only, threaded shaft	1,544.00
GE-860-LE	Pump only, 140 gpm, 140 psi, 2" x 1-1/2"	1,476.00
GE-860	Pump w/GX270 QAE2 Honda electric start engine	2,522.00



ACE Seal Kits

Pump Model	Part No - Ceramic	Price	Part No - Silicon Carbide and Graphite	Price
GE-75	RK-GE-75	\$85.75	RK-GESC-75	\$212.00
GE-85	RK-GE-85	100.25	RK-GESC-85	255.00
GE-660	RK-GE-660	92.25	RK-GES-660	247.00
GE-800	RK-GE-800/1600	170.00	RK-GE-800/1600-SG	364.00
GE-860	RK-GE-860/1660	188.00	RK-GESG-860/1660	398.00
GE-85SP	RK-GE-85SP	112.00	RK-GESC-85SP	267.00

ACE Impellers

Pump Model	Part No	Price		Pump Model	Part No	Price	
ACE75	42710	\$71.75		ACE660	30556 Thermoplastic	\$138.00	
ACE85	42711	71.75		ACE800	30047	565.00	
ACE650	30173	404.00		ACE860	30558	565.00	

PUMPS

PACER

Transfer Pump Powered by Honda Engines

- Use for water, fertilizer, ag chemical
- Suction lift to 25' 230 gpm open flow



SE2UL E5HCP	Honda GX160, commercial	\$698.00*						
SE2UL	Pump only	284.00*						
SE2SL E5HCPLES	Honda GX160, electric start	1,236.00*						
58-0074	Seal kit	48.80*						
58-070230	Valve	69.20*						
58-070572	Check valve	32.00*						
58-070630	Impeller	34.60*						
58-071972	O-ring	18.00*						
58-100230B	Pump body	112.00*						
P-58-702EP-U	Pump repair kit	128.00*						

Self-Priming 2 hp Centrifugal Transfer Pump



2"x2" EPDM fitted, with single phase motor
Impeller / seal / rebuilt kit

SE2ELC2.OC 1 Phase 115/230 \$999.00*

• Use for water, fertilizer, liquid feed, etc

• 3" inlet and outlet, 400 gpm max, Honda GX390 electric start engine TE3TEPE390CCH **\$2,265.00***



Pacer Polypropylene Hand Pump, Double Acting for Water, Ag Chemical, Fertilizer, Etc

 HPN-1-A Pump \$188.00 Includes 8' discharge hose and suction tube; works on 30 & 55-gallon barrels
 P-58-01678P Viton kit \$56.3



• Vacuum breaker with vent plug \$17.60

REPLACEMENT PUMP AND ENGINE UNIT \$1,590.00

- Honda GX160 engine Oil Drainzit
- 8-roller pump (22 gpm, 250 psi)
- Chain coupler
 Chain guard
- Pressure relief valve
- Suction strainer
- Winterization tee Pressure gauge
- Mounted on heavy duty steel baseplate

Protect Your Transfer Pump

Pump and engine cover fits most size and brands of 2" and 3" pump and engine units.

AVPC01 **\$129.00 each**

<u>KOSHIN</u>

High Pressure Centrifugal Pump

- 1-1/2" inlet and outlet
- Honda GX50 engine
- 30 gpm and pressures to 64 psi
- Maximum suction lift 26'

• Excellent sprayer or transfer pump

- Not rated for fertilizer SEH-40H 1-1/2" NPT **\$695.00**
- Same specs as above engine except 1" inlet and outlet
- 10 gpm and pressures to 64 psi
- Very nice pump and engine for small sprayer
- Not rated for fertilizer
 SEH-40H 1"

\$735.00

011068503 Seal f 0115014 O-ring

Seal for Koshin SEH-401X \$71.00*

O-ring for Koshin SEH-401X 6.90*

Super Light Weight Transfer Pump

- 1" inlet and outlet, 30 gpm
- Honda GXH25 engine
- Weight 12 lbs
- Maximum suction lift 26'
- Maximum pressure 47 psi
- Very portable unit to fill sprayer in field SEH-25L **\$556.00**

Trash Pump

- 3" inlet and outlet
- Honda GX270 engine
- Maximum 338 gpm, 38.5 PSI

\$2,017.00

Not for fertilizer
 KTH-80S





Trash Pump

- 2" inlet and outlet
- Honda GX160 engine
- Maximum 185 gpm, 42.4 psi
- Not for fertilizer
 KTH-50X
 \$1,567.00

JOHN BLUE TRANSFER PUMP

SP-3240-G5H - **\$1,305.00** SP-3240 pump only - **\$639.00** Electric start engine - **Add \$360.00**



- 2" self-priming poly centrifugal pump
- GX160 Honda engine 2" inlet and outlet FPT
- Max flow 200 gpm
 Max pressure 42 psi
 Double wet seal assembly, pump can be run dry without
- causing seal failure; seal is antifreeze cooled • Pump can be removed, or engine can be replaced without
 - having to disassemble the pump



	SPRAYING SYSTEMS ACCESSORIES									
Standard Noz	zle Caps		Male Nozzle	Body, Bra	ss 🕥	Connecto	or Bo	dies, Brass		
CP8027NYB	Poly	\$1.45	CP1322	1/4TT	\$3.51	90.900.	52	1/2" Single	\$16.90	
CP1325	Brass	2.15	CP1324	3/8TT	3.51	90.900.	53	1/2" Single	16.90	
CP1325-AL	Aluminum	2.05	CP1336	1/8TT	3.51				(HD)	
CP4743-NY	Gasket	2.44	CP1340	1/2TT	12.69	Nozzle C	hecks	(1-)		
Nozzle Blanks	Nozzle Blanks Female No				arass 🕥	4193A 4193A	_	1 Brass 5 psi .8 gpm M Brass 5 psi .8 gpm	7.33	
CP3942	Brass	\$.74	CP1323	3/8T	\$6.01				•	
CP3942-SS	Stainless Steel	.74	CP1321	1/4T	6.01	Duran				
			CP1335	1/8T	3.51	Drop No:		ipe 🔮		
		6	CP1339	1/2T	12.69	21353-6-24	-NYB	24" nylon	\$13.54	
Nozzle Strain	ers				A	Lite Weig	tht Cl	amps		
8079-PP-50	50M Polyprop	\$1.88	Nozzle Body	Adapters		BC-34R	,	3/4" Round	\$5.12	
8079-PP-100	100M Polyprop	1.88	4676-1/8"	1/8" Brass	s \$4.37	BC1000R		1" Round	7.09	
5053-50	50M Brass	4.42	4676-1/4"	1/4" Brass	s 4.37	BC100		1" Square	5.48	
5053-100	100M Brass	4.42	4676-3/4"	3/4" Brass		BC114		1-1/4" Square	10.37	

Quick TeeJet Nozzle Systems for Dry Booms										
Multiple Nozzle Hose Shank	QJ363-*-1-NYB -500	, -750, -1000 Nozzle body with single hose shank	\$25.20 each							
Diaphragm Check Valves	QJ363-*-2-NYB -500	, -750, -1000 Nozzle body with double hose shank	25.20 each							
ALL ALL	QJ365-*-1-NYB -500	, -750, -1000 Nozzle body with single hose shank	25.20 each							
Ster Ster	QJ365-*-2-NYB -500	, -750, -1000 Nozzle body with double hose shank	25.20 each							
QJ363	24230-B-1-* -406	, -540, -785 Triple nozzle body with single hose shank	27.80 each							
P 24230-2 24230-1	24230-A-2-* -406	406, -540, -785 Triple nozzle body with double hose shank								
Hose Shank Diaphragm Check Valves	19349-211-*-NYB-406, -540, -785 Single hose shank quick TeeJet nozzle body with diaphragm check valve19350-212-*-NYB-406, -540, -785 Double hose shank quick TeeJet nozzle body with									
	19350-212-*-NYB -4 di	12.90 each								
10240 19350 10251										
19349 19350 19351	22251-311-*-NYB -375, -550, -750 Single hose shank quick TeeJet nozzle body idiaphragm check valve idiaphragm check valve									
22251 22252	22252-312-*-NYB -3	52-312-*-NYB -375, -550, -750 Double hose shank quick TeeJet nozzle body with diaphragm check valve 10.80								
	18635-111-406-NYB	3/8" Single hose shank quick TeeJet nozzle body	\$5.20 each							
Hose Shank Nozzle	18638-111-540-NYB	1/2" Single hose shank quick TeeJet nozzle body	5.20 each							
Bodies	18719-111-785-NYB	3/4" Single hose shank quick TeeJet nozzle body	5.20 each							
	18636-112-406-NYB	3/8" Double hose shank quick TeeJet nozzle body	5.20 each							
	18639-112-540-NYB	1/2" Double hose shank quick TeeJet nozzle body	5.20 each							
	18720-112-785-NYB	3/4" Double hose shank quick TeeJet nozzle body	5.20 each							
	18637-113-406-NYB	3/8" Triple hose shank quick TeeJet nozzle body	5.20 each							
18635 18636 18637	18640-113-540-NYB	1/2" Triple hose shank quick TeeJet nozzle body	5.20 each							
	18721-113-785-NYB	3/4" Triple hose shank quick TeeJet nozzle body	5.20 each							
	QJ111-1/2, -3/4 or -1	Vari-spacing quick TeeJet clamp sub-assembly	\$3.50 each							
Vari-Spacing Clamps	QJ111-1 1/4	Vari-spacing quick TeeJet clamp sub-assembly	3.50 each							
	QJ111SQ-3/4, or -1	Vari-spacing quick TeeJet clamp sub-assembly	3.50 each							
	QJ111SQ-1 1/4	Vari-spacing quick TeeJet clamp sub-assembly	3.50 each							
QJ111 QJ111SQ	QJ111SQ-1 1/2	Vari-spacing quick TeeJet clamp sub-assembly	3.50 each							
QJ111 QJ111SQ	QJ111SQ-304SS	Same sizes as QJ111SQ above but stainless steel	8.20 each							
Vari-Spacing TeeJet	AA111-1/2, -3/4, -1	Clamp sub-assembly	\$5.75 each							
Clamp Assemblies	AA111-1-1/4	Clamp sub-assembly	9.48 each							
	AA111SQ-1	Clamp sub-assembly	6.52 each							
	AA111SQ-1-1/4	Clamp sub assembly	9.80 each							
	AA111SQ-1-1/2	Clamp sub assembly	11.70 each							

Quick TeeJet Nozzle Systems for Wet Booms

•			•				
Multiple Nozzle Split-							
Eyelet Diaphragm Check	QJ363-*-NYB	-20MN	۸, -25MM, -1/2, -3/4, -1" Split-eyelet	diaphragm	\$24.20 each		
Valves		check					
	QJ365-*-NYB	-20MN	/, -25MM, -1/2, -3/4, -1" Split eyelet	diaphragm	24.20 each		
QUISES QUISES		check	valve				
QJ363	24216-*-NYB	TeeJet	triple nozzle body		14.50 each		
👞 Split-Eyelet 🚓							
Diaphragm	QJ17560-*-NYB	-1/2"	, -3/4", -1" Split-eyelet diaphragm ch	eck valve	\$3.90 each		
Check Valves			TeeJet				
QJ17560 QJ7421	QJ7421-*-NYB	-1/2"	, -3/4", -1" Split-eyelet Quick TeeJet r	nozzle body	5.20 each		
Multiple Nozzle	· · · · · · · · · · · · · · · · · · ·						
Diaphragm Check	24231-NYB T	eeJet t	riple nozzle body with 1/4" inlet		\$28.45 each		
Valve							
Diaphragm Check Valves	QJ8360-NYB	Diap	hragm check valve Quick TeeJet nozz	le body, 1/4" M	\$7.10 each		
	QJ8355-*-NYB	-1/8'	', -1/4" Diaphragm check valve quick	Teelet nozzla	13.05 each		
QJ8360 0H QJ8355		body			13.05 cach		
					I		
Nozzle Bodies							
QJ1/4TT 22674 QJ1/4T	QJ1/4TT-NYB		Quick TeeJet nozzle body	\$3.55 each			
QJ1/4T	QJ1/4T-NYB		Quick TeeJet nozzle body	3.55 each			
	22674-1/4-NYB		Quick TeeJet nozzle body	3.55 each			
	QJ98590-3/8-NY QJ98588-1/4-NY		/8" Push-to-Connect body	15.80 each			
	QJ98588-1/4-NY	в	/4" Push-to-Connect straight cap		7.40 each		
😤 Swivels 🔗							
	QJ8600-1/4-NYB		Single swivel Quick TeeJet nozzle bo	-	\$9.45 each		
QJ8600 QJ8600-2	QJ8600-2-1/4-NY	/B	Double swivel Quick TeeJet nozzle k	body	11.35 each		
Swivel Nozzle Bodies	N7620T		Single, brass		\$32.30 each		
	N8600A		Single, nylon		12.26 each		
	N7450		Double, brass		40.20 each		
	N86002		Double, nylon				
	100002				14.50 each		

Quick TeeJet Adapters									
Adapter	s	QJT-NYB	Quick TeeJet adapter, fits TeeJet bodies using 1325 cap	\$6.65 each					
		QJT8360-NYB	Diaphragm check valve Quick TeeJet body, fits TeeJet bodies using 1325 cap	7.35 each					
QJT	QJT8360	L	1000103 03118 1923 cab						

CP19438-EPR Quick TeeJet seat gasket, standard EPDM material (for use with \$0	
all spray tips except disc-core type)	\$0.67 each
CP18999-EPR Quick TeeJet seal, EPDM, for disc-core type spray tips 1	1.40 each
CP21953-EPR Diaphragm, EPDM rubber C	0.62 each

TeeJet Spray Tips and Nozzles - Broadcast										
	Type (Broadcast)	Size	Material	How To Order	Price	Quantity				
Æ	XR TeeJet Extended Range Tips (Tapered Flat Fan Spray) VisiFlo Color-Coded	All Sizes	Stainless Steel/Acetal Stainless Steel	XR8001 – XR8008VS Or XR11001VS – XR11010VS XR8010- XR8020VS	\$8.65 7.25 6.20 10.30	1 – 25 26 – 50 51 + Each				
Æ	TeeJet Spray Tips (Tapered Flat Fan Spray)	-0050 or smaller Larger than -0050	Brass Brass Stainless Steel	TP800050 TP800067	\$5.30 5.30 13.50	Each Each Each				
	AIXR TeeJet Air Induction XR Flat Spray Tips	015-06	UHMWPE Polymer UHMWPE Polymer	AIXR110015-06VP ZIXR11008VP	\$9.10 7.75 7.50 10.60	1-25 26-50 51+ Each				
	Turbo TeeJet Spray Tips (tapered Flat Fan Spray) VisiFlo Color-Coded	01-08	Acetal	TTI11001-8VP	\$8.18 6.85 5.85	1 – 25 26 – 50 51 +				
	Turbo TeeJet Induction Air Induction Spray Tips (Tapered Flat Fan Spray) VisiFlo Color-Coded	0106 08-10	Acetal Acetal	TTI11004-VP TTI11008-VP	\$13.98 16.34	Each Each				
	Turbo TwinJet (Twin Tapered Flat Fan Spray) VisiFlo Color-Coded	All Sizes	Acetal	TTJ60-11004VP	\$9.80	Each				
8	TeeJet OC Spray Tips (Off Center Flat Fan Spray)	-01 to -08, -12, -16	Brass Stainless Steel	OC-02 OC-SS02	\$13.90 20.46	Each Each				
QT_	Turbo FloodJet Spray Tips (Wide Angle Flat Fan Spray) VisiFlo Color-Coded	All Sizes	Stainless Steel/Acetal Acetal	TF-VS4	\$16.25 4.65	Each Each				
IJ	FloodJet Spray Tips (Wide Angle Flat Fan Spray)	All Sizes	Brass Stainless Steel	ТК-3 ТК-SS3	\$8.54 15.52	Each Each				
Ĩ,	StreamJet SJ3Fertilizer Spray Tips (3 Solid Stream Orifices) VisiFlo Color-Coded	All Sizes	Acetal	SJ3-04-VP	\$11.20	Each				
T	PTC-VR Variable Rate Fertilizer Nozzles	Available for 1/4",	5/16", 3/8" OD tubing	PTC-VT-X1.0-1/4	\$34.70 30.85	1 - 15 15+				

VeeJet[®] Flat Spray Nozzles

- Brass
- Flat spray pattern
- For magnesium chloride application, de-icing, dust control, liquid feed, many industrial machines

H3/4U	80200 thru 80400	\$61.70						
H1/2U	8010 thru 80200	35.20						
H3/8	Thru 80150	27.25						
H1/4U	Thru 8070	26.20						
Call for other nozzle sizes and specifications								

Fertilizer Application Rate for Corn Planters									
ORIFICE	PSI	GPM	GALLO	NS PER AC	RE FOR	30" ROWS	S		
			4 mph	4.5 mph	5 mph	5.5 mph	6 mph		
4916-28	20	0.069	2.80	2.49	2.24	2.04	1.87		
	30	0.085	3.45	3.07	2.76	2.51	2.30		
4916-37	20	0.122	4.95	4.40	3.96	3.60	3.30		
	30	0.149	6.05	5.38	4.84	4.40	4.03		
4916.43	20	0.163	6.62	5.88	5.29	4.81	4.41		
	30	0.200	8.12	7.22	6.49	5.90	5.41		
4916.48	20	0.202	8.20	7.29	6.56	5.96	5.47		
	30	0.248	10.07	8.95	8.05	7.32	6.71		
4916.52	20	0.237	9.62	8.55	7.70	7.00	6.41		
	30	0.290	11.77	10.46	9.42	8.56	7.85		
4916.57	20	0.283	11.49	10.21	9.19	8.35	7.66		
	30	0.346	14.04	12.48	11.24	10.21	9.36		
Other size	s avail	able _							
/	491	13	CP4916_*	CP18	3999				
0 65			Orifice	Ori	fice				
			Plate	Gas	ket		1.0		
			\$3.92		.40				



Teefet UNIVERSAL APPLICATION RATE CHART FOR 20" TIP SPACING

TIP APACITY	LIQUID PRESSURE IN PSI	CAPACITY ONE TIP IN GPM	CAPACITY ONE TIP IN OZ/MIN	4 MPH	5 MPH	6 MPH	7 MPH	8 MPH	10 MPH	20" SPRAY 1 12 MPH			18 MPH	20 MPH	22 M
	15 20	0.061 0.071 0.087	7.8 9.1 11	4.5 5.3 6.5	3.6 4.2 5.2	3.0 3.5 4.3	2.6 3.0 3.7	2.3 2.6 3.2	$\begin{array}{c} 1.8\\ 2.6\\ 3.3\\ 3.4\\ 2.7\\ 3.3\\ 4.5\\ 2.7\\ 3.3\\ 9.5\\ 5.6\\ 2.8\\ 3.6\\ 2.7\\ 3.3\\ 9.5\\ 5.6\\ 3.6\\ 2.8\\ 3.6\\ 2.6\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 5.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 2.4\\ 8.9\\ 4.5\\ 7.7\\ 9.0\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2$	$\begin{array}{c} 1.5\\ 1.8\\ 1.2\\ 2.5\\ 1.2\\ 2.5\\ 2.7\\ 0.35\\ 1.2\\ 2.7\\ 0.35\\ 1.2\\ 2.7\\ 0.35\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2\\ 1.2$	1.3 1.5 1.8		1.02 1.47 1.80 2.35 1.81 2.58 3.3.5 3.80 2.38 3.3.60 2.38 3.3.60 4.05 5.06 5.16 5.16 5.16 5.06 6.8	0.91 1.13 1.68 1.68 1.69 2.25 2.25 2.25 2.25 2.25 3.33 3.40 4.22 2.25 3.33 4.05 4.05 5.05 5.61 3.17 3.45 5.05 5.64 7.19 3.68 4.22 2.77 3.14 4.65 6.67 3.17 3.55 5.68 4.71 3.55 5.68 4.71 3.55 5.68 4.71 3.55 5.68 4.71 3.55 5.68 4.72 5.55 5.68 4.72 5.55 5.68 4.55 5.55 5.68 4.55 5.55 5.68 4.55 5.55 5.68 4.55 5.55 5.68 4.55 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.55 5.68 4.52 5.73 3.17 5.55 5.68 4.52 5.73 3.17 5.55 5.68 4.52 5.73 3.17 7.75 5.55 8.29 9.98 10.1 10.1 5.52 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.29 9.08 10.2 7.75 7.75 8.20 7.75 8.20 7.75 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 7.75 8.20 8.20 7.75 8.20 8.20 7.75 8.20	0001 11112222223333444555667 2222333344555667 2334455566778 4445566778 990 112 1667790 1123 1466778 11267788
01	150 300 400 500 750 15 300 400 500 750 15 300 400 500 750 900 150 300 400 500 700 300 500 700 300 500 700 700 300 500 700 300 500 700 7	0.10		7.4 8.2	5.9	5.0	4.2	3.7	3.0	2.5	2.1	1.1 1.3 1.6 2.2 2.6 1.7 2.2 2.6 1.7 2.2 2.6 2.2 3.3 2.2 2.6 2.2 3.3 2.2 2.6 2.8 3.3 3.9 2.2 2.6 2.8 3.3 3.9 2.2 2.6 3.3 3.9 2.2 2.6 3.3 3.9 2.2 2.6 3.3 3.9 2.6 3.3 3.9 2.6 3.3 3.9 2.6 3.7 4.5 5.6 5.8 5.6 5.8 5.6 5.8 5.6 5.7 6.5 7.6 4 5.6 5.6 5.6 5.6 5.6 5.6 5.6 5.6	1.7	1.5	1
	60 75	0.10 0.11 0.12 0.14 0.15 0.092	13 14 15 18	8.9 10.4	7.1	5.0 5.4 5.9 6.9	4.2 4.7 5.1 5.9	4.5 5.2 5.6 3.4	3.6	3.0	2.5	2.2 2.6	2.0 2.3	1.8	1
No. of Concession, Name	90 15	0.15	19	7.4 8.2 8.9 10.4 11.1 12.6 8.2 9.7 11.1 12.6 13.4 15.6 17.1 10.4 12.6 14.9 16.3 17.8 20 22 20 22 23 22 28 15.6 21 23 22 28 22 28 22 22 22 22 27 30	8.9 5.5 7.7 10.1 10.7 7.1 8.3 10.1 11.9 13.1 11.9 13.1 11.9 13.1 14.3 16.0 17.1 14.9 10.7 13.1 14.9 10.7 13.1 14.9 10.7 13.1 14.9 10.7 13.1 14.9 10.7 13.1 14.9 10.7 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 13.1 14.9 14.1 14.9 14.1 14.9 14.1 14.9 14.1 14.1	4.6	6.4 3.9	5.6	4.5	3.7	21 22 23 22 20 20	2.8	2.5	2.2	- 2
	30	0.11 0.13 0.15 0.17 0.18 0.21 0.21 0.22 0.24 0.27 0.20 0.22 0.24 0.27 0.20 0.22 0.24 0.27 0.20 0.25 0.28 0.31 0.34 0.34 0.34 0.34 0.34 0.34 0.34 0.35 0.57 0.57 0.57 0.58 0.88 0.88 0.89 0.98	12 14 17 22 23 27 29	9.7	7.7	5.4 6.4 8.4 8.9 10.4 11.4 5.9 6.9 8.4 9.9 10.9 11.9 13.4 14.9	4.7 5.5 6.4 7.2 7.6 8.9 9.8	4.1 4.8 5.3 6.7 7.8 8.5 4.5 5.2 6.3 7.4 8.2 8.9 10.0 11.1	3.9	3.2	2.8	2.4	2.1	1.9	1
015	50	0.17	22 23	12.6	10.1	8.4 8.9	7.2	6.3 6.7	5.0	4.2	3.6 3.8	3.2	2.8	2.5	22
	75	0.21 0.23		15.6	12.5	10.4	8.9 9.8	7.8	6.2 6.8	5.2 5.7	4.5 4.9	3.9 4.3	3.5 3.8	3.1 3.4	23
	15 20 20	0.12	15 22 26 31 35 38 19 23 23 28 23 28 36 40 44 49	8.9 10.4	8.3	5.9	5.1 5.9 7.2 8.5 9.3 10.2 11.5 12.7	4.5	3.6	3.0	2.5	2.2	2.0	1.8	1
02	40	0.20	26 28	14.9	11.9	9.9 10.9	8.5	7.4	5.9	5.0	4.2	3.7	3.3	3.0	23
	60 75	0.24 0.27	31 35	17.8	14.3	11.9	10.2	8.9 10.0	7.1 8.0	5.9	5.1 5.7	4.5	4.0	3.6 4.0	3
	<u>90</u> 15	0.30	38	22	17.8		<u>12.7</u> 6.4	<u>11.1</u> 5.6	4.5	7.4	6.4 3.2	2.8	2.5	4.5	4
	30	0.18	28	16.3	13.1	10.9 12.4	6.4 7.6 9.3 10.6 11.9	5.6 6.7 8.2 9.3 10.4	5.3 6.5 7.4	4.5 5.4 6.2	3.8 4.7 5.3	4.1	3.0	3.3	-
025	50	0.28	36	21 23	16.6	13.9	11.9	10.4	8.3 9.2	6.9 7.7	5.9	5.2	4.6	4.2	1004
	75	0.34	44 49	25 28	20 23	16.8 18.8	13.2 14.4 16.1 7.6 8.9	12.6	10.1	8.4 9.4	7.2 8.1	6.3 7.1	5.6 6.3	5.0 5.6	4
	15	0.18	23	13.4	10.7	8.9 10.4	7.6 8.9	6.7 7.8	5.3	4.5	3.8	3.3	3.0	2.7	-
03	40	0.30	23 27 33 38 44 52 58 27 32 32 38 45 50 55 61 68	22	10.7 12.5 15.4 17.8 20 22 24 27 12.5 14.9 17.8 21 23 26 29 31	7.4 8.9 10.9 12.4 13.9 15.3 16.8 8.9 10.4 12.9 14.9 14.9 14.9 14.9 12.4 14.9 14.9 12.4 12.4 12.4 14.9 17.3	11.0 12.7 14.4 15.7 17.4 19.1 8.9 10.6 12.7 14.9 16.5 18.2 20 22 10.2 11.9 14.9 17.0 19.1	11.5 12.6 14.1 6.7 7.8 9.7 11.1 12.6 13.7 15.2	8.9	7.4	6.4	5.6	5.0	4.5	4
	60 75	0.37	47 52	27	22 24	18.3 20	15.7	13.7	11.0	9.2 10.1	7.8	6.9 7.6	6.1 6.8	5.5	-
	90 15	0.45	27	15.6	12.5	10.4	19.1	7.8	6.2	5.2	9.5 4.5 5.3 6.4 7.4 8.3 9.1 10.2 11.2	8.4 3.9	3.5	3.1	-
	30	0.30	38	22	17.8	14.9	12.7	11.1	8.9 10.4	7.4	6.4 7.4	5.6	5.0	4.5	-
035	50 60	0.39 0.43	50 55	29 32	23 26	19.3 21	16.5	14.5	11.6	9.7 10.6	8.3 9.1	7.2	6.4 7.1	5.8 6.4	-
	75	0.48	61 68	36 39	29 31	24 26	20	17.8 19.7	14.3	11.9 13.1	10.2	8.9 9.8	7.9 8.7	7.1 7.9	-
	20	0.24	31 36 45	21	16.6	13.9	11.9	10.4	8.3	5.9 6.9	5.9	4.5	4.0	4.2	-
04	40	0.40	51	30	24	19.8	17.0	14.9	11.9	9.9 11.1	8.5	7.4	6.6 7.4	5.9	-
	60 75	0.49 0.55	63 70	33 15.6 18.6 22 26 29 32 36 39 17.8 21 26 30 33 33 36 41	29 33	24 27	21 23	18.2	14.6	12.1 13.6	10.4	9.1 10.2	8.1 9.1	7.3	-
	<u>90</u> 15	0.60	51 58 63 70 77 40 45 55 64 96 96 97 87 96 93 105 63 105 63 105 63 102 114 125 141 154	45 23 32 37 45 56 56 27 31 31 39 45 54 61 54 61 59 66 73 36 51 59 66 73 82 89	14.3 14.3	21 24 26 13.9 17.3 19.8 22 24 27 30 17.3 21 17.3 21 25 28 30 34 34 37 18.3	21 23 25 13.2 14.9 18.2	16.7 7.8 9.3 11.1 13.0 17.8 19.7 19.7 10.4 14.9 10.4 14.9 10.4 14.9 10.4 14.9 10.4 14.9 10.4 14.9 10.4 14.9 10.4 14.9 12.2 13.0 14.9 12.2 13.0 14.9 12.2 13.0 14.9 14.9 14.9 14.9 14.9 14.9 14.9 14.9	7.1 8.3 10.4 11.9 13.4 16.3 17.8 9.2 10.4 12.8 14.9 16.6 18.1 20 22	14.9	5.9 5.9 7.4 9.5 9.5 9.5 11.7 12.7 12.7 12.9 11.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.9 12.7 12.9 12.9 12.7 12.9 12.9 12.7 12.9 12.0 12.9 12.0 12.9 12.0 12.9 12.0 12.9 12.0	11.1 5.8		8.9 4.6	-
	30	0.43	45 55 64	32	26	21	18.2	16.0	12.8	10.6	9.1	8.0	7.1	6.4 7.4	-
05	50 60	0.56	72 78	42	33 36	28 30	24	21 23	16.6	13.9	11.9	10.4	9.2	8.3 9.1	1
	75	0.68	87 96	50 56	40	34	21 24 26 29 32 15.7 17.8 22 25 28 31 24 24 29 25 28 31 21 24 24 29 25 25 24 24 25 25 25 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	25 28		16.8 18.6	14.4	12.6 13.9	11.2	10.1	10
	20	0.42	54	31	25	21	17.8	15.6	11.0 12.5 15.4 17.8 19.9 22 24 27	10.4	8.9	0.9 7.8 9.7	0.1 6.9 8.6	5.5 6.2 7.7	
06	40	0.60	77	45	36	30	25 28	22	17.8	14.9	12.7	11.1	9.9	8.9 9.9	
	60 75	0.73	93 105	54	43	36	31	27	22 24	18.1	15.5	13.6	12.0	10.8	1
	<u>90</u> 15	0.90	63	36	29	45 24	21		14.6	12.1	19.1	16.7 9.1	8.1	7.3	-1
	30	0.69	88	51	41	34	29	26	20	17.1	14.6	12.8	11.4	10.2	10
08	50 60	0.89 0.98	114	66 73	53 58	44 49	38 42	21 26 30 33 36 41 45	14.6 16.9 20 24 26 29 33 36	22 24	18.9 21	16.5 18.2	14.7	13.2 14.6	12
	75 90			82 89	65 71	21 26 30 33 36 41 45 24 24 24 24 34 40 40 49 54 59 30	47 51		33		21 23 25		18.2	16.3 17.8	1
	20	0.61 0.71	78 91	45			30	23 26 32	18.1 21 26	15.1	12.9 15.1 18.5	11.3 13.2 16.1	11.7	10.5	11
10	40 50	1.00	91 111 128 143 156 175 192 93 109 133 154 172 188 210	53 65 74 83 91 102 111	59 67	50	42 48	37 42	21 26 30 33	17.6 22 25 28 30 34 37	15.1 18.5 21 24 26 29 32	18.6	16.5 18.5	14.9	1
	60 75	1.22	156	91 102	72 81	60 68	52 58	45	36 41 45	30 34	26 29	23	20	18.1	11
	<u> </u>	0.73	192 93	54	43	36	31	27	22	18.1	15.5	13.6	12.0	10.8	20
	30 40	1.04	133	77	62 71	51	44	39	31	26	22	19.3	17.2	15.4	14
12	50 60	1.34	172 188	99 109	80 87	66 73	57 62	50 55	40 44	18.1 26 30 33 36 41	28 31	25 27	22 24	19.9 22	18
	75	1.64 1.80	210 230	122	97 107	81 89	70	61 67	49 53	41 45	35 38	30 33	27	24	22
	90 15 20 30 40 50 60 75 90 15 20 30	0,71 0,87 1,00 1,12 1,22 1,37 1,50 0,73 0,85 1,04 1,20 1,37 1,64 1,20 1,34 1,47 1,64 1,80 0,92 1,06 1,30 1,50 1,68 1,84 2,05 2,25 1,22 1,41 1,77 3	230 118 136 166 192 215 236 262 288 156 180 221 256 287	54 63 77 99 109 122 122 68 97 97 125 152 152 152 152 152 152 152 152 152	422 59 72 81 89 43 50 62 71 80 62 71 80 62 71 80 72 55 63 77 89 100 109 122 134 72 84 119	353 50 55 60 60 80 74 36 66 73 80 66 73 81 89 46 52 64 74 83 91 101 111 60 70 86 99	307 428 528 64 31 364 4557 660 778 87 95 60 73 95 60 73 95 60 73 95 95 60 73 95 95 60 73 95 95 60 73 95 95 90 41 127	262 372 45 56 57 32 39 45 55 55 55 55 55 55 55 55 55 55 55 55	22 25 31 36 44 53 27 39 55 55 61 67 36 42 59 67 38 89	45 23 26 32 37 42 46 51 56	15.5 18.0 22 25 28 31 35 19.5 22 36 39 43 26 30 37	13.2. 13.2. 14.2. 14.2. 15.2. 15.2. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.3. 15.4. 15.3. 15.4. 15	11.7 14.4 16.5 20 23 25 24 27 30 17.5 21 25 28 34 37 20 17.5 28 30 37 20 37 20 37 20 37 20 37 20 37 20 37 20 37 20 20 20 20 20 20 20 20 20 20	9.1 9.5 12.9 14.9 16.6 18.6 12.6 15.4 17.8 19.9 22 24 17.8 19.3 22 27 13.7 19.3 22 27 30 33 18.1 26 33 36 41	14
15	40	1.50	192	111	89 100	74	64	56	45	37	32 36	28 31	25	22	20
	60	1.84 2.05	236 262	137	109	91 101	78 87	68 76	55	46	39 43	34 38	30 34	27 30	25
	<u>90</u> 15	2.25	288	167	72	60	95 52	84 45	36	56 30	48 26	23	20	33	30
	30	1.73	221	128	103	86	73	64 74	51	30 35 43 50 55 61 68 74	30	32	29	26	23
20	40 50 60 75 90	2.00 2.24 2.45 2.74 3.00	287	166	133 146 163 178	111 121 136 149	95 104	83	67	55	42 48 52 58 64	42	37	33	9 11 146 189 224 122 147 223 235 235 235 235 235 235 235 235 235
	75	2.74	314 351 384	203	163	136	116	102	81	68	58	51	45	41	37

Note: Always double check your application rates. Tabulations are based on spraying water at 70°F.



Teefet UNIVERSAL APPLICATION RATE CHART FOR 30" TIP SPACING

APACITY	PRESSURE IN PSI	ONE TIP IN GPM	ONE TIP IN OZ/MIN	4 MPH	5 MPH	6 MPH	7 MPH	8 MPH		12 MPH		16 MPH	18 MPH	20 MPH	22 M
	15 20 30	0.061	7.8 9.1	3.0 3.5 4.3	2.4 2.8 3.4	2.0 2.3 2.9	1.7 2.0 2.5	1.5 1.8 2.2 2.5 2.7	1.2 1.4 1.7	1.0	0.86 1.0 1.2	0.75	0.67 0.78 0.96	0.60 0.70 0.86	0.
	30 40	0.087	11	4.3	3.4	2.9	2.5	2.2	1.7	14	1.2	1.1	0.96	0.86	0.
01	50	0.11	13	5.0	4.4	3.6	3.1	2.7	2.0	1.7	1.6	1.2	1.2	1.1	0.
2663	60 75	0.12 0.14	15	5.9	4.8	4.0	3.4 4.0	3.0 3.5	2.4	2.0	1.7	1.5	1.3	1.2	13
	90 15 20 30	0.15	19 12 14 17	7.4	5.9	5.0 3.0 3.6	4.2	3.7 2.3 2.7	3.0 1.8 2.2	2.5	2.1	1.1	1.0	1.5	0.
	20	0.11	14	5.4	4.4	3.6	3.1 3.7	2.7	2.2 2.6	1.8	1.6	1.6	1.2	1.1	1.
015	40 50 60	0.15 0.17	19	7.4	5.9	5.0 5.6	4.2 4.8	3.7	3.0	2.5	2.1 2.4 2.5	1.9	1.7	1.5	1.
23.5.53	60	0.18	19 22 23 27 29 15	8.9	7.1	5.9	5.1 5.9	3.7 4.2 4.5 5.2	3.4 3.6	3.0	2.5	2.2 2.6	2.0	1.8	1
	75 90 15 20 30	0.21 0.23 0.12	29	10.4	9.1 4.8	7.6	6.5 3.4	5.7 3.0	4.2 4.6 2.4	3.5 3.8 2.0	3.0 3.3 1.7	2.8	2.5	2.3	2
	15 20	0.12	18	11.4 5.9 6.9	4.8	4.6	4.0	3.0 3.5	2.8	2.3	2.0	1.5	1.3	1.2	1
	30	0.14 0.17	22 26 28	8.4 9.9	5.5 6.7 7.9	5.6	4.8	3.5 4.2 5.0	3.4 4.0	2.8	2.4	1.7	1.5	1.4	1.
02	40 50 60	0.20 0.22 0.24	28	10.9	7.9 8.7 9.5	6.6 7.3 7.9	5.7 6.2 6.8	5.4 5.9	4.4	3.6	2.8 3.1 3.4	2.5	2.2	2.0 2.2 2.4	2
	75	0.27 0.30	31 35	11.9 13.4 14.9	10.7	8.9	7.6	6.7	5.3	4.0	3.8	3.0 3.3	2.6	2.7	1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2
	15	0.15	38	7.4	11.9 5.9	9.9 5.0	4.2	7.4	5.9	5.0	4.2	3.7	3.3	3.0	1
	15 20 30	0.18	19 23 28	7.4 8.9 10.9	5.9 7.1 8.7	5.9	5.1	4.5	3.6	3.0 3.6	2.5	2.2 2.7	2.0 2.4	1.8	1.
025	40 50	0.25 0.28	32 36	12.4	9.9 11.1	8.3 9.2	7.1 7.9	6.2 6.9	5.0	4.1 4.6	3.5	3.1 3.5	2.8	2.5	2.
	60	0.31	40	15.3	12.3	10.2	8.8	7.7	6.1	5.1	4.4	3.8	3.4	3.1	2
	60 75 90	0.34	44 49	16.8 18.8	13.5	11.2	9.6 10.7	9.4	6.7 7.5	5.6 6.3	4.8 5.4	4.2	3.7	3.4 3.8	3.
	15 20 30	0.18	23 27 33	8.9 10.4	7.1	5.9 6.9	5.1 5.9	8.4 9.4 4.5 5.2	3.6	3.0 3.5	5.4 2.5 3.0	2.2 2.6	2.0	1.8 2.1	1
	30	0.26	33	12.9	10.3	8.6	7.4 8.5 9.6	6.4	5.1	4.3	3.7	3.2	2.9	2.6 3.0	22
03	40	0.30	38	14.9 16.8 18.3	11.9	9.9 11.2	9.6 10.5	7.4 8.4 9.2	5.9 6.7 7.3	5.0 5.6 6.1	4.2	3.7 4.2 4.6	3.3	3.4	3.
	60 75 90	0.37 0.41 0.45	47 52 58	20	14.7 16.2 17.8	12.2 13.5 14.9	11.6	10.1	8.1 8.9	6.8 7.4	5.2	5.1	4.5	4.1	334
	90 15 20	0.45 0.21 0.25	58 27 32	10.4 12.4	17.8 8.3 9.9	6.9	5.9	5.2 6.2	8.9 4.2 5.0	3.5	6.4 3.0	2.6	2.3	2.1	4
	20	0.25	32	12.4	9.9	8.3 9.9	7.1	6.2 7.4	5.0	4.1 5.0	3.5	3.1 3.7	2.3 2.8 3.3	2.1 2.5 3.0	2
035	30 40 50	0.30 0.35 0.39	38 45 50	14.9 17.3 19.3	11.9 13.9 15.4	11.6	9.9 11.0	7.4 8.7 9.7	5.9 6.9 7.7	5.8 6.4	5.0	4.3 4.8	3.9	3.5 3.9	3.
	60 75 90	0.43 0.48	55	21 24	17.0	14.2	12.2	10.6	8.5 9.5	7.1 7.9	6.1	5.3 5.9	4.7	4.3	3.
	90	0.48 0.53 0.24	68	26	21	14.2 15.8 17.5 7.9 9.2	12.2 13.6 15.0	13.1	10.5	8.7	6.8 7.5	6.6	5.3 5.8	5.2	4.
1573	15 20 30 40	0.28	31 36	11.9	9.5 11.1	7.9	6.8 7.9	5.9	4.8 5.5	4.0	3.4	3.0 3.5	2.6 3.1	2.4 2.8	2.
	30	0.35 0.40	45 51 58	17.3	13.9 15.8	11.6	9.9 11.3	8.7 9.9	6.9 7.9	5.8 6.6 7.4	5.0 5.7 6.4	4.3 5.0	3.9 4.4	3.5 4.0	3.
04	50 60 75	0.45	58	22	17.8	14.9	12.7	11.1	8.9 9.7	7.4	6.4	5.6	5.0	4.5	4.
	75	0.49	63 70	24	19.4	16.2 18.2	13.9 15.6	12.1	10.9	8.1 9.1	6.9 7.8	6.1 6.8	5.4	4.9 5.4 5.9	4.
	90	0.60	77 40	30 15.3 17.3	24 12.3 13.9	19.8 10.2 11.6	17.0 8.8 9.9	14.9 7.7 8.7	6.1	9.9 5.1 5.8	8.5 4.4 5.0	7.4 3.8 4.3	6.6 3.4 3.9	3.1 3.5	2.
것은 것이	15 20 30	0.35	45	21	13.9	14.2	9.9 12.2	8.7	6.1 6.9 8.5	5.8	5.0	5.3	3.9	3.5	3
05	40	0.50 0.56	64	25	19.8	16.5 18.5	14.1	12.4 13.9	9,9	8.3 9.2	7.1 7.9	6.2	5.5	5.0 5.5	4556
	60	0.61	78	25 28 30 34	22 24 27	20	15.8 17.3 19.2	15.1	11.1 12.1 13.5	10.1	8.6 9.6	6.2 6.9 7.5 8.4	6.7 7.5	6.0 6.7	5.
	40 50 60 75 90	0.68 0.75 0.37	45 55 64 72 78 87 96 47 54 67	37	30	25	21 10.5	18.6	14.9	12.4	10.6	9.3 4.6	8.3 4.1	7.4	6
	15 20 30	0.37 0.42 0.52	47 54	18.3 21 26	16.6	12.2 13.9 17.2	10.5	18.6 9.2 10.4 12.9	7.3 8.3 10.3	6.1 6.9 8.6	10.6 5.2 5.9 7.4	4.6	4.1 4.6 5.7	3.7 4.2 5.1	3.
	30 40	0.52	67	26	21	19.8	11.9 14.7 17.0	12.9 14.9	10.3	8.6 9.9	7.4	5.2 6.4 7.4	5.7 6.6	5.1 5.9	3.4.5
06	50	0.67	86	30 33 36	24 27 20	22 24 27	19.0	16.6 18.1	13.3	11.1	9.5 10.3	8.3 9.0	7.4 8.0	6.6 7.2	5.
1000	60 75 90	0.73 0.82 0.90	77 86 93 105 115	41	29 32 36	27	21 23	20	14.5	12.0	11.6	10.1	9.0	8.1	6.7.8
	15	0.49 0.57	63	45 24 28 34	19.4	30	25 13.9 16.1 19.5	22	17.8	14.9	6.9	11.1 6.1	9.9 5.4	8.9	4
	15 20 30	0.57	63 73 88	28 34	23 27	18.8 23	16.1 19.5	14.1 17.1	11.3 13.7	9.4 11.4	8.1 9.8	6.1 7.1 8.5	6.3 7.6	5.6 6.8	5.
08	40 50	0.80 0.89	102	40	32 35	26 29 32	23 25	19.8	15.8	13.2 14.7	11.3	9.9 11.0	8.8 9.8	7.9 8.8	7.
	60 75 90	0.98	125	49	39 44	32	28 31	22 24 27	19.4	16.2 18.2	12.6	12.1	10.8	9.7	8
	- 90	1.10	154	54 59	48	36	31 34 17.3	30	22 24 12.1	19.8	15.6	13.6	12.1 13.2	10.9	10
	20	0.61 0.71	78 91	30 35	24 28	20 23		15.1		10.1	10.0	8.8	6.7 7.8	6.0 7.0	6
10	20 40 50 60 75 90 20 40 50 60 50 60 50 60 50 90	0.87 1.00 1.12 1.22 1.37	91 111 128 143	33 43 50 55 60 68 74 36 42 51 59 66	26 34 40 44 48 48 48 59 34 48 58 58 57 73 41 48 58 57 73 48 59 79 89 79 97 79 97 79 97 79	23 33 37 40 45 50 24 45 24 44 49 44 49 59 30 30 30 55 43 50 55 66 8	20 28 32 35 39 42 21 24 29 38	17.0 225 28 30 34 37 18.1 21 26 30 33	14.1 19.8 22 24 27 30 14.5 16.8 21 24 27	14.4 16.5 18.5 20 23 25 12.0 14.0 14.0 17.2 19.8 22	8.6 10.0 12.3 14.1 15.8 17.3 19.4 21 10.3 12.0 14.7 17.0 19.0	10.8 12.4 13.9 15.1 17.0 18.6 9.0 10.5 12.9	7.8 9.6 11.0 12.3	7.0 8.6 9.9 11.1 12.1	7 9 10 11 12 13 6 7 9 10
10	50	1.12	143	55	44	37	32	28	22	18.5	15.8	13.9	12.3	11.1	10
	75	1.37	175	68	54	45	39	34	27	23	19.4	17.0	15.1	13.6	12
	15	0.73	93	36	29	24	21	18.1	14.5	12.0	10.3	9.0	13.4 15.1 16.5 8.0 9.4 11.4	13.6 14.9 7.2 8.4 10.3	6
	20	0.85	109	42	34 41	28 34	24 29	21 26	16.8	14.0	14.7	12.9	9.4	8.4	7
12	40	1.50 0.73 0.85 1.04 1.20 1.34	156 175 192 93 109 133 154 172	59	48	40	34	30	24	19.8	17.0	14.9	14.7	13.3	10
	60	1.47	188	73	58	49	42	36 41	29	24	21 23 25 13.0 15.0 18.4	14.9 16.6 18.2 20 22 11.4 13.1 16.1	16.2	14.6	13 14 16 8 9
	90	1,47 1,64 1,80 0,92 1,06 1,30 1,50 1,68 1,84 2,05	188 210 230 118 136 166 192 215	89	71	59	42 46 51 26 30 37	45	36	24 27 30 15.2 17.5 21	25	22	16.2 18.0 19.8 10.1 11.7 14.3	14.6 16.2 17.8 9.1 10.5 12.9	16
	15 20 30 40 50 60 75 90	1.06	136	46	36 42	30	30	45 23 26 32 37 42	21	17.5	13.0	13.1	11.7	9.1	8
	30	1.30	166	64	51	43	37 42	32 37	26	21	18.4	16.1	14.3	12.9	11.
15	50	1.68	215	83	67	55	42 48 52	42	33	28	24	16.1 18.6 21 23 25 28	18.5	14.9 16.6 18.2	13
	75	2.05	250	101	81	68	52	51	41	34	29	25	23	20	16
	90	1.22	156	60	89 48	40	35	30	24	20	17.3	28	13.4	12.1	20
1000	20	1.41	180	70	56	47	40	35	28	23	19.9	17.4	15.5	14.0	12
20	15 20 30 40 50 60 75 90	2.25 1.22 1.41 1.73 2.00 2.24 2.45 2.74	236 262 288 156 180 221 256 287 314 351 384	73 89 46 52 64 74 83 91 101 111 60 70 86 99 111 121 136 149	79	74 40 47 57 66 74 81 90	64 35 40 49 57 63	46 51 56 30 35 43 50 55 61 68	299 32 36 18.2 21 26 30 33 33 36 41 45 28 34 40 44 40 54	25 28 30 34 37 20 23 29 33 37	21 24 29 32 17.3 19.9 24 28 32 35 39 42	28 15.1 17.4 21 25 28 30 34 37	16.5 18.5 20 23 25 13.4 15.5 19.0 22 25 27 30 33	18.2 20 22 12.1 14.0 17.1 19.8 22 24 24 27 30	18
	60	2.45	314	121	97	81	69 78	61	49	40 45	35	30	27	24	20 11. 12. 15. 18. 20 22 25 27
10000	90	2.74 3.00	351 384	136	109	90 99	78 85	68 74	54 59	45 50	39 42	34 37	30 33	30	25

Quick TeeJet CAPS (For Pressures up to 300 PSI/20 bar)									
Quick TeeJet Cap	Quick TeeJet Cap and Seal Gasket Seal Gasket – CP19438-EPR (EPDM Standard) CP19438-VI (Viton Optional)	BLACK WHITE RED). Unless specified, 6) Cap will					
	For use with spray tips (300 psi / 20 bar rating)	Part No	Description	Price					
D	TeeJet* Flat Spray Tips (Smaller Capacities)	CP114440A-*-CE	Cap only	\$1.10					
	AIXR TeeJet [®] TeeJet [®] TeeJet [®] TeeJet [®]	114441A-*-CELR	Cap and seat gasket set	1.35					
a de la	TeeJet® Flat Spray Tips (Larger Capacities)	CP25609-*-NY	Cap only	1.10					
	Standard XR -10 thru -20 -10 thru -15	25610-*-NYR	Cap and seat gasket set	1.55					
at Th	TJ TwinJet [*] Al Turbo TJ TwinJet [*] Al Turbo DG TwinJet [*] SJ-3 StreamJet [*]	CP114442A-*-CE	Cap only	1.10					
	Al TeeJet* & AlUB TeeJet* Turbo TeeJet* Induction	114443A-*-CELR	Cap and seat gasket set	1.55					
D	ر المراجع (المراجع) المراجع (المراجع) المراجع (TK FloodJet* FL FullJet* TX ConeJet*	CP114444A-*-CE	Cap only	1.10					
D	O O	114445A-*-CELR	Cap and seat gasket set	1.55					
	Adapter Cap with EPDM Seat Gasket, Black	QJ4676-1/8-NYR	Quick TeeJet outlet adapter	3.25					
® (¼ only)		QJ(B)4676-1/4-NYR	Quick TeeJet outlet adapter	3.25					
JE	Adapter Cap 1/4TTJ with EPDM Seat Gasket, Black	QJ4676-90-1/4-NYR	Quick TeeJet outlet adapter, 90°	5.80					
®		QJ4676-45-1/4-NYR	Quick TeeJet outlet adapter, 45°	5.80					
	Shut-Off Cap with EPDM Seat Gasket, Black	114447A-*-CELR	Quick TeeJet shut-off cap and seat gasket set	2.85					

B Also available with BSPT connection.



BOOMLESS NOZZLES

1/2" and 3/4" WARNE'S BOOM BLASTER BOOMLESS NOZZLES diaphragm check valves are Features available to Straight through nozzle design means you do not need a left or right nozzle boomless nozzle • Solid stainless steel means superior pattern and distribution • Nothing to wear out Models assemblies **Great For** \$112.98 W2125 ~ \$113.00 Roadside • Noxious weed control W2140 ~ \$123.00 • Handgun work W2187 ~ \$139.00

BOOMINATOR Boomless Spray Nozzles

Benefits: • Produce a superior spray pattern with even distribution over the entire pattern • Produce a heavy droplet pattern for minimal, drift and better crop penetration • Can easily spray around obstacles and over uneven terrain Applications: • Noxious weed control • De-icing on roads, bridges, sidewalks, runways and parking lots • Dust suppression • Lawn, turf and nursery applications • Grass fire fighting • Orchard, vineyard and vegetable spraying • Ponds, lakes, canals for aquatic pest and weed control • Insect control

1160L	\$113	1400
1160R	113	1400
1165L	113	1400
1165R	113	1400
		1400
1250FS	\$139	1400
1250RS	139	1404
1250L	113	1404
1250R	113	1406
1253L	113	1406
1253R	113	
1255L	113	Please
1255R	113	

			·	
400FM	\$149		1870FL	\$159
400FS	149		1870FM	159
400FSS	149		1870FS	159
400RS	123		1870FSS	159
L400L	123		1870L	133
L400R	123		1870R	133
L404L	123		1871L	133
L404R	123		1871R	133
L406L	123		1876L	133
L406R	123		1876R	133
lease call or check at warnechemical.com for complete spec sheet				

2650RS	\$190
2650FL	190
2650FS	190
2650L	190
2650R	190
2651L	190
2651R	190
3120RS	190
3120FL	190
3120FM	190
3120FS	190

_		
	3120L	\$167
	3120R	167
	3121L	167
	3121R	167
	3750FL	190
	3750L	177
	3750R	177
	4370FL	\$190
	4370RS	177
	4370L	177
	4370R	177
	1	

r				
5000L	\$244			
5000R	244			
6250L	\$255			
6250R	255			
Abbreviations				

L ~ Left R ~ Right FS ~ Full spray short FM ~ Full spray medium

FL ~ Full spray low

BOOM BUSTER

NOZZLES

BOOMINATOR ECONO SERIES

Designed for the occasional non-commercial user. Molded from celcon.

Model	PSI	GF	PM	Distance			Model	PSI	GPM	Distance
				at 36"						At 36"
1200 PSR &	20	1	.0	14'			1200 PSS	15	.9	6'
1200 PSL	30	_	.2	14'		E AND		20	1.0	6'
1200131	40	_	.4	14'		BOOMATON		25	1.1	6'
4400 DCD 0				-		1200PSR	1200 PS	20	1.0	12'
1400 PSR &	20		.7	15'		"Enver		30	1.2	12'
1400 PSL	30		.0	15′				40	1.4	12'
	40	2	.5	15'			1400PS	20	1.7	12′
							30	2.0	12'	
Full Spray N	Models	5					1	40	2.5	12'
1200 PSS	\$23.9	0		Right and L	eft N	/lodels	1400PL	20	2.0	20′
1200 PS	23.9	0	1	.200 PSR (rig	ght)	\$52.50		30	2.4	20′
1400 PS	29.8	8	1	.200 PSL (lef	t)	52.50		40	2.8	20′
1400 PL	32.0	0	1	.400 PSR (rig	ght)	56.50	1870PL	20	3.0	25′
1870 PL	36.0	0	1	.400 PSL (lef	t)	56.50		30	3.5	25′
							1	40	4.3	25'

			 Machined from solid SS. 				
PSI	GPM	Distance	 Replaceable industrial 				
		At 36"	grade nylon diffusers.				
15	.9	6'	 Excellent pattern and 				
20	1.0	6'	distribution.				
25	1.1	6'	 Right-of-way nozzles 				
20	1.0	12'	spray beneath and				
30	1.2	12'	slightly behind nozzle				
40	1.4	12'	(add letter R on order).				
20	1.7	12'	Model Price				
30	2.0	12'	120 Series \$126.75				
40	2.5	12'	140 Series 137.75				
20	2.0	20'	180 Series 142.50				
30	2.4	20'	260 Series 157.25				
40	2.8	20′	370 Series 166.50				
20	3.0	25'					
30	3.5	25'	400 Series 174.00				
40	4.3	25'	500 Series 210.00				

GPS GUIDANCE SYSTEMS



8" screen • Durable metal case • Auto steering capable
Section control capable • Variable rate application capable • SBAS, Terra Star, and RTK GPS signals ready

90-10006-ENS, KIT M908 NAV-L1-GLO-ENUS - \$2,825.00*

- 8" accuracy No subscription fees
- Manual guidance, boom sense inlet
- Ready to accept subscription GPS signals for increased accuracy

90-10006-ENUS-NH + 45-10236 + 45-05381 - \$3,362.00*

- 8" accuracy No subscription fees Manual guidance
- Auto steering capable with Unipilot Pro Kit 91-05039 \$8,906.00*
- Auto section control with boom pilot, most kits (by brand) 90-02990 \$1,930.00*
- Ready to accept subscription GPS signals for increased accuracy.

90-10011-ENUS, KIT M908 ISO-L1-GLO-ENUS - \$3,842.00*

- Isobus display
- TeeJet CAN, ISOBUS CAN for advanced options
- Auto steering capable with Unipilot Pro Kit 91-05039 \$8,906.00*
- Auto section control with boom pilot, most kits (by brand) 90-02990 \$1,930.00*
- Rate control when tied to existing rate controller
- Ready to accept subscription GPS signals for increased accuracy
- Adapter cables available from MicroTrak

RAM Ball Mounts

B201U	3" arm	\$31.50*	Ń		
B202U	2.5" round base	17.85*	(je		
B231ZU	UTV bar mount	32.50*	G		
B238U	Diamond base	16.20*	1		
Other options available, please inquire					

MATRIX°430

Guidance simplified! The compact Matrix 430 is an easy to use, low cost, graphical guidance system ideal for firsttime users. The full-color, touch screen display allows the operator to efficiently navigate fields with minimal skips and overlaps in coverage.

- Minimal setup needed before operating
- Boundary function allows for easy and precise measurement of field area



- Area counter measures and displays applied area throughout application Guidance modes include Straight AB, Curved AB, Circle Pivot, and Last Pass
- Return-to-point feature allows operator to easily resume jobs
- Applied alert provides operator with audible alarm
- Optional RXA-30 antenna provides improved reception
- High contrast, full-color, 4.3" graphic touchscreen display provides superior visibility
- Quickly portable machine to machine

Kits

GD430-GLO-P-L Kit	\$1,729*
Matrix 430, GLONASS, patch antenna, US lighter connector	
GD430-GLO-R30-L Kit	\$2,175*
Matrix 430, GLONASS, RXA-30 antenna, US lighter connector	

Components						
45-05775	45-05775 Cable, power, direct to battery, 10'/3 m					
45-05970	Cable power speed boom sense	249.60*				
60-10081	One set of 3 velcro strips	8.50*				
65-05179	Metal mounting plate (requires 3 velcro strips)	14.60*				
78-50190	Antenna, GPS patch L1 with GLONASS	298.00*				
90-02720	Kit, RXA-30 antenna with 20'/6m cable	795.00*				

GPS Antenna Base - \$39.00*

- Improved signal reception on fiberglass cabs
- Includes two-sided foam tape
- Powder coated finish

Inquire about GPS mapping and reporting options

SPRAY APPLICATION CONTROL BOXES AND ELECTRONIC COMPONENTS

Texas Remcor 3-Switch Control Box

Features

- 3-boom switches
- Master control switch
- 6' cab harness
- 8' sprayer harness
- Pressure regulator switch with gauge



Accessories						
Item #	Description	Price				
1181	1/8" Tube FTG x 1/8" MPT	\$ 5.71				
1182	1/8" Union/Coupler	8.25				
2388	1/8" Gauge tube, 25' roll	69.55				


ltem #	Description	Price	TIR
Con.2460.WP.3	For electric ball valves	\$692.00	RATER CONTRACTOR CONTR
Con.RC1B.WP	For solenoid valves	561.70	PIELO BUILT
Con.RC2.WP	For solenoid valves, without pressure control or gauge	371.90	

Raven Repair Parts						
Item #	Description	Price				
063001	Butterfly valve, 3/4", CS203,103	\$194.50				
16130A	Butterfly flanged valve, 1-1/2", Fits most Raven controllers and MicroTrak controllers	643.00				

Switch Boxes for Solenoids and 12-Volt Pumps

6' lead to battery, 4' lead off 15' lead with detachable solenoid hookup.

Single switch box - \$220.00* Double switch box - \$250.00* Triple switch box - \$290.00* Four switch box - \$330.00*



33-103237 120" wire, 2-pin connector, battery clips, on/off rocker switch - \$17.80*

Electrical Wiring Components		
Item #	Description	Price
31503	16-14 gauge ring terminal	\$.28 ea
31712	16-14 gauge male terminal	.50 ea
31713	16-14 gauge female terminal	.65 ea
31760	16-14 gauge butt connector	.35 ea
32760	12-10 gauge butt connector	.50 ea
33005	8 gauge ring terminal	1.35 ea
37120	Flat 2 connector, male, 14 ga	4.44 ea
37120-12	Flat 2 connector, male 12 ga	4.95 ea
37121	Flat 3 connector, male	4.85 ea
37122	Flat 4 connector, male	4.95 ea
37130	Flat 2 connector, female, 14 ga	4.44 ea
37130-12	Flat 2 connector, female, 12 ga	4.95 ea
37131	Flat 3 connector, female	4.85 ea
37132	Flat 4 connector, female	4.95 ea
37708	50-amp connector	7.85 ea
44224	50-amp toggle switch	15.85 ea
46330	30-amp breaker	7.65 ea
46550	50-amp breaker	7.65 ea
46877	30-amp surface mount marine rated circuit breaker	72.00 ea
BBL	Large switch box (4-5)	21.50 ea
MBL	Medium switch box (3-4)	17.20 ea
SBL	Small switch box (1-2)	9.85 ea
SJ12-3	12-3 jacketed cable	3.45 / ft
SJ12-4	12-4 trailer cable	4.25 / ft
SJ14-3	14-3 jacketed cable	2.73 / ft
SJ14-4	14-4 jacketed cable	3.45 / ft
WD12-2	12-2 jacketed cable	1.95 / ft
WD14-2	14-2 jacketed cable	1.55 / ft
WD8-2	8-2 jacketed cable	3.90 / ft
WPCONN	Weather pack connector	8.50 ea
WPADAP	Weather pack adapter for solenoids	7.20 ea

SPRAY APPLICATION COMPUTERS AND ELECTRONIC CONTROLS

RATEKING™ PLUS

Automatic Rate Controller For Liquids



Flexible, powerful, automatic liquid rate control solution for

agriculture, turf, and highway maintenance. Customizable monitoring options and advanced features let you manage your liquid applications with absolute peace-of-mind.

- Flow or pressure-based control
- Expanded PWM control capabilities
- Unique multi-function outputs to control on/off valves for Master, Relief, Flow Trigger, or Flush functions

01883 Unit without GPS Speed Sensor - \$2,889.00* Select an Astro GPS Speed Sensor from below

FLOW-TRAK™ II Sprayer Monitor

Economical way to improve spraying accuracy

Includes 3/4" flowmeter, Hall effect speed and flow sensors, mounting hardware and weatherproof connectors.



Flow-Trak provides the information

needed to keep your chemical application on track. Helps eliminate waste and achieve more consistent results.

- Large, easy-to-read liquid crystal display
- Lighted liquid crystal display, BriteKnob[™] and panel lighting for night use
- Application rate, flow rate, total flow, speed, distance, and area per hour functions, plus two separate area counters
- Out-of-range warning light
- Push-button run/hold

01170 Unit without Speed Sensor - \$1,438.00*

Micro-Trak Flow Meter Kits

FM750

01501 2 - 40 gpm \$533.00* FM10-100 01514 10 - 100 gpm \$907.00*

Micro-Trak Replacement Servo Valve



1" NPT threads, fits most Micro-Trak units 19093 \$440.00*

SPRAYMATE[™] II

Automatic Rate Controller



Our lowest cost, fully automatic sprayer control. Includes 3/4" flowmeter, 1"

servo valve, Hall effect flow sensor, mounting hardware, weatherproof connectors, and three boom switches. Automatically compensates for changing speed to maintain a pre-set application rate. Designed for use with electric boom switches.

• For liquid application • On-the-go rate adjustment • Application rate, flow rate, total flow, speed, distance and area per hour functions, plus two separate area counters • Out-of-range warning light • Lighted liquid crystal display, BriteKnob[™] and panel lighting for night use

01171 Unit without GPS Speed Sensor - \$2,061.00* Select an Astro GPS Speed Sensor from below

RoadMaster

Roadway products rate controller



• Use to regulate the flow of liquid de-icer, anti-icers, roadside spray products and dust control agents,

turf herbicides, fungicides, insecticides, and fertilizers • Selectable servo drive options • Built-in BRA/AVL communications • Extensive downloadable date list

• Blast switch • Keylock switch.

#01590 \$2,115.00 Select a flow meter, servo valve and Astro GPS Speed Sensor from below

ASTRO GPS BASED SPEED SENSORS

Improve productivity and efficiency

- The Astro GPS based speed sensors are a direct replacement for magnetic wheel speed sensors or radar guns and can interface to most brands of monitors and controllers.
- The magnetic mount bracket is standard and allows for quick installation and easy transfer from one vehicle to another. Optional mount kits also available.




Astro II #01410 \$540.00* Based on accurate, yet economical 1 HXZ **GPS** receiver

Astro 5 #01425 \$725.00* Same great features as the Astro II but based on a 5 HZ GPS receiver for faster, dynamic response to speed changes



FOAM MARKING SYSTEM



For spraying equipment, no-till drill, golf course sprayers

A ready-to-use compact 12-volt foam marker designed for dependable, low cost operation. The foamer comes complete to equip up to an 80' boom including R/L switch with 20' cable to foamer module. Unit features molded mounting lugs in bottom and strapping areas allowing easy installation. A 14-gallon foamer operates 2.5 to 3 hours on a fill at a cost of \$0.03 to \$0.04 per acre. Foam rates can be adjusted with replacement discharge orifices.

Units

500 FM006	6-gallon unit	\$1,030.00
500 FM014S 14-gallon twinline foamer		1,310.00
500 FM025S	25-gallon twinline foamer	1,355.00
	WC mounting bracket, custom	165.00
	Complete system installation	155.00

Replacement Parts

Replacem		
500 FMFC	Standard collector	\$16.50
500 FMFCL	High volume collector and hose	32.80
500 CAF	Compressor air filter	14.60
500 FMS	Collector sock, small	3.95
003 TL 025	Twinline hose, 100'	234.00
500 FMSA	Pickup tube assembly	22.00
500 FMSL	Collector sock, large	5.25
	Metering orifice for foam marker	4.15
	flow control (sizes 27,29,31,33,37,39,41,43)	
500 FMYA	Y assembly	29.00
500 FMAPG	Gas air compressor	420.00
500 FMCV	Check valve	16.95
500 FMPC	Wiring harness with switch box	192.00
500 FMSC	Secondary cable	33.50
500 FMFG	Foam generator	38.75
500 FMFGS	Twinline foam generator	38.75
	(does not include Y assembly)	
250 22043	Texas Remcor 3-way twinline solenoid	149.20

Concentrates and Additives

Enduron PSI High performance foam 100 to 1 concentration	4 x 1 Gallon	\$53.90* per gallon
Pink Tracer Foam Dye One qt colors 300 to 600 gallons of foam solution. Works well on green crops and bare ground	12 x 1 Quart	\$39.85* per quart

SPRAY BOOMS AND ACCESSORIES



03DB12B 12' Boom, bare \$290.00					
03DB12	378.00				
03DB18B 18' Boom, bare 415.00					
03DB181	18' Boom, standard plumbing, 40" spacing	533.00			
Above beams are 2 section, spring loaded 1 1/4" square tubing standard					

Above booms are 3-section, spring loaded, 1-1/4" square tubing, standard Spraying Systems plumbing, rear fold. Does not include mounting bracket.

500 ATV	Bracket set, R/L receiver set	\$ 88.00*
500 003	L boom mount for above receiver, set of 2	58.00*
500 ATV	80" boom	112.25*
500 ATV	80" boom with tips	125.00*
DB21	21' folding boom, no plumbing	957.00*
DB21	21' folding boom with tips	1,547.00*
	Larger spray booms available, please inquire.	

Receiver Hitch Booms

2" Receiver Hitch Boom

 80" vertical telescoping boom, bare RHB80 - \$310.00*




 80" vertical telescoping boom, plumbed with four nozzle bodies (does not include nozzles) RHB80P- \$395.00*



- 2" Receiver Hitch Boom, Less Nozzles
- Vertical telescoping, bare
- RHBB \$273.00*
- Vertical telescoping, with boomless nozzle body plumbing (does not include nozzles) RHBBP - \$360.00*

Boominator Bracket



Flatbed Mounted Truck Ladder \$119.00*

Hinges to lay flat
Easily retro fitted to flatbed truck or trailer



BACKPACK SPRAYERS

JACTO BACKPACK SPRAYERS



- 4-gallon capacity Double piston pump
- Reversible pump lever, right and left
- No fittings to leak out bottom of tank
- Brass wand

Occasional Use 3-Gallon Capacity Unit XP312 \$124.00

- 3-gallon capacity Adjustable cone nozzle
- High performance piston pump
- Vented tank lid with basket strainer
- Adjustable padded straps

FLOWZONE BACKBACK SPRAYERS

Rechargeable Electric 4-Gallon Capacity Unit Typhoon 3 \$314.99

The most comfortable and advanced backpack sprayer ever.

- Removable 18V battery and backpack style padded shoulder straps with lower lumbar support
- Spray time 60+ gallons per battery charge
- Flow rate: 0.47 0.77 gpm
- Viton seals
- Applications include weed spraying, tree/shrub spraying, pest control, noxious weed spraying etc

Rechargeable Electric 1-Gallon Capacity Unit Storm Zero \$225.00 Additional 1-Gallon Swap Tank, Hand Held \$53.60



• Ergonomic inline spray handle • Focus on spraying, not pumping • 4-way adjustable brass nozzle • Optional easy swap gallon tank • Easy access battery • Low flow capability to target areas with precision accuracy • Ideal applications include pest control, shrub beds, turf weeds, greenhouse, etc



TANKS													
	Та	nk P/N	Gal	Dir	nension	s	Fitt	ing	Lid	Tank	(Cradle P/N	Cradle
Horizontal Tanks	HZ	0055-23	55	-	x 38		/4		5″	\$204.		HZ0055-C	\$ 122.00
and Cradles – ACI		0075-24	75	_	x 47		/4		5″	245.		HZ0075-C	202.00
		0110-30	110	-	x 44		, -1/4		8″	336.		HZ0110-C	245.00
		0150-30	150	-	x 57		/4 x 1	L-1/4	8″	413.		HZ0153-C	351.00
		0150-32	150	-	x 52		/4 x 1		8″	413.		HZ0150-C	342.00
		0200-38	200	-	x 50		/4 x 1		8″	491.		HZ0238-C	474.00
	13	0200-32	200	_	x 58		/4 x 1		8″	491.		HZ0232-C	498.00
		0300-38	300		x 76		/4 x 1		8″	629.		HZ0300-C	573.00
		0500-48	500	-	x 79		/4 x1		8″	856.		HZ0500-C	698.00
	112	0300 40	500	140	x75	5	/ - / 1	1 / 7	0	050.	00	1120300 C	050.00
	Т	ank P/N	G	al	Dimens	ions	# E	Bands		Гank	Н	loop P/N	Ноор
Horizontal Liquid		0035-18	_	35	18 x 34		2			141.00		0035SP	\$33.00/set
Transport		0065-24	_	65	24 x 39		2		-	267.00		0065SP	35.00/set
Tanks – ACE		0125-32	_	.25	32 x 40		2			443.00		0125SP	73.00/set
		0225-38		25	38 x 52		2			593.00		0225SP	89.00/set
-		0335-44		35	44 x 56		2			711.00		1335SP	102.00/set
111)))))))))))))))))))	-	35	48 x 78		2			077.00)535SP	102.00/set
		0735-48			48 x 103	2	3		-	488.00		048SP	363.00/set
		1300-DW		00	62 x 114		3			385.00)4031)62-HP-	388.85/set
	13.	1300-010	13	00	02 × 11-	+	5		۷,	565.00	130		500.05/301
		Ν	lanufa	cture	r warranty	/ for a	ibove 1	tanks not	t valio	d without p		hase of recomm	nended hoops.
Eliptical Leg		ank P/N		Gal	Dime			# Ban	ds	Tank		Hoop P/N	Ноор
Tanks Free	FS051			510				3		\$ 988.00		FS0510HP	\$355.00
	FS103	5		1035				3		1,661.00)	FS1035HP	433.00
Standing	FS161	.0-78		1610	78 x 1	L39 x	56	4		3,365.00		FS1610HP	633.00*
CC:	FS235	60-88		2350	88 x 1	L46 x	63	4		5,187.0) I	FS2350HP	1,153.00*
1100	FS275			2750				4		6,311.0		FS2750HP	1,319.00*
	FS325			3250		L46 x	(79	4		6,522.0		FS3250HP	1,444.00*
	FS325	0-88BLK		3250	88 x 1	L46 x	(79	4		6,625.0) I	FS3250HP	1,444.00*
	THF03	3200BLK		3200	97 x 1	L45 x	(79	0		8,890.00	ון כ	Pin Kit	240.00*
Ladder and hoops		ount Tanl										AP204	
sold separately Manufacturer warranty for above tanks not valid without purchase of recommended hoops. * baffled tanks													
Eliptical Tanks -	مط	Tank I	P/N		Gal	Dir	mens	ions		Tank	C	radle P/N	Cradle
Eliptical Tanks a		HE0200-	41		200	41 x	66 x	26	Ş	615.00	Н	E0200-C	\$568.00
Cradles – ACE		EO0300-	-48		300	48 x	: 70 x	30		778.00	Н	E0300-C	648.00
150	h.	HE0400-	·57		400	57 x	70 x	36		864.00	Н	E0400-C	757.00
111		HE0500-	-57		500	57 x	82 x	36	1	,060.00	Н	E0500-C	875.00
		HE0750-	·69		750	69 x	89 x	42	1	,446.00	Н	E0750-C	1,420.00
		HE1000-	78		1000	78 x	90 x	49	1	,800.00	1	E1000-C	1,940.00
		·											
					Tank	P/N	1	Gal		Din	nen	sions	Price
	PU0450-62			PU 020			200		52 x 30			\$379.00	
Pickup Tanks	-	-	PU0200-52		PU 035			350		62 x 34			597.00
Round	-	1:00			PU 045			450		62 x 41			653.00
		•			PU 020			205		52 x 52 >	(26		502.00
					PU 030			305		60 x 58 >			653.00
						0	I						

TANKS



•			
Part #	Gallons/Description	Dimensions	Price
VT55	55-gallon	20 x 47	\$179.00
VT65	65-gallon	23 x 42	205.00
VT110	110-gallon	32 x 41	310.00
VT300-42	300-gallon	42 x 55	547.00
VT550	550-gallon	52 x 66	799.00
VT1000-64	1000-gallon	64 x 81	1,546.00
VT1050	1050-gallon	86 x 54	1,108.00
VT1350	1350-gallon	86 x 65	1,302.00
VT1500	1500-gallon	86 x 69	1,472.00
VT1500B	1500-gallon, black	86 x 69	1,492.00
VT1650	1650-gallon	86 x 74	1,532.00
VT2500	2500-gallon	91 x 103	2,377.00
VT3000	3000-gallon	91 x 120	2,944.00
VT3000	3000-gallon, black	91 x 120	3,004.00
VT5150	5150-gallon	102 x 161	6,884.00
VT6250	6250-gallon	102 x 194	7,690.00
VT8000-120	8000-gallon	120 x 180	9,910.00
VT10500-2500	10,500-gallon	142 x 177	12,960.00

Low Profile Tanks

Part #	Gallons	Dimensions	Price				
LP1275	1275-gallon	84W x 36 x 126L	\$3,032.00				
LP1600	1600-gallon	84W x 42 x 126L	3,490.00				
2400Box	2400-gallon	90W x 53 x 150L	4,961.00				
Have flat bottoms and will not completely drain							

Free Standing Utility Tank

• Will fit through doorway



• Withdrawal fitting needs to be added

SP0300-UT 300-gallon 29W x 62L x 52H 840.0				
SP0300-UT 300-gallon 29W x 62L x 52H 840.0	Part #	Gallons	Dimensions	Price
	SP0250-UT	250-gallon	29W x 62L x 42H	\$673.00
	SP0300-UT	300-gallon	29W x 62L x 52H	840.00
SP0400-UT 400-gallon 29W x 62L x 66H 1,098.0	SP0400-UT	400-gallon	29W x 62L x 66H	1,098.00

Pin Mount Horizontal Leg Tank

Part #	Gallons	Dimensions	Price
THF03200	3200	Black	\$8,890.00
AP204	Pin kit	3200-gallon	240.00

Cone Bottom Inductors

Cone-shaped tank assemblies are to be used on the suction side of the transfer pump for inducting chemicals and fertilizer into sprayer tanks. Includes 2" valve and tee. 15-gallon units can be shipped UPS.

Part #	Size	Price
WC-ID 15	15	\$337.00
WC-ID 30	30	403.00
WC-ID 55	55	481.00
WC-ID 85	85	649.00
WC-ID 110	110	684.00
Rinse Ball Kit		172.00



Specialty Tanks

Part #	Gallons / Description	Dimensions	Price
RT3	Clean water	12 x 7 x 14	\$ 99.00
SPBM05-SQ5	5-gallon rinse tank	11 x 11 x 18	79.00
SP0006-5N	6-gallon, 5" lid	12 x 15 x 8	81.00
SP0008-VM	Loaf	12 x 16 x 17	99.00
SP0012-VM	Loaf	12 x 16 x 22	103.00
SB00015	15-gallon, spot	14 x 14 x 31	62.00
SB00025	25-gallon, spot	18 x 17 x 36	80.00
PCO50	50-gallon, PCO	19 x 38 x 23	241.00
PCO100	100-gallon, PCO	30 x 38 x 29	383.00
PCO100	100-gallon, PCO w/sump	30 x 38 x 29	383.00
PCO200	200-gallon, PCO	37 x 48 x 38	583.00
PCO300	300-gallon, PCO, baffle	37 x 69 x 40	1,180.00
PCO300B	300-gallon, PCO, baffle, black	37 x 69 x 40	1,203.00
SB00040SW	40-gallon, blow mold		124.00
SB00060SW	60-gallon, blow mold		161.00



Clean Water Tanks

Hand wash valve

• Easy filling Universal mounting • UPS shippable



3-gallon tank and L brackets and valve - \$140.00 9-gallon tank - \$202.00

Refurbished IBC Totes

- 275-gallon
- Not approved for potable water
- \$275.00





- **IBC Dispensing Stand**
- 52.25" x 45.25" x 27.25"
- \$517.00

	ATV and Utility Vehic	<u>le Tanks</u>		
	Shaped for ATV			
Part Number	Gallons and Description	Dimensions	Price	
216ATV	16-gallon Cottontail	ATV	\$ 345.00	24.5-gallon
25ATV	24.5-gallon Jackrabbit	ATV	363.00	Jackrabbit
EN55	55-gallon with sump	26 x 37 x 17.5	603.00	
EN75	75-gallon with sump	27 x 41 x 23	645.00	
EN75B	75-gallon with sump, black	27 x 41 x 23	692.00	
EN100	100-gallon with sump	36 x 48 x 24	744.00	
WC-UTV-50	50-gallon UTV low profile	31 x 38 x 12	475.00	· CER
WC-UTV-75	75-gallon UTV low profile	36 x 48 x 12	575.00	

50 and 75gallon ultra low profile tanks with sump

100-Gallon Pickup Style Applicator Tank

 Includes tank mounting bracket • 42" H x 17" L x 70" W



WC-100-GC - \$573.00


• 48" wheel well cut out

WC-100-GC-Black - \$605.00

Floor length hose reel mount - \$382.00 per side Floor length pump and engine mount - \$382.00 per side

200-Gallon Applicator Tank

- Includes tank mounting bracket
- 42" H x 27" L x 70" W
- 48" wheel well cut out



WC-200GC - \$790.00 WC200GC-Black - \$827.00

Pump, engine, and hose reel mount - \$271.00 /per side Floor length mounting tab - \$382.00 per side

300-Gallon Applicator Tank

- Includes tank mounting bracket
- 38" H x 39" L x 70" W
- 48" wheel well cut out

WC-300-10GC - \$1,032.00 WC-300-10GC-Black - \$1,076.00

Pump, engine, and hose reel mount - \$271.00 per side Floor length baseplate mounting tab - \$382.00 per side



- Includes tank mounting bracket
- 42" H x 52" L x 70" W
- 48" wheel well cut out



WC-400-10GC - \$1,098.00 WC-400-10GC-Black - \$1,155.00

Pump, engine, hose reel mount for tank - \$271 per side

Notes: • Pickup Style Applicator Units require 1/4" to 1/2" friction reducing material for equipment under tanks • Pickup style tanks do not fit the Ram toolbox bed • 400-gallon sprayer requires raised platform for pickups with 21.5" box sides

Brackets for Pickup Style Tanks		
Part Number	Price	
WCE 200-HR-BRKT	\$271.00	
WCE 200-PE-BRKT	271.00	
WCE 200-HR-BRKT-FM	382.00	
WCE 200-PE-BRKT-FM	382.00	
WCE 300-HR-BRKT	271.00	
WCE 300-PE-BRKT	271.00	
WCE 300-HR-BRKT-FM	382.00	
WCE 300-PE-BRKT-FM	382.00	
WCE 400-HR-BRKT	271.00	
WCE 400-PE-BRKT	271.00	

TANK ACCESSORIES

Tank Bulkhead Fittings

P/N	Description	Price
200-TF	2" bolted tank fitting	\$ 62.07
300-TF	3" bolted tank fitting	93.75
102BF05BD	3/4" total drain tank fitting	95.43
102BF100BD	1" total drain tank fitting	95.98
102BF125BD	1-1/4" total drain tank fitting	95.98
102BF220BD	2" total drain tank fitting	98.20
102BF300BD	3" total drain tank fitting	137.00

Polypropylene (Black) Bulkhead Fittings w/Gasket

P/N	Description	Price
43386	1/2" polypropylene bulkhead fitting	\$ 13.25
43388	3/4" polypropylene bulkhead fitting	13.25
43391	1" polypropylene bulkhead fitting	17.00
43393	1-1/4" polypropylene bulkhead fitting	17.00
43395	1-1/2" polypropylene bulkhead fitting	25.60
43397	2" polypropylene bulkhead fitting	25.60
HD 20-015	2" heavy duty/tank of 3000 gal	38.00
5037P	1-1/4" anti-vortex	34.64
5040P	1-1/2" anti-vortex	42.45
5041P	2" anti-vortex	41.93
BH20-010	3" polypropylene bulkhead fitting	65.10

EPDM Bulkhead Gasket

P/N	Description	Price
45814	1/2" and 3/4" bulkhead gasket	\$ 9.25
45815	1" bulkhead gasket	11.37
45816	1-1/4" bulkhead gasket	11.88
45817	1-1/2" and 2" bulkhead gasket	18.20

Sealing Collett Bulkhead Fitting

For top of tank to allow pass through of tubing

P/N	PVC Pipe Size	Price	
M8437	1" ID	\$ 8.72	6
M4524	1-1/4" ID	16.50	and the second s
M3317	1-1/2" ID	37.00	
M3321	1-3/4" ID	43.00	

Syphon Tubes

P/N	Description	Price
10511	2" short	\$ 5.75
10488	2" long	23.50
10489	3" long	34.80



Tank Webbing

Description	Price	
Tank webbing tie down nut	\$ 4.24*	
Tank webbing tie down bracket	6.30*	
Tank webbing 1-3/4" polyester	3.00/ft*	
Tank webbing 4" polyester	5.05/ft*	
4" anchor and bolt	19.50*	
2" anchor and bolt	11.70*	
	Description Tank webbing tie down nut Tank webbing tie down bracket Tank webbing 1-3/4" polyester Tank webbing 4" polyester 4" anchor and bolt	

10631	2" Ace lid with catch cup	\$ 6.48
10529	4" Ace center with vent	16.05
13696	5" Ace spin with vent	10.46
10525	8" Ace threaded with vent	28.70
3522221	8" Enduraplas 8" red air vent	27.90
5478R	10" Raven screw on	37.60
5479R	11" Raven ring for 10"	24.85
AG8169014	12" hinged with vent	69.14
10526	12" Ace threaded no vent	31.13
10527	12" Ace threaded with vent	37.68
10528	16" Ace threaded with vent	50.77
15082	16" Ace hinged with vent	74.80
303 63485	16" Norwesco	52.10

LIDS

Lid Accessories

30012	Basket filter 8"	\$ 20.25
300126	Basket filter 12"	26.17
300119	Basket filter 16"	32.10
19026	Garden hose cap/gasket assembly Ace	1.85
3522120	Gasket 8"	9.80
3522140	Gasket 12"	14.37
3522160	Gasket 16"	18.55
12880	Gasket frame 16"	6.60
10873	Lanyard 12" short black (5" to 12" lids)	1.23
10534	Lanyard 16" long black (12" to 16" lids)	1.40
	Ring 16"	11.45



Stopping, starting, or rounding a cure – regardless of the amount of liquid in the tank, the floating "Surge Buster" eliminates surge by constantly deflecting the load in over a thousand different directions. Makes transporting large volumes of liquid safer and less stressful for operators. Flexible design fits any size or configuration of tank. NFPA compliant for use in fire trucks.

- One baffle per 30 gallons water
- Installs through tank top opening
- No interior attachments
- Works with or without existing baffle
- Safe for most chemicals and potable water

Size	Number Per Gallon	Price
15″	1 per 32-gallon	\$45.00 each
7″	1 per 15-gallon	\$42.00 each
4″	1 per 10-gallon	\$38.00 each

3-Point Hitch Sprayers

60-Gallon Category I

- 60-gallon tank
- 12-volt 4.5 gpm pump
- Boomless nozzle with right and left coverage
- Great unit for spot spraying noxious weeds and small pastures

60-Gallon Category I

- 60-gallon tank
- 12' break away boom
- Manual boom control
- 12-volt 3 gpm pump
- Electric on and off from cab
- Great unit for large lawns, athletic fields, small pastures



Price as pictured - \$1,896.00* WC3PT60

With 6-roller PTO pump - \$2,184.00* WC3PT606

Option: 25' hose and Black Jewel handgun Add \$228.00*



Price as pictured - \$2,143.00* WC3PT6012

With 6-roller PTO pump - \$2,431.00* WC3PT60612

Option: 25' hose and Black Jewel handgun Add \$228.00*

Boomless 3-Point Hitch Sprayer WC3PT 200 \$6,693.00*

200-gallon tank with agitation

 Category I or II
 Boominator nozzles right and left, 30' total swath

 6-roller PTO pump
 Electric control right and left

 Excellent unit for noxious weed control and pasture spraying

Option: 50' of high-pressure hose and Black Jewel handgun - Add \$266.00*

200-Gallon 3-Point Hitch Sprayer
WC3PT242\$8,917.00*• 200-gallon tank with agitation
• Category I or II
• 6-roller PTO pump• Category I or II
• 6-roller PTO pump• 42' heavy duty boom with breakaway hinges
• 3-section electric controls
• One set of nozzles
• Suspension flotation kit on boom
Option: 50' of high-pressure hose and Black Jewel handgun - Add \$266.00*





Demco 300-Gallon 3-Point Hitch Sprayer WC3PT345 \$12,545.00*

- 300-gallon tank with agitation
 - Hydraulic driven pump
 - 45' manual fold boom
 - Shock kit on boom
- 3-section electric solenoid controls
 - One set of tips

Options: • 50' hose and Black Jewel handgun - Add \$266.00* • Micro-Trak spray monitor available - inquire

42

PULL TYPE TRAILER SPRAYERS

Demco 300-Gallon Trailer Sprayer with 45' Boom WCT340 \$13,721.00*

Standard Features

- 45' truss boom Shock mount kit
- 11L x 15 8-ply tires PTO mounted 8-roller pump
- 3-way electric solenoid controls Includes one set of tips **Options**
- Hydraulic wing leveling kit, installed ~ Add \$918.00*
- 50' of high-pressure hose and Black Jewel handgun ~ Add \$266.00*

Warne 300-Gallon Trailer Sprayer - Boomless WCT300 \$8,345.00*

Standard Features

- Spray bar and boomless nozzles with 42' of coverage, right and left boomless nozzles, center section boom
- 3-section swath with electric solenoid control
- 11L x 15 8-ply ply tires
- Excellent unit for noxious weeds, pasture spraying or small fields
- PTO mounted 8-roller pump

Demco 500-Gallon Trailer Sprayer WCT560 \$ 33,846.00*

Standard Features

- Big wheel sprayer with 11.2 x 38 tires
- Adjustable axle


• Hydraulic wing lift

- Motorized ball valves
 - Hydraulic fold
- Texas Remcor switch box

Options Available: Hose, handgun, GPS, MicroTrak sprayer monitors, 55-gallon flush kit

Hydraulic driven pump

• 60' hydraulic boom



Foam Marking System ~ Option available for above units

A ready-to-use compact 12-volt foam marker designed for dependable, low-cost operation. The foamer comes complete to equip up to an 80' boom including R/L switch with 20' cable to foamer module. Unit features molded mounting lugs in bottom and strapping areas allowing easy installation. A 14-galon foamer operates 2.5 to 3 hours on a fill at a cost of \$0.03 to \$0.04 per acre. Foam rates can be adjusted with replacement discharge orifices. Inquire on pricing.

NURSE TANK TRAILERS

Features: • 1010-gallon drainable tank • Heavy-duty 6" channel iron frame with fenders • Extended double plated tongue • Extra heavy-duty high speed cambered axles • 8000# slipper spring suspension per axle • Implement tires • Adjustable clevis • Powder coat paint • GX160 Honda engine with 2" direct coupled high-volume transfer pump • 22' discharge hose, valve, camlock connector • Plumbed to draw from both tank and fill nurse tank



Unit Price ~ WCNTT \$10,590.00* Above unit with brakes, lights, 235 85 R16 tires and 2-5/16" ball hitch ~ WCNTTL \$12,910.00*

Options: • 1010-gallon tank and trailer only - \$8,400.00* • 1010-gallon tank and trailer only with electric brakes, lights 235 85 R16 tires - \$10,142.00* • Cone inductor tank (plumbed in system) - Add \$718.00* • Trailer with 4' platform - Add \$2,040.00* • GX160 Honda engine and 2" poly pump with wet seal - Add \$535.00* (in place of standard pump and engine)



Option

• 50' of high-pressure hose and Black Jewel handgun - Add \$266.00*



GENERAL PURPOSE TRAILER SPRAYERS

200-gallon tank • 2-5/16" ball hitch • 15" tires • 3300 lb pay load
Leaf springs and fenders • Lights • Jack

Model WC2005540 - \$5,815.00*

General purpose sprayer for trees and ornamentals, weed control, fire fighting, livestock spraying etc. Equipped with GX160 Honda engine, diaphragm pump 560 psi 10 gpm, 50' of high-pressure hose and Black Jewel handgun.

Options for above unit

- Manual hose reel with 150' of 1/2" high pressure hose, 1125-4-200 Add \$690.00* Hydraulic agitation Add \$125.00*
- 1125-4-200E electric hose reel Add \$894.00*
- Additional 1/2" hose above 50' Add \$1.75* per foot

Model WC20055.5HCL - \$4,838.00*

General purpose sprayer for lawn care, turf, weed control, etc. Equipped with GX200 Honda engine, centrifugal spray pump, 50' of hose and Black Jewel handgun.

Options for above unit

- \bullet Manual hose reel with 150' of 1/2" 300 psi hose Add \$690.00*
- Additional 1/2" hose above 50' Add 1.75^* / ft
- Double boomless nozzles with electric solenoid control Add \$890.00*
- 15' power lead with 30-amp breaker, 50-amp disconnect Add \$148.00*
- Lawn care handgun Deduct \$30.00

Root feeder - Add \$356.00*

50-amp electrical connector – Add \$85.00*

- Hydraulic agitation Add \$125.00*
- 1125-4-200 electric hose reel Add \$894.00*

75-GALLON "ROUGH COUNTRY" PULL TYPE SPRAYER

For use on pasture, turf, golf course, general purpose spraying, designed to be pulled behind UTV, ATV or garden tractor. Unit includes 75-gallon poly tank, 25' hose and Black Jewel handgun, solid axle, sealed bearings, slipper suspension springs and 22x10x8 tires, 3/16" formed steel frame. Unit designed for rough terrain.

Unit as listed above

- With:
 12-volt 4.9 gpm pump, double Boominator nozzles with left/right solenoid control and switch box

 WCT75RC12
 \$3,089.00*
- With:
 GX160 Honda engine and self-priming centrifugal pump, double Boominator

 nozzles left/right solenoid control and switch box
 WCT75RCC
 \$4,086.00*
- With:
 GX120 Honda engine and 4-roller pump, double Boominator nozzles, left/right solenoid control and switch box
 WCT75RC4
 \$3,750.00*

Options For Above

12' rear folding boom with 2-section plumbing, double solenoid control and switch box (in place of boomless nozzles) - Add \$290.00
Above tank hose reel rack - Add \$185.00
Spare tire and wheel - Add \$169.00
Hose reel with 100' of 3/8" hose - Add \$465.00



40-GALLLON "BULLDOG" TRAILER SPRAYERWCT40BD\$1,420.00*

Unit is built for uneven and less than perfect terrain

Standard Features

• 40-gallon poly tank • 12- volt 3 gpm pump • Toggle switch control box (for pump on/off) • Single Econo Boominator nozzle 12' - 16' coverage • Large 20 x 10 x 8 flotation tires • Low speed, sealed axle bearings • Pin hitch • 15' hose and premium handgun **Option:** Spare tire and wheel - Add \$169.00*

25-GALLON ESTATE SPRAYER

500 ES025-80 \$557.00*

This pull type sprayer for turf spraying features a fused 12-volt diaphragm pump and bypass pressure control. 80" boom coverage is provided by two flood-jet nozzles. 15" poly trigger-jet hand wand with adjustable nozzle is standard.



Same as above with 120" boom coverage and 3 gpm pump 500 ES025-120 - \$650.00*



300 AND 500-GALLON TRAILER SPRAYERS FOR TURF AND ORNAMENTAL INDUSTRY

Model WCTR8055 - \$12,400.00* ~ **Tree sprayer** equipped with 300-gallon poly tank, baffle, and double dual hydraulic agitation; GX270 Honda engine; diaphragm pump 15.5 gpm, 560 psi; manual hose reel with 300' of 1/2" 800 psi hose; 5000 lb tandem axles with electric brakes on back axle, lights, 2-5/16" ball hitch, jack stand, rear loading stand and safety rail.

Model WCTR9051 - \$9,421.00* ~ Lawn sprayer equipped as above with GX200 Honda engine and centrifugal pump with pressures up to 110 psi and lawn care handgun.

Options	Add
 500-gallon eliptical tank 	\$735.00*
 Surge Buster baffle system for 500-gallon tank 	749.00*
 Electric start for Honda GX270 engine 	325.00*
• Honda GX270 engine with centrifugal pump up to 140 psi	984.00*
Electric hose reel	550.00*
Reel rack as pictured	195.00*
Roller kit for hose reel	241.00*
Root feeder	356.00*
Oil drainzit	29.80*
Clean water tank	140.00*
• Bottom fill kit	220.00*
• 25' power lead with 30-amp breaker and 50-amp disconnect	148.00*



Please inquire about configurations and pricing for units requiring a GX390 and GX630 Honda engine for taller tree spraying.

HIGH-PRESSURE GENERAL-PURPOSE SPRAYER

This sprayer is designed to serve as a high-pressure sprayer performing from 30 to 560 psi at 15.5 gpm for weed spraying, tree spraying, fire fighting, washing, etc

Basic Unit Specs	Model WCGPHP	150 Options to customize for your use	Add
• 150-gallon poly tank		 200-gallon poly tank 	\$210.00*
GX270 Honda engine		• 300-gallon poly tank	397.00*
Diaphragm pump produc		• 300-gallon eliptical tank	687.00*
• 100' of 1/2" 800 psi high	-	 500-gallon poly tank 	738.00*
 43H brass handgun with long range tip Jet agitation Skid mounted for truck or trailer 		 500-gallon eliptical tank 	1,025.00*
		 Electric start option, B&S or Honda 	325.00*
		Braglia long distance handgun	207.00*
Assembled and Operational - \$5,660.00*		 Additional 800 psi 1/2" spray hose (neon) 	4.67* / ft
High Volume Unit Specs	Model WCHPHV	Additional 800 psi 5/8" spray hose	4.65* / ft
 150-gallon poly tank 		Deep root feeder attachment	356.00*
 GX390 Honda engine 		 High pressure manual reel 	369.00*
 Diaphragm pump produc 	ring 560 nsi 19 5 gi	High pressure electric reel	940.00*
 100' of 5/8" high pressur 	• • •	High pressure manual reel, 3/4"	599.00*
 Braglia long distance har 		High pressure electric reel, 3/4"	1,124.00*
 Hydraulic agitation 		 High pressure quick coupler disconnects 	46.80*
Skid mounted for truck of the second se	or trailer	 4-way hose roller system 	241.00*
Assembled and Operation	onal - \$6,490.00*	 Above pump and engine hose reel mount 	175.00*
		Camlock bottom fill kit	220.00*
COP-		 3-gallon clean water tank 	140.00*
	Custom	 Oil drainzit for Honda engines 	29.80*
	Custom	 25' power lead with 30-amp breaker 	95.70*
	Made	• 25' power lead with 30-amp breaker & 50-amp disconnect	148.00*
	Units	Forklift tubes on skid	392.00*
	Available	Please inquire about other options available: Fiberglass	
		tanks, trailer mounted unit, pump and engine units up to 32 gpm at 70 psi	
			1]

WARNE BALE BED READY SPRAYERS



200-GALLON BALE BED SPRAYER

Designed for bale bed trucks with a variety of pump options. Units to be picked up by a bale bed unit or fork pockets for skid steer / forklift.



FIRE UNIT

\$7,899.00

Standard Features: • 200-gallon poly tank • GX160 Honda engine, recoil start • Two stage fire pump (65 gpm and 48 psi) (20 gpm and 120 psi) • 100' of 3/4" booster hose • Manual hose reel
Poly adjustable pattern fire nozzle • Unit plumbed with drafting capability

Options: • Surge Buster baffle system - Add \$299.00 • Electric hose reel - Add \$590.00 • Alloy adjustable pattern nozzle in place of plastic nozzle - Add \$85.00 • Viper pistol grip fire nozzle in place of plastic nozzle - Add \$502.00 • Guzzler primer pump - Add \$160.00 • 25' of 1-1/2" drafting hose with cast iron foot valve - Add \$215.00 • Site gauge - Add \$98.00 • 150-gallon tank in place of 200-gallon tank - Deduct \$176.00 • Honda GX270 electric start with high volume two stage pump (120 gpm and 36 psi), (20 gpm and 144 psi) in place of GX160 engine and pump - Add \$890.00 • 100' of 1" ultra lite wildland fire hose on manual reel in place of 3/4" reel and 3/4" booster - Add \$390.00

UNITS FOR CATTLE SPRAYING, WEED SPRAYING, TREE SPRAYING, FIRE FIGHTING

WCBBD

WCBBFF

\$7,472.00

Standard Features: • 200-gallon poly tank • GX160 Honda engine • Diaphragm pump (560 psi and 10 gpm) • 100' of 1/2" spray hose on manual hose reel • Pistol grip variable pattern handgun

Options: • 100' of 1/2" Hercules fire hose - Add \$1,055.00 • Electric hose reel in place of manual hose reel - Add \$550.00 • Four-way hose roller guide - Add \$241.00 • Agitation - Add \$145.00 • Electric start engine - Add \$325.00 • 150-gallon tank in place of 200-gallon tank - Deduct \$176.00

WCBBR

\$6,972.00

Standard Features

• 200-gallon poly tank • GX160 Honda engine, 8-roller pump (300 psi max pressure) • 100' of 1/2" 600 psi spray hose • Manual hose reel • Pistol grip variable pattern handgun

Options: • Additional spray hose - Add \$1.75 per foot • Electric hose reel in place of manual reel - Add \$550.00 • Four-way hose roller guide - Add \$241.00 • Agitation - Add \$145.00 • 150-gallon tank - Deduct \$176.00

GENERAL PURPOSE COMMERCIAL SPRAYING UNIT WITH 200, 300 OR 400-GALLON PICKUP STYLE TANK

Designed to maximize pickup bed space. Pump and engine unit and reel mount on tank.

WC 200-10GC

- 200-gallon pickup tank
- GX160 Honda engine
- Diaphragm pump producing 10.5 gpm 560 psi
- Manual hose reel
- 200' of 1/2" hose
- Black Jewel handgun
- Hydraulic agitation
- 42" H x 27" L x 70" W

WC 300/400-10GC

WC 300/400-15GX

• 300 or 400-gallon pickup tank

• GX160 Honda engine

• Diaphragm pump producing 22 gpm 285 psi Manual hose reel

• 200' of 1/2" hose

Black Jewel handgun

Hydraulic agitation

• Lawn care, industrial weed and general-purpose spraying

- 300 or 400-gallon pickup tank
- GX160 Honda engine
- Diaphragm pump producing 10.5 gpm 560 psi
- 200' of 1/2" hose
- Manual hose reel
- Black Jewel handgun
- Hydraulic agitation
- General purpose spraying



\$5,900.00*

\$6,295.00*



\$6,828.00*

Options

- 12-volt electric reel Add \$550.00*
- 4-way hose roller guide assembly Add \$241.00*
 - Oil drainzit for Honda engine Add \$29.80*
 - Braglia long range handgun Add \$207.00*
 - Deep root feeder attachment Add \$356.00*
- Additional 1/2" high pressure hose, 600 psi Add \$1.75* per foot
 - Electric start for Honda engine Add \$325.00*
 - 25' power lead with 30-amp breaker Add \$95.70*
- 25' power lead with 30-amp breaker and 50-amp disconnect Add \$148.00*
- 400-gallon base platform for elevating tank Add \$340.00*
- Pump, engine, and hose reel mount with floor length mounting tabs Add \$90.00* per side •Fits 200 or 300-gallon units only

Notes

- WC300/400-15 GX8 \$7,303.00* • Tank combos available – inquire; for • 300 or 400-gallon pickup tank example 100/200, 200/300, 300/300 • GX270 Honda electric start engine • 400-gallon requires raised platform for • Diaphragm pump producing 15.5 gpm 560 psi pickups with 21.5" box sides • 200' of 1/2" 800 psi hose • Sprayer does not fit the Dodge Ram Manual hose reel
 - Black Jewel handgun
 - Hydraulic agitation
- Tree spraying, pest control and high-pressure spraying
- toolbox bed • Tank does not completely evacuate due to
- flat bottom design

SPRAYERS

ECONO SKID MOUNTED SPRAYER

WCECONO \$4,367.00*

Standard Features:

- 200-gallon general use sprayer Poly tank
- GX160 Honda engine 8-roller pump, 300 psi max
- Manual reel with 100' of 1/2" high pressure hose and Black Jewel handgun
- Unit can be used for weed spraying, fire fighting, cattle spraying, etc

Options: • Hydraulic agitation - Add \$145.00* • Additional 50' of 1/2" hose - Add \$90.00*



WCR&P200 \$6,650.00*

- **Standard Features:**
- 200-gallon eliptical low profile tank
 Skid mounted
- GX200 Honda engine and centrifugal pump

• Spray bar and boomless nozzles with 42' coverage, 19 gpa @ 5 mph, 30 psi, right and left boomless nozzles, center section boom

- Electric cab controls with solenoid valves
- Manual hose reel with 100' of 1/2" hose mounted above pump
 - and engine unit
 - Black Jewel handgun

- **Options:**
- 300-gallon eliptical tank Add \$375.00*
- 400-gallon eliptical tank Add \$552.00*
- 500-gallon eliptical tank Add \$815.00*
- Electric ball valves Add \$675.00* (in place of solenoid valves)
- Electric hose reel Add \$550.00*
- Spray monitor and controls Inquire
- Mounting and wiring at our facility Add \$375.00*
- Oil drainzit Add \$29.80*
- Additional hose Add \$1.75* per foot

GENERAL PURPOSE WEED SPRAYER WITH BOOMLESS NOZZLES WCGPBL \$4,485.00*

• Designed for pickup or trailer mount • Works well for noxious weeds and pasture spraying

Standard Features:

- 200-gallon skid mount
- GX160 Honda engine
 - 8-roller pump
- Boomless nozzles with 36' swath, 18' per side
 - Right/left electric controls from cab
 - High/low pressure control
- High pressure for handgun spraying, fire fighting
 - Low pressure for boomless nozzles
 - 50' of hose and trigger operated handgun



Options:

Manual hose reel - Add \$375.00*

Jet agitation - Add \$175.00*

• 100' of 1/2" high pressure hose with banded ends - Add $$239.00^*$



COMMERCIAL WEED SPRAY UNIT WCCOM150 \$4,872.00*

This sprayer is designed for lower pressure, higher volume applications. Pressures from 20 to 110 psi with high volume of spray solution. Use for weed spraying, boomless nozzles, lawn care.

Standard Features

- 150-gallon poly tank
- Skid mounted for truck or trailer
- GX200 Honda engine
- High volume centrifugal pump producing 113 psi
- Hydraulic agitation
- Lawn applicator handgun
- 100' of 1/2" vinyl coated 300 psi hose

Options to customize for your use

- 200-gallon poly tank Add \$196.00*
- 300-gallon poly tank Add \$390.00*
- 200-gallon eliptical tank Add \$400.00*
- 300-gallon eliptical tank Add \$630.00*
- 500-gallon eliptical tank Add \$940.00*
- Electric start Add \$325.00*
- Manual hose reel Add \$368.00*
 25' power le
- Electric hose reel Add \$904.00*

- Forklift tubes on skid Add \$392.00*
- Above pump and engine hose reel mount Add \$175.00*
- Additional 600 psi hose Add \$1.75*/ft
- Bottom fill kit Add \$210.00*
- 3-gallon clean water tank Add \$140.00*
- 4-way hose roller system Add \$241.00*
- Oil drainzit for Honda engine Add \$29.80*
- 25' power lead with 30-amp breaker Add \$95.70*
- 25' power lead with 30-amp breaker, 50-amp disconnect Add \$148.00*

150, 200 AND 300-GALLON SKID MOUNTED HIGH PRESSURE SPRAYERS

For weed spraying, cattle spraying, fire fighting, tree spraying, washing equipment, etc

Standard Features:

- Polyethylene tank
- GX160 Honda engine
- Diaphragm pump
- 560 psi 10 gpm
- 50' of high pressure hose
- Trigger operated variable pattern handgun
- Heavy duty skid



150-Gallon with GX160 Honda Engine WCHP150 \$4,504.00*

200-Gallon with GX160 Honda Engine WCHP200 \$4,754.00*

300-Gallon with GX160 Honda Engine WCHP300 \$5,209.00*

Options: • Additional hose - Add \$1.75* per foot • Hydraulic agitation - Add \$145.00* • Manual reel with 100' of 1/2" hose - Add \$521.00* • Manual reel with 100' of 1/2" fire resistant hose – Add \$1,066.00*


55-GALLON GENERAL PURPOSE SPRAYER

Standard Features

• Wrap around frame • 25' hose • Black Jewel handgun • 125 psi

With the following	pump	and	engine unit:	

4.5 gpm 12-volt pump	45 psi	WCGP55WP12	\$1,390.00*
GX160 Honda engine with centrifugal pump	64 psi	WCGP55WPC	2,121.00*
GX120 Honda engine with 4-roller pump	125 psi	WCGP55WP4	1,979.00*
GX120 Honda engine with 7 gpm diaphragm pump	350 psi	WCGP5WP7	3,575.00*



Option: • Double boomless nozzles with single electric valve - Add \$741.00*


- Hose reel and 100' of 3/8" hose Add \$485.00*
- Additional 3/8" hose above 25' Add \$1.25* / ft



25-GALLON AQUATIC WEED SPRAY UNIT \$949.00* WCAQ25

Designed for aquatic weed control applications

- 25-gallon tank
- 10' folding boom with drop nozzles
- 15' of hose with spray wand



LIQUID ICE MELT APPLICATORS FOR DE-ICING AND ANTI-ICING

PICKUP MOUNTED UNIT

\$5,240.00* WCPUIM

Standard Features:

- Skid mounted 300-gallon PCO tank with baffles
- GX160 Honda engine with 2" pump
- Single boom behind vehicle
- Electric on/off from cab
- Pump unit can be used to fill tank
- All components are corrosion resistant for magnesium chloride

Options:

- 150-gallon tank, no baffle Deduct \$227.00
- 200-gallon tank, no baffle Deduct \$110.00
- 500-gallon eliptical tank, no baffle Add \$801.00*
- Bottom fill kit with incoming strainer Add \$290.00*
- Oil drainzit Add \$29.80*
- Hose reel with 100' hose and handgun Add \$645.00* Surge Buster baffle kit for 500-gallon tank Add \$749.00*
- John Blue wet seal pump in place of standard pump Add \$639.00



- 8' boomless nozzle with electric control, right Add \$685.00*
- 8' boomless nozzle with electric control, left Add \$685.00*
- Hose and handgun kit Add \$246.00*
- Automatic flow control Inquire
- 12-volt on/off, 3-section control box Add \$567.00*

Larger and custom built units available - Inquire

75-GALLON UTV UNIT

\$4,115.00* **WC75IM**

Standard Features for Liquid Ice Melt

 75-gallon tank
 GX160 Honda engine with poly SP centrifugal pump
 10' spring loaded boom with center section for sidewalk and fold-out side wings for parking lots • On/off from cab • Manual hose reel with 75' of hose and handgun • Plumbed for regular nozzles or drill nozzles, 10" spacing



Options: Drill nozzles • 12-volt Dura pump in place of gas driven pump - Deduct \$290.00



75-GALLON PEST CONTROL / GENERAL PURPOSE SPRAYER

WC75ULPPC \$4,325.00*

• 75-gallon low profile tank with internal sump • Hydraulic agitation • Honda GX120 engine with UDOR diaphragm pump up to 275 psi • 250' of light weight Red Slyder hose with 1000 psi working pressure, non-kink and applicator friendly • Black Jewel handgun • 36" x 48" x 12" high (37" to top of hose reel)



Unit is a versatile pest control / termite treatment unit. Also an excellent weed or small tree and shrub sprayer.



75-GALLON PEST CONTROL SPRAYER WCPCS75 \$3,670.00*

• Low profile tank • GX120 Honda engine • Six-roller pump • Manual hose reel with 200' of 3/8" high-pressure hose • Pistol grip variable pattern handgun • Designed for the pest control industry • Tank gallonage indicator and sump for complete drainage • Hydraulic jet agitation • 46" long x 41" wide x 27" to top of tank or 39.5" to top of hose reel



Options

- 12-volt electric hose reel in place of manual reel Add \$550.00*
- Oil drainzit Add \$29.80* Additional 3/8" high pressure hose Add \$1.35*per foot
- Quick coupler disconnect at hose and handgun Add \$46.80* Diaphragm pump (350 psi, 7 gpm) coupled to GX120 Honda engine in place of standard pump/engine - Add \$910.00*



Spray your roughest tough spots such as ravines, ditches, fence lines, trees, and brush areas

• Spray livestock and around hog and poultry building sites • Spray grasshoppers, mosquitoes, and other biting insects



Tyrant Mist Sprayer - \$3,360.00*

• Skid Mounted for UTV or Pickup • 25-gallon poly tank • Kohler Pro 207cc engine driven 9" fan • 12-volt electric pump • Two nozzles • 210-degree manual volute rotation • Spray coverage 65' horizontal, 30' vertical • Battery not included

3-Point Hitch GF3P100HP - \$5,075.00*

• 100-gallon tank • Agitation in tank • 12" PTO driven fan • Electric on/off • Roller pump • 210-degree hydraulic volute rotation • Spray coverage 160' horizontal, 85' vertical • Air speed to 160 mph





6-GALLON FLY FOGGER AND SPRAYER

500 FS006 \$935.00

12-volt system that lets you fog or straight stream your choice of fly sprays. Pump delivers a maximum 225 psi. Adjustable relief valve lets operator decide the pressure from 0 to 225 psi. Includes a 6-gallon tank, 18" spray gun, 30' of hose and a 15' wiring harness with battery clips that hook to a vehicle battery or deep cycle marine battery. Use for livestock on pasture, in feed lots, confinement, dairy barns, manure pits, bunk lines or anywhere flies are a problem. Battery not included.

FIRE FIGHTING UNITS

PICKUP STYLE FIRE FIGHTING UNITS

Standard features: • Surge Buster baffle system • GX160 Honda manual start engine • Direct coupled two stage pressure type centrifugal pump (65 gpm 48 psi and 20 gpm 120 psi)

• Manual hose reel • Twist grip variable pattern handgun

400-Gallon Unit WCPU400FF \$6,248.00*

400-gallon black polyethylene pick-up tank • 100' of 1" ultra-lite forestry hose
Designed to utilize only 52" of pickup bed



300-Gallon Unit WCPU300FF \$6,114.00*

• 300-gallon black polyethylene pick-up tank • 100' of 1" ultra-lite forestry hose • Designed to utilize only 41" of pickup bed



200-Gallon Unit WCPU200FF \$5,975.00*

• 200-gallon black polyethylene pick-up tank • 100' of 3/4" booster hose • Designed to utilize only 28" of pickup bed



Options: • Twist grip adjustable cast alloy nozzle (in place of plastic nozzle) - Add \$85.00* • Sight gauge - Add \$98.00*

- 25' of 1-1/2" drafting hose and foot valve Add \$215.00 Electric reel Add \$590.00*
- 400-gallon base platform for elevating tank Add \$340.00* Roller assembly for electric reel Add \$241.00*
- Guzzler Primer pump Add \$200.00*

• Scotty 4171 Around-the-Pump foam eductor - Call for pricing • Foam applicator kits - Call for pricing Note: 400-gallon sprayers require raised platform for pickups with 21.5" box sides • Sprayer does not fit the Dodge Ram toolbox bed



Rear mount

75-GALLON UTV MOUNTED FIRE FIGHTER WCUTVFF \$4,450.00*

• 75-gallon black polyethylene tank with sump • GX160 Honda engine with Davey 1.5" fire pump, dual stage 20 gpm 120 psi and 65 gpm 48 psi • 1.5" drafting capacity • 1.5" to 1" outlet • Manual hose reel with 75' of 3/4" booster hose with trigger operated variable pattern nozzle • Measures 46" L x 39" W x 23" to top (47" to hose reel top)



Side mount

Options: • Surge Buster baffle system - Add \$95.00* • Hose reel roller assembly - Add \$165.00* • Guzzler Primer pump - Add \$200.00*

FIRST BLAST FIRE FIGHTER WC25FBFF \$456.00*

Fire protection you can carry with you for initial assault on small equipment and grass fires - protecting your equipment, investment, crop, or pasture.
 General purpose mounting for combines, balers, trucks, ATV and UTV • Portable for vehicle

to vehicle • 12-volt 4 gpm pump • 35' of hose and handgun • 25-gallon capacity for up to 15 minutes of fire fighting • Add *X-tra Wet* to the water to increase fire fighting efficiency *X-tra Wet* 2 x 2.5-gallon per case \$41.88 per 2.5-gallon container

BAFFLED POLY FIRE FIGHTER

WC300BFF \$6,990.00*

• 300-gallon black baffled poly tank • GX270 Honda electric start engine • Direct coupled two stage pressure type centrifugal pump (120 gpm 36 psi and 20 gpm 144 psi) • 100' of 1" ultra-lite forestry hose • 1" manual crank hose reel • Adjustable pattern nozzle • Steel skid mounted • Built on an 8'5" skid

Options: • Electric reel - Add \$590.00 • Roller guide assembly for electric reel - Add \$241.00 • Clear sight gauge - Add \$98.00 • Twist grip adjustable case alloy nozzle (in place of plastic nozzle) - Add \$85.00 • Guzzler Primer pump - Add \$209.00



FIRE FIGHTING PUMP UNITS AND ACCESSORIES

DAVEY AK308 TWO STAGE PUMP - \$2,841.00*

- GX270 Honda electric start engine
- 120 gpm and 36 psi
- 20 gpm and 144 psi
- 3-way discharge manifold (one 1-1/2", two 1" ports)
- Economical, yet high efficiency pump
- KG01108 Seal Kit \$220.50

DAVEY AK304 TWO STAGE PUMP - \$1,992.00*

- GX160 Honda recoil start engine
- 65 gpm and 48 psi
- 20 gpm and 120 psi
- 3-way discharge manifold (one 1-1/2", two 1" ports)
- KG01107 Seal Kit \$220.50



KOSHIN PUMPS

High Pressure Centrifugal Pump

- 1-1/2" inlet and outlet
- Honda GX50 engine
- 30 gpm and pressures to 64 psi
- Maximum suction lift 26'
- Excellent sprayer or transfer pump
- Not rated for fertilizer SEH-40H 1-1/2" NPT \$695.00
- Same specs as above engine except 1" inlet and outlet
- 10 gpm and pressures to 64 psi
- Very nice pump and engine for small sprayer
- Not rated for fertilizer SEH-40H

1″

LARGER CAPACITY FIRE PUMPS AVAILABLE -**CALL FOR PRICING**

\$735.00

FIRE HOSE

Part No	Description	PSI	Color	Price
10035650	3/4" Booster hose	300	Red	\$3.10 / ft
10035660	1" Booster hose	300	Red	4.70 / ft
10041152	1/2" Hercules high pressure fire resistant	500	Yellow	10.55 / ft
10041156	3/4" Hercules high pressure fire resistant	500	Yellow	13.20 / ft
10041158 1" Hercules high pressure fire resistant		500	Yellow	17.00 / ft
AR100RXXX	1" Ultra lite hose with 1" NPSH male and female ends	300	Red Fire Hose	454.00 / 100 ft

FULL LINE OF WILDLAND HOSE AVAILABLE

FIRE NOZZLES, VALVES, AND THREAD ADAPTERS


Part No	Description	Price
Viper	1" stirrup handle pistol grip ball valve with 10-23 gpm nozzle, 1" NH female thread	\$542.00
Red Lexan Fire		
NZ009	10-24 gpm aluminum adjustable nozzle with bumper, 1" female NPSH thread	
NZ016 10-24 gpm aluminum adjustable nozzle with bumper, 3/4" female garden hose thread		136.00
NZ027 Mini adjustable fan/stream stirrup nozzle, 3/4" female garden hose thread 1		141.00

NPT – National Pipe Thread, Tapered NH or NST – Course Fire Hose Thread NPSH – Fine Fire Hose Thread, Straight

INQUIRE ABOUT GALLON SELECTABLE NOZZLES

"GUZZLER" HAND PRIMER PUMP

12 gpm, 10"x5"x4"



Replacement G4/5 Diaphragm \$28.90

SCOTTY 4171 AROUND-THE-PUMP FOAM EDUCTOR

Educts foam concentrate into hose lines through a pump's suction and discharge sides Call for pricing.

4171KIT FOAM APPLICATOR KIT

Includes one 1-1/2" cast aluminum connecting tee and one 2" cast aluminum connecting tee in addition to pressure and pickup hoses. Call for pricing.



GENERAL PURPOSE UTILITY VEHICLE SPRAYERS

DESIGNED TO FIT IN THE BACK OF 4x4 AND 6x6 ALL TERRAIN VEHICLES

\$3.743.00*

\$2.986.00*

\$3,354.00*

Hydraulic agitation - Add \$95.00*

Refer to manufacturer's specifications for load carrying capacity

WCUTV100C

100-Gallon Gas UTV Sprayer

• 100-gallon low profile tank with sump for complete draining • 8" fill well • Self-priming centrifugal pump with Honda engine • Double boomless nozzles with 30' swath (15' right, 15' left) • Electric right/left control from cab • 15' hose and pistol grip handgun • 48" W x 48" L x 26" H to top of tank • Unit fits in most large UTVs, low center of gravity and compact

Options:

- Manual reel and 100' of pesticide resistant 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual reel and 50' of pesticide resistant 3/8" hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*
- GX120 Honda engine and 6-roller pump unit Add \$470.00* • 18' foldable boom in place of boomless nozzles - Add \$157.00*

WCUTV10012

100-Gallon 12-Volt UTV Sprayer

- 100-gallon low profile tank 8" fill well Double boomless nozzles with 30' swath (15' right, 15' left)
- 12-volt 5.3 gpm pump Electric on/off and right/left control from cab 15' hose and pistol grip
- handgun 48" W x 48" L x 26" to top of tank

Options:

- Manual hose reel with 100' of 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Surge Buster baffle system Add \$95.00* • Manual hose reel with 50' of 3/8" pesticide resistant hose - Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*

75-Gallon Gas UTV Sprayer

•75-gallon low profile tank with complete draining sump • 8" fill well • Self-priming centrifugal pump with Honda engine • Double boomless nozzles with 30' swath (15' right and 15' left) • Electric control right and left from cab • 15' hose and pistol grip handgun • 42" L x 40" W x 34" to top of hose reel, 27" to top of tank • Unit fits in most large UTVs and has low center gravity and compact design

Options

- Manual hose reel and 100' of pesticide resistant 3/8" hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel and 50' of 3/8" pesticide resistant hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00* Surge Buster baffle system - Add \$95.00*

WCUTV75C

• GX120 Honda engine and 6-roller pump unit - Add \$470.00* • 18' foldable boom in place of boomless nozzles - Add \$157.00* WCUTV7512

75-Gallon 12-Volt UTV Sprayer

• 75-gallon low profile tank with complete draining sump • 12-volt 5.3 gpm 90 psi pump • Double boomless nozzles with 30' swath (15' right, 15' left) • Electric on/off and right/left from cab • 15' hose and pistol grip handgun • 42" L x 40" W x 34" to top of hose reel, 27" to top of tank • Unit fits in most large UTVs and has low center gravity and compact design

Options

- Manual hose reel with 100' of 3/8" pesticide resistant hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel with 50' of 3/8" pesticide resistant hose Add \$252.00*
- Manual hose reel with roller guide and 200' of slippery hose Add \$855.00*
- 18' foldable boom in place of boomless nozzles Add \$157.00

55-Gallon 12-Volt UTV Sprayer

- Tank has total drain sump Fits in cargo boxes of most utility vehicles 12-volt 5.3 gpm 90 psi pump
- Double boomless nozzles Electronic on/off right/left 15' hose and piston grip handgun Skid base dimensions 39" W x 38" L x 22" H

Options

- Manual hose reel with 100' of 3/8" pesticide resistant hose Add \$465.00*
- Roller guide for above hose reel Add \$153.00*
- Manual hose reel and 50' of 3/8" pesticide resistant hose Add \$252.00*

60-Gallon Utility Vehicle Sprayer

\$1,299.00*

• Economy model for the occasional user • 60-gallon poly tank • 12-volt 4.5 gpm pump • Double econo Boominator tips (15' right, 15'Left) • Electronic on/off from cab • 15' hose and hand wand • Manual valve control right/left • 30" H x 35" W x 32" at base • Fits in cargo box of most utility vehicles





Hydraulic agitation - Add \$95.00*



Hydraulic agitation - Add \$95.00*

Surge Buster baffle system - Add \$95.00*








• Hydraulic agitation - Add \$95.00*

Surge Buster baffle system - Add \$95.00*

\$2.708.00*



- Hydraulic agitation Add \$95.00*
- \$2,411.00*



- - Surge Buster baffle system Add \$95.00*





ULTRA LOW PROFILE UTV SPRAYERS

Ultra Low Profile 50-Gallon UTV Sprayer

WC50ULP12 \$2,425.00*

• Internal sump • 12-volt 5.3 gpm 90 psi max • Double boomless nozzles with 30' (15' right, 15" left) spray pattern controlled from cab with 12-volt solenoid • 15' of hose and pistol grip handgun • Tie down rings • Fits in smaller UTV and has a low center of gravity • Tank measures 31" L x 38" W x 12" H

Options: • Manual hose reel with 100' of 3/8" hose - Add \$465.00*

- Roller guide for above hose reel Add \$153.00*
- \bullet Manual hose reel with 50' of 3/8" hose Add \$252.00*
- Hydraulic agitation Add \$95.00*
- Legs for bolting unit to floor of UTV Add \$45.00*
- Note: To completely evacuate tank, use wet/dry vac



Ultra Low Profile 75-Gallon UTV Sprayer WC75ULP12 \$2,565.00* • Internal sump • 12-volt 5.3 gpm pump, 90 psi • Double boomless nozzles with 30' (15'

right, 15' left) spray pattern controlled with 12-volt solenoid valves from cab \bullet 15' of hose and pistol grip handgun \bullet Fits in most UTVs and has a low center gravity \bullet Tie down rings \bullet Tank measures 36" L x 48" W x 12" H

Options: • Manual hose reel with 100' of 3/8" hose - Add \$465.00*

- Roller guide for above hose reel Add \$153.00*
- Manual hose reel with 50' of 3/8" hose Add \$252.00*
- Legs for bolting unit to floor of UTV Add \$45.00 *
- Hydraulic agitation Add \$95.00*

Note: To completely evacuate tank, use wet/dry vac

Ultra Low Profile 75-Gallon UTV Sprayer WC75ULP6 \$3,677.00*

• Internal sump • Honda GX120 engine with roller pump, 10 gpm and 250 psi max pressure • Double boomless nozzles with 30' (15' right, 15' left) spray pattern controlled with 12-volt solenoid valves from cab • 15' of hose and pistol grip handgun • Fits in most long UTVs and has a low center gravity • Tank measures 36" L x 48" W x 12" H

Options: • Manual hose reel with 100' of 3/8" hose - Add \$465.00*

- Manual hose reel with 50' of 3/8" hose Add \$252.00*
- Legs for bolting unit to floor of UTV Add \$45.00*
- Oil Drainzit Add \$29.80*
- Hydraulic agitation Add \$95.00*

Note: To completely evacuate tank, use wet/dry vac

GENERAL PURPOSE SPOT SPRAYERS

Portable spray units featuring flat bottom 14 or 25-gallon poly tanks. Allows placement in pickup bed and universal mounting on ATV rack. 12-volt on demand pump operating at 45 psi. Premium quality trigger operated spray gun with adjustable nozzle capable of straight stream or wide angle and 15' of hose.

			-	
14-gallon spot sprayer, 1.0 gpm pump	WCATV141	\$168.00		
14-gallon spot sprayer, 1.8 gpm pump	WCATV141.8	268.00		14 GAL
14-gallon spot sprayer, 1.8 gpm pump with two nozzles 80" swath boom,	WCATV141.880	378.00	N Inge	Two nozzle
15 gpa @ 5 mph, 19 gpa @ 4 mph			The second	80" swath
25-gallon spot sprayer, 1.0 gpm pump	WCATV251	238.00		boom
25-gallon spot sprayer, 1.8 gpm pump	WCATV251.8	291.00		
25-gallon spot sprayer, 1.8 gpm pump with two nozzles 80" swath boom,	WCATV251.880	404.00	-	
15 gpa @ 5 mph, 19 gpa @ 4 mph				25 GAL
25-gallon spot sprayer, 3.0 gpm pump	WCATV253	366.00	144	swath boom
25-gallon spot sprayer, 3 gpm pump, 12' swath boom, spring loaded	WCATV25312	850.00		break away
break away boom, 15 gpa @ 5 mph, 19 gpa @ 4 mph			Y 100 1398 28 78	wings
25-gallon spot sprayer, 3.0 gpm pump, Boominator nozzle providing up	WCATV253B	462.00]	
to 16' spray pattern from a single tip, 14 gpa @ 5 mph, 18 gpa @ 4 mph				



JACKRABBIT and COTTONTAIL ATV SPRAYERS

Molded tanks to fit the contour of an ATV and to give maximum dispersion of weight, universal mounting and 12-volt pump

Jackrabbit

24.5-gallon molded tank

<u>Cottontail</u>

15-gallon molded tank



1.8 gpm pump, control switch, 15' of hose and Black Jewel handgun



WC2412FJ - \$865.00

Equipped with 3 gpm pump, control switch, 15' of hose, Black Jewel handgun, single boomless nozzle delivering an approximate 16' swath, manual on/off valve, 12 gpa @ 4 mph, 10 gpa @ 5 mph



WC241212 - \$1,155.00

Equipped with 3 gpm pump, control switch, 15' of hose, Black Jewel handgun, 12' folding boom with on/off valve, gauge, pressure control, 12 gpa @ 4 mph, 10 gpa @ 5 mph




WC2412BB - \$1,155.00

Equipped with 4.5 gpm pump, control switch, 15' of hose, Black Jewel handgun, two boomless nozzles producing a 30' swath (15' right, 15' left), and on/off right/ left control valves



WC15CT - \$1,105.00

Equipped with 4.5 gpm pump, control switch, 15' of hose, Black Jewel handgun, two boomless nozzles producing a 30' swath (15' to right and 15' to left) and on/off right/left control valves



Jackrabbit and Cottontail ATV Sprayer Options

- JD9 handgun in place of Black Jewel Add \$89
- JD9PT handgun in place of Black Jewel Add \$89
- Front rack mounted manual hose reel and 100' hose with hose reel feed line; mounting hardware not included Add \$465.00

<u>Hardware</u>

- 15' slinky hose \$63.00*
- External strainer sub-assembly \$24.80*
- Boomless nozzle mount \$68.00*
- Boomless nozzle mount & plumbing \$121.00*
- Plumbing (no nozzles) \$48.00*
- Valve plate \$74.40*
- Hose hanger \$19.80* each
- Replacement push button switch \$16.20 each

Notes

- Tie downs and/or straps not included
- ATV must produce 12 amps to operate 4 and 5 gpm pumps
- 12-gauge wiring to the battery is required for 4 and 5 gpm pumps and 30-amp fuse or breaker
- Recommend the use of *Direct* drift retardant/ disposition aid to reduce fine droplets
- Refer to ATV specifications to ensure load capacity will handle the Jackrabbit, Cottontail and Pro models
- Units shipped by common carrier

JACKRABBIT PRO and COTTONTAIL PRO ATV SPRAYERS

All the fine spray features of the standard Jackrabbit and Cottontail ATV sprayers with upgrades for the professional applicator. Refer to ATV specifications to ensure load capacity will handle the Jackrabbit, Cottontail and Pro models.

Jackrabbit Pro \$1,298.00



Standard Features

- 24.5-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt diaphragm pump Black Jewel handgun

Cottontail Pro \$1,220.00



Standard Features

- 15-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt diaphragm pump Black Jewel handgun

Jackrabbit Pro Upgrades from Standard Jackrabbits

1/4 turn ball valves under each leg allowing maximum amount of solution to be used out of the tank no matter what the terrain.




Handgun hose is upgraded to a 15' slinky type hose giving ease of operation when operating the ATV and sprayer

Features the upgraded 12-volt quad sensor pump. The pump has a built-in micro switch control that increases or decreases flow on nozzle demand, thus producing a near constant pressure regardless of the number of nozzles spraying. This puts less demand on the ATV battery and charging system, pump motor will have longer life, and provides excellent performance in operating boomless spray nozzles.



Agitation/Mixing Kit For Retrofitting 24.5-gallon Jackrabbit and Jackrabbit Pro ATV Sprayers and 12-volt UTV Sprayers

Includes two mini agitators, bung fitting, on/off valve, all hoses and fittings. For mixing and agitating, dissolving granules, wettable powder or flowable liquids. Valve actuates agitation system when boomless nozzle and handgun are not in use. Harness and agitator fit inside the tank. \$174.00





Mini-Agitator

Double agitator kit for use on ATV and UTV sprayers with 12-volt low volume pumps. Also use where hydraulic agitation is needed but pump does not produce enough volume to use standard agitation.

WCMINI01 Nylon body \$56.00

CHEMICAL MIXING UNIT

Designed to transfer and mix water or liquid fertilizer from supply tank to spray applicator. Takes the work out of hauling dry ammonium sulfate and other chemical to the top of sprayer for mixing.

- 55-gallon inductor cone tank
- Fills and mixes in cone
- Stinger for extracting out of shuttles or barrels to cone
- Garden hose attachment for washing and rinse
- Garden hose and/or nozzle, or jet rinser not included

GX160 Honda engine with 2" pump unit - \$2,475.00* 2 hp electric 115/220 with 2" pump unit - 2,710.00* 15' of 3/4" hose and Jet Rinse Nozzle - \$56.00*

Liquid Feed Applicator Kit for Bale Processors and Grinders - \$4,925.00*

Hydraulic driven, 1.5" gear pump kit for applying liquid feed to forage • 75-gallon tank designed to self-load and unload tank • Needle valve hydraulic flow adjustable rate

• Two TeeJet nozzles included for high/low range of adjustments • Hydraulic hoses and quick couplers not included in kit

Planter Kits for Banding Liquid Starter Fertilizer

8-row hose, fittings, orifices and check valves - \$652.00* 12-row hose, fittings, orifices and check valves - \$804.00* Tube holder to be custom ordered to fit model of planter - \$21.00* to \$45.00* 3.0 gpm 12-volt fertilizer pump unit with plumbing - \$501.00* 5.3 gpm 12-volt fertilizer pump unit with plumbing - \$574.00*



Pocket gophers cost you money! Every day they run free they destroy your profit potential. It builds and baits artificial runways so only gophers can get it. There is no better way to control pocket gophers. Field tested and customer approved for over three decades - it is the industry standard!

- GA-400-22, 3-point hitch tractor mount \$3,065.00
- GA-500-20, pull type (hydraulic cylinder not included) \$4,210.00
- GA-700, 3-point hitch Cat 1 & 2, heavy duty \$4,910.00
- GA-600, hand-held model \$329.00
- Kaput Big Boy gopher probe \$97.00
- 1 lb jar non-restricted .5% strychnine bait (fits in hand held model) - \$17.30
- 4 lb container .5% strychnine bait \$49.00
- 45 lb bucket .5% strychnine bait \$296.00
- 30 lb bucket Kaput \$94.10
- 5 lb pail Kaput \$32.90







Fastest, easiest, and most economical way to control prairie dogs. Commercial applicator that works great for landowners with large areas to treat. Does up to 200 holes per hour or 10 acres per hour (based on 20 holes per acre). Heavy 5-gallon poly tank. Holds up to 30 lbs plus of treated grain.

UTV mounting bracket for prairie dog baiter \$125.00



General purpose for mounting on bailer or swather • Poly tank • 12-volt pump • On/off switch • Hose/nozzle

25-gallon with on/off switch - \$692.00* 40-gallon with on/off switch - \$797.00* 60-gallon with on/off switch - \$833.00* 40-gallon with rheostat - \$1,067.00* 60-gallon with rheostat - \$1,131.00*



MSC 30-NG rheostat with 10' power cord and 15' cable and 30-amp - \$361.00

SEED TREATER

Treat your seed with this 5-gallon unit. Comes complete with cone bottom tank for complete clean out, 12-volt Shurflo pump, bypass pressure adjustment, filter, gauge, hose, and nozzles.

> 500 ST05A 12-Volt \$624.00* 500 ST05B 110-Volt \$679.00*



HONDA ENGINES AND ACCESSORIES



GX Series Horizontal Shaft



Model	Туре	Feature	Price	
GX120	HX2	6:1 gear reduction, 3/4"	\$ 589.00	
GX120	QX2	Standard shaft, 3/4"	412.00	
GX160	QX2	Standard shaft, 3/4"	393.00	
GX160	HX2	6:1 gear reduction, 3/4"	585.00	
GX160	QXE2	Electric start, 3/4"	685.00	
GX160	TX2	Threaded shaft, 5/8"	441.00	
GX200	QX2	Standard shaft, 3/4"	454.00	
GX200	QXE2	Electric start, 3/4"	779.00	
GX240	HA2	6:1 gear reduction, 1"	917.00	
GX270	PAE2	Threaded, electric start, 1"	859.00	
GX270	PA2	Threaded, pull start, 1"	817.00	
GX270	QAE2	Electric start, 1"	973.00	
GX270	QA2	Standard shaft, 1"	752.00	
GX390	QAE2	Electric start, 1"	1,059.00	
GX630	RQ2E	Electric start, 1"	1,899.00	
	Larger engines available, please inquire			

Options For GX630 Honda Engines			
Part Number	Description	Price	
MUF-0560.SIL	Muffler right discharge	\$189.00	
MUF-0560.SIR	Muffler left discharge	189.00	
071237CE.FLA	6-gallon remote mount fuel tank kit with carbon filter	281.00	

Replacement Recoil Assemblies

Part Number	Description	Price
28400-Z4M-3052B	For GX120, GX160, GX200	\$18.21
28400-ZH8-013YA	For GX120, GX160, GX200	97.44
28400-Z4M-306ZB	For GX120, GX160, GX200	13.45
28400-ZM7-003	For GX50	30.37
28400-ZL8-023ZA	For GC160, GC190	26.60

Air Filters			
Part Number	Description	Price	
17210-ZE3-505	For GX340, GX390	\$18.52	
17210-ZE2-515	For GX240, GX270	13.70	
17210-ZE2-822	For GX240, GX270	13.70	
17210-Z4M-821	For GX120, GX160, GX200	8.38	
17211-ZM7-000	For GX50	1.64	
17210-ZJ1-842	For GX620, GX670	54.90	

Spark Plug				
Part Number	Description	Price		
98079-56846	For GX120 thru GX390	\$6.90		
98079-5587G	For GX630 thru GX690	6.90		

Drainzit	Oil Drain Hoses
-----------------	-----------------

Fits Honda and Briggs & Stratton Engines
 Ends messy oil changes

			,	0
Honda 1008	8mm oil port	For GX50	\$29.80	
Honda 1010	10mm oil port	For GX100, GX140, GX160, GX200	29.80	
Honda 1012	12mm oil port	For GX240, GX270, GX340, G390, GC160	29.80	
Honda 1420	20mm oil port	For Honda V-Twin engines	29.80	
B&S 1025	1/4" NPT	For all B&S and Tecumseh engines	29.80	

PRIZELAWN COMMERCIAL SPREADERS AND ACCESSORIES

CBR IV "Commercial Broadcast Spreader"

- 70+ lb capacity 13" Turf Tracker pneumatic tires
- Improved ergonomic handle Adjustable chute for spread pattern control Spring loaded on/off
- Gear cover standard Hopper cover included • Side deflector optional • Limited lifetime warranty

on gears

Stainless Steel Frame - \$620.00* Epoxy Powder Coat Frame - \$540.00*

LF II "Lilfoot" - \$209.00*

• Up to 40 lb capacity • 10" pneumatic tires • Spring loaded on/off • Epoxy powder coat welded frame

Hopper cover included
 Unbeatable value in a light
 duty commercial spreader



PrizeLawn Spreader Options and Parts

Price	rt # Description	Part
\$9.75	.7 Agitator	33117
31.90	2-Kit Axle gear kit	14832-
34.00	404 Chute/guide set	151440
58.75	7-Kit Gear cover kit	14837-
19.00	3 Hopper cover	77003
22.50	8 Hopper screen	18128
71.00	2 Ice melt deflector for CBR IV	15972
55.00	4 Impeller assembly	15524
31.90	3-Kit Pinon gear kit	14833-
31.00	Receiver hitch carrier for	
	CBR IV	
33.00	Side deflector kit for CBR IV	15681
43.50	9 LilFOOT hopper cover	15209
3	4 Impeller assembly 3-Kit Pinon gear kit Receiver hitch carrier for CBR IV Side deflector kit for CBR IV	15524 14833- 15681

HERD GT-77 SEEDER

Standard Features

• Heavy duty one piece iron base • Hopper capacity of 77 lbs fertilizer or 1.2 bushel seed

Stain-less steel pivot plate for years of service • 4-bladed corrosive resistant aluminum fan
12-volt electric motor (spreads alfalfa 28' wide) • Hopper lid to keep material in hopper and dry at all times • Vibrating agitator for sure-feed of material being spread • Mounting kits to fit most all ATVs • Includes bracket for metal ATV rack "T"

Options		
Part #	Description	Price
544	3-point hitch for GT-77 in place of ATV bracket	\$192.00*
660	2" receiver hitch for GT-77 in place of ATV bracket	250.00*
811	Rheostat to control spread width	175.00*
JPH-1	UTV with tailgate and 2" receiver (JD Gator, Kubota, etc) in place of standard mounting kit	315.00*



\$785.00*

DOSATRON®

WATER POWERED DOSING TECHNOLOGY

Affordable, on-sprayer chemical injection

No more messy mixing chores.
No more left-over spray solution at the end of the day.
Just fill your sprayer tank with water and set the Dosatron to the desired percentage of chemical to water
The Dosatron chemical injector precisely injects the pre-set amount of chemical into the flow of water being pumped to the nozzles. This percentage of chemical to water remains constant regardless of changes in spray pump output.
On sprayers equipped with automatic spray rate control systems, the Dosatron rate of chemical injection precisely follows the changes in flow and pressure called for by the spray rate control system.



Model	Flow Rate	Flow Range	Pressure	Ratios	Percentage	Oz / Gal	Price
D14MZ2	14 gpm	0.05 to 14 gpm	4.3 to 85 psi	1:500 to 1:50	0.2 to 2	.256 to 2.56	\$590.00*
D14MZ5	14 gpm	0.05 to 14 gpm	4.3 to 85 psi	1:200 to 1:20	0.5 to 5	.64 to 6.4	1,200.05*
D45RE15	20 gpm	.5 to 20 gpm	7 to 70 psi	1:500 to 1:66	0.2 to 1.5	.256 to 1.92	761.63*
D45RE3	20 gpm	.5 to 20 gpm	7 to 70 psi	1:200 to 1:33	0.5 to 3.0	.64 to 3.84	1,132.12*

	D8R	DSA45-1.5	DSA45-3	D14M22	D14MZ5
Dosing Seal Kit	8PJ052VF	PJ096VF	PJ084AF	PJDI116VF	PJDI20VAF
	\$62.00*	\$83.00*	\$119.00*	\$71.83*	\$123.00*
Motor Seal Kit	8EM002	MKD45RE15	MKD45RE3	EMDI006VF	EMDI006VF
	\$11.75*	\$125.00*	\$166.00*	\$46.00*	\$46.00*

PERSONAL PROTECTION EQUIPMENT				
Tyvek Coveralls Non-elastic wrists and ankles.	PVC Bib Chemical Apron			
Full zipper front BW1921 M - XL \$8.60 per pair DW1021 2Y \$0.10 per pair	BW1971EA \$17.90 each			
BW1921 2X \$9.10 per pair BW1921 3X \$10.25 per pair	Full Face Shield			
BW1921 3X \$10.25 per pair	Positive lock headgear FE2000EA \$36.60			
Heavy Duty Nitrile Gloves	Replacement Shield FE2001EA \$5.05			
HW2300 \$22.75 per pair	Minutemen Universal Caill Deenenee Duffel			
19" elbow length, 22 mil thickness, L and XL	Minuteman Universal Spill Response Duffel SP30GA-MIN \$152.00			
Nitrile Gloves 13" cuff, 15 mil thickness	Contains: 2 – 26"x16"x2" pillows; 3 – 3"x48" diking tubes; 1 pair 15			
HW2400 S - XL \$3.55 per pair HW2400 2XL \$3.70 per pair	mil nitrile gloves; 1 pair safety goggles; 1 pair rubber hazmat			
HW2400 2XL \$3.70 per pair	mil nitrile gloves; 1 pair safety			
	goggles; 1 pair rubber hazmat			
HW2400 2XL \$3.70 per pair Gloveworks Disposable	goggles; 1 pair rubber hazmat boots, 2 disposal bags with labels			
HW2400 2XL \$3.70 per pair Gloveworks Disposable Nitrile Gloves	mil hitrile gloves; 1 pair safety goggles; 1 pair rubber hazmat boots, 2 disposal bags with labels Commando Universal Spill Response Kit			




Safety Glasses

One-piece wraparound lens, Flexible temples, Temple sleeves Clear

FE4045C FE4045G

\$4.45 per pair Grey Tint \$3.85 per pair

Safety Goggles, Indirect Vent Can be worn with half-mask respirator. Fits over prescription eyewear.



\$5.40 per pair

North Half-Mask Respirator Kit (M&L)

Comes with mask, one set each of organic vapor cartridges, R95 prefilters, and filter covers



- RSKT7700N ~ \$88.50
- RS7501NPK ~ Organic vapor cartridge, 1 pair \$20.80 / pair RS7506RNBX ~ R95 prefilters, 10 pack \$51.40 / pack
- RS700NPK ~ Prefilter cover, 1 pair \$7.00 / pair

N95 Particulate Respirator Molded mask, resists collapsing

RS2120BX-AL~ \$52.25 per box of 20 RS2120 ~ Individually, \$2.90 each




53-gallon lockable tote

• D-handle pointed shovel

HookLok mounts for shovel

• D-handle square end shovel • Floor Dry, 24-quart bag (x 2)

- Collapsible shovel • Diking tubes 4' x 3-1/2" (x 12)
- Sorbent pillows 8-1/2" x 8-1/2" (x 10)
- Oil sorbent pads 8-1/2" x 17-1/2" (x
- 10)
- Tyvek suit (one XL, one XXL)



• N95 dust mask (x 6)

1 pair safety goggles; 1 pair boot covers; 1

pair 15 mil nitrile gloves; 2 disposal bags;

Warne Rapid Response Spill Kit ~ \$925.00

instruction sheet

- Safety glasses (one pair)
- Paper towels (one roll)
- Roll of 30-gallon trash bags
- Shoe covers

"HANDS FREE" hose pulling with the original hose harness

HotStop

- For all commercial hose uses
- Reduce back and shoulder fatigue
- Eliminate hose being slung over shoulder lessening exposure from hose contact
- Micro and macro adjustment to hose up to 1-1/4" OD
- Switch between hose or cord in seconds
- Fully adjustable from approximately 5/16" to 1-1-4"
- Great for "non-gasoline" powered tools and equipment
- \$35.00* each; \$29.90* each 3 or more

BigStop

- For all hose and cord uses
- Switch between hose or cord in seconds
- Reduce fatigue and increase productivity
- Adjustable belt with quick-release buckle
- Fully adjustable from approximately 5/16" to 1-1/4" OD
- Great for "non-gasoline" powered tools and equipment
- \$27.90* each; \$23.90* each 3 or more

シ WeatherFlow Weather Meter

Simple and cost-effective way to capture location specific weather data.


WEATHERmeter - \$79.85*

- Communicates via Bluetooth up to 100'
- Readings are recorded and displayed to WINDmeter app (free or compatible app)
- Wind speed (average, gust) 2-125 mph
- Wind direction
- Crosswind, headwind, tailwind
- Temperature and relative humidity
- Pressure and dew point
- Heat index, windchill and more

EARTHWAY BELLY GRINDER

- 20 lb capacity
- Nylon bag Model 2750 - \$61.00*

MIRACLE RUST AWAY



Quart \$16.90 Gallon \$46.00





ROOT FEEDERS

Standard Root Feeder \$356.00*

XL Root Feeder (10" longer) \$366.00*

Ideal for injecting liquid fertilizer into hard, compact soils. Features welded steel step, two-hole chisel tip design on injector point assembly, non-slip handle grips and trigger valve with 1/2" FP inlet.

- Replaceable trigger valve \$189.00*
- Replaceable hardened steel tip \$75.00*
- 1/2" male quick coupler \$17.00*
- 1/2" female coupler for hose \$29.00*
- Trigger valve repair kit \$37.00*
- 305A squeeze lever/bracket assembly \$39.70*

SOIL CORE SAMPLER - \$99.00*

- 36" tube with 12" T handle
- 3/4" diameter side outlet core discharge

HANDHELD WEED WIPER

Air poly weed wiper for use around trees, bushes and gardens. Just add one part Roundup with two parts water. Order No 500HWW \$45.00*

FLUID FILM not only protects against, and stops rust, but also is capable of penetrating heavily corroded and/or frozen parts such as nuts bolts, shafts, and more. Will not evaporate or dry out. Use on metals, wood, leather, and electrical. Penetrates and protects immediately after application. Nontoxic, non-hazardous and user friendly.



11.75 oz aerosol can - \$14.50 per can Case of twelve 11.75 oz aerosol cans - \$152.00 per case 8 oz brush can - \$20.50 per can 1 gallon bulk can - \$97.50 per can

JET RINSE NOZZLE

Rinses cans of chemicals and prevents re-use, works on metal or plastic cans. Has 3/4" garden hose thread female inlet connection and on/off slide switch. \$38.83*



MEASURING CONTAINERS



128 oz\$20.50*64 oz\$12.50*34 oz\$10.75*8 oz\$8.75*

CUSTOM BUILT SPRAYERS TO FIT <u>YOUR</u> NEEDS AND BUDGET



FLATBED MOUNTED TREE, TURF AND ROADSIDE SPRAYERS



PICKUP MOUNTED TREE AND TURF SPRAYERS

Let Warne Companies professional staff custom design and build a sprayer to YOUR specifications. Call 1-605-342-7644 for a custom quote!



BOOMLESS RANGE AND PASTURE



AGRICULTURAL SPRAYERS



ATV SPRAYERS - 15 AND 24.5-GALLON



UTV SPRAYERS - 55, 75, 100-GALLON





On the new





www.warneusa.com





- Order sprayers, parts, tanks, hose, handguns, pumps, engines, pesticides and fertilizers, applicator safety equipment (PPE), and more
- Get industry updates, expert tips, and advise



Make payments



NOTES

HAVE QUESTIONS, CALL US AT 605-342-7644





2610 Commerce Rd • Rapid City SD 57702

Phone: 605-342-7644

Email: warnechemical@warnechemical.com

Website: www.warneusa.com







